


# Tools and Hardware Products 2012

[www.GSAglobalsupply.gsa.gov](http://www.GSAglobalsupply.gsa.gov)



Your Mission. Your Way.

# Make GSA Your Source for Tools and Hardware Supplies.

GSA provides support to military and civilian agencies acquiring tools and hardware supplies and also offers flexible options designed to accommodate specific requirements and agency regulations. Together, these benefits present comprehensive and flexible choices suitable for meeting most of your product requirements.

## Highlights of GSA's Requisition and Acquisition Methods:

### Requisitioning from GSA

GSA Global Supply™ procures supplies that meet the recurring needs of civilian and military agencies. Because GSA Global Supply has already procured the most in-demand supplies on the government's behalf, obtaining these products through GSA Global Supply is a simple requisition between agencies; no comparison shopping is necessary. Standard shipping is included with most orders, and "direct delivery" products are clearly identified.

This catalog features some of GSA Global Supply's most popular tools, hardware and cleaning supplies. To view GSA Global Supply's complete offering, visit [www.GSAGlobalSupply.gsa.gov](http://www.GSAGlobalSupply.gsa.gov).

**For additional information about ordering from GSA Global Supply, see page 1 of this publication.**

### Purchasing from a GSA Vendor

By offering supplies that cover the breadth of the commercial marketplace, the GSA Multiple Award Schedules (MAS) program enables your agency to choose from thousands of products available from hundreds of pre-qualified vendors. Typically, this method of procurement is quicker and easier than open-market procurements. For more information, visit [www.gsa.gov/acquisitionsolutions](http://www.gsa.gov/acquisitionsolutions).

### Special Order Program

There are times when your product requirements are greater than what is in a catalog or appears on a website, time is of the essence, or you need support to navigate the ever changing procurement process. For those times, GSA Global Supply can meet your most complex, mission-critical requirements through the Special Order Program (SOP). This full-service acquisition management service complies with the Federal Acquisition Regulation (FAR) and other applicable federal policies, laws and regulations, such as environmental orders, AbilityOne mandates, and trade agreements. Our certified contracting professionals offer acquisition management services that completely support the pre-solicitation, pre-award, award and post-award phases of a project. For more information on SOP, contact us at [SpecialOrderProgram@gsa.gov](mailto:SpecialOrderProgram@gsa.gov) or (855) 809-6044.

### Ensuring Re-Use with GSA Personal Property Management

Screening available excess personal property is the federal government's priority source of supply. With today's increased environmental consciousness and reduced budgets, reusing excess property has become a source of pride, a documentable benefit and a way to avoid costs associated with new equipment. Remember, reuse is the ultimate form of recycling.

To help you acquire the excess property your agency needs, GSA offers GSAXcess®, the personal-property tool for reporting and viewing excess property within the federal government. At [www.gsa.gov/gsexcess](http://www.gsa.gov/gsexcess), reporting, searching and selecting excess property are all convenient and user-friendly.



Did you know that almost all Global Supply prices include shipping?

# More than 150 tools and hardware products from GSA Global Supply™



GSA Global Supply is pleased to highlight some of our most popular tools and hardware products, from hand tools to vacuums. GSA Global Supply offers a wide variety of tools and hardware that carry our service guarantees.

- Easy Requisitions – See It. Buy It. Get It.
- Flexible – Featuring Multiple Ordering Options
- Reliable – Delivering the Products You Need, Where You Need Them
- Anywhere – Assuring Global Delivery
- Anytime – Supporting 24/7 Purchasing
- More – Offering Extensive Product Selection
- Safe – Providing Easy Compliance

The items in this publication represent just a few of the tools and hardware items available from GSA Global Supply. For our complete line of tools and hardware, visit [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

## Contents

Hand Tools .....	2
Power Tools .....	13
Hardware .....	16
Cleaning .....	19
Paints and Accessories .....	24

## Ordering

### Online (24 Hours):

[www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov)

The GSA Global Supply website gives you access to tens of thousands of tools, office supplies, computer products and other items. You can use your government purchase card or arrange direct billing with your Activity Address Code (AAC/DoDAAC). Select the items you want and place your order. For more information on obtaining an AAC/DoDAAC, contact our Order Management Office at (800) 927-7622 or email [ordermgmt@gsa.gov](mailto:ordermgmt@gsa.gov).

All GSA Global Supply items are also available via *GSA Advantage!*® and the DOD EMALL Web site.

### Telephone:

**(800) 525-8027**

**DSN 465-1416**

Call our toll-free number to place your order. We are open from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

### Fax Orders (24 Hours):

**(800) 856-7057**

You will receive a confirmation via fax.



## Part-Number Ordering

Many GSA Global Supply catalogs feature items with National Stock Numbers (NSNs) and others with GSA part numbers. FEDSTRIP/MILSTRIP customers can order GSA part-numbered items by entering "GSA" as the Routing Identifier Code (RIC), and using one of the following Document Identifiers (Doc ID):

- AOB: For domestic shipment
- AO2: For overseas shipment

Both NSNs and GSA part-numbered items carry the same customer benefits. All are FAR-compliant and AbilityOne Guaranteed. All can be shipped anywhere on the globe. All are backed by GSA Global Supply customer service.



## DOD EMALL

All GSA Global Supply items appear on the DOD EMALL Web site. Customers must use their AAC/DoDAAC to purchase GSA items.

# Hand Tools



A

## Vehicle Track Connection Tool

A. Clamping force for fixture is 9,000 lbs capable of exerting 18,000 lbs proof clamping force.

IAW U.S. Army Tank Automotive Command drawing 12252120.

Used on NSN 5420-00-889-2020, Bridge Launching Carrier.

5120-01-016-2149			EA	\$587.21
------------------	--	--	----	----------



B

## Hand Jack (Hydraulic)

B. This self contained, hand operated, hydraulic jack performs a wide variety of lifting, straightening, shoring, bracing and bending applications. Use it for general industrial and automotive maintenance, construction, fabrication and material handling in shops and factories. Jack is an integral unit consisting of a pump, ram and reservoir. Furnished with a jack handle.

5120-01-146-8096	96AB018 or equal	12 Tons, Collapsed 8-1/2" H, Extended 17-1/8" H.	EA	\$109.25
5120-01-179-8248	DD Oshkosh Truck 1428870 or equal	15 Tons, Collapsed 13" H, Extended 23-1/8" H.	EA	\$941.99

## Hand Jack (Scissors)

C. In accordance with U.S. Army Tank-Automotive Command drawing number 57K3228 dated 3-95. Extended height: 18-45/64"; Retracted height: 6-19/64"; Load capacity: 3-1/2 tons. Includes extension, handle, ratchet wrench in a stowage bag.

5120-01-375-0070			EA	\$240.69
------------------	--	--	----	----------

This scissors hand jack is used exclusively on the Hummer vehicles. Extended height: 18"; Collapsed height: 6-21/64".

5120-01-430-3123	AM General or Autoline 5939822L or 006762	3 Ton.	EA	\$197.34
------------------	---	--------	----	----------



C

## Hydraulic Pump Assembly

This hydraulic pump is capable of operating one or two jacks at the same time. The rate of flow of hydraulic fluid to the jacks is controlled by flow control valves located on the pump unit (for safety purposes). Quick connect/disconnect hoses (10-foot minimum length) including permanently attached dust covers for all fittings are provided with pump. 0 to 3250 PSI working pressure.

5120-01-179-8249	DD Oshkosh 1380040 or equal	36" L, 5-1/4" W.	EA	\$703.75
------------------	-----------------------------	------------------	----	----------

## Pocket Knife (Folding)

D. The Applegate combat folder is the first folding combat knife ever developed. It features a large stainless steel blade that fits snugly into a relatively small handle, an objective not easily accomplished with most folding knives. In addition, the knife features a 4-1/2" blade with a thumb stud for easy one handed deployment, as well as a sheath for easy storage.

5110-01-436-1548	Gerber 05780 or equal	10" L (open), 5-3/4" L (closed).	EA	\$94.63
------------------	-----------------------	----------------------------------	----	---------

E. Pocket knives are versatile tools, and may be used for anything from opening an envelope, to cutting twine, to slicing an apple or even for self defense.

This folding pocket knife has a black finish stainless steel modified sheepsfoot blade with an oval thumb hole. The blade has a partially serrated / straight edge. The black high strength plastic handle is lightweight and molded to form. The knife features a patented hinged lock and has a reversible stainless steel carry clip.

5110-01-452-2215	Black Finish	8-1/2" L (open), 4-7/8" L (closed).	EA	\$43.67
------------------	--------------	-------------------------------------	----	---------



D



E

### Multi-Tool



This Leatherman Fuse Tool features needlenose and regular pliers, wire cutters, hard wire cutters, contoured stainless steel handle (Zytel grips and features locking components such as a clip point blade), scissors, screwdrivers (2), Phillips screwdriver, inch and centimeter ruler, bottle/can opener with wire stripper and lanyard attachment.

5110-01-525-6661	830023 or equal	4" L (closed) Leather Sheath	EA	\$41.02
------------------	--------------------	---------------------------------	----	---------



This multi-use pocket tool features a component locking mechanism. The tool contains a drop point knife blade, serrated sheepsfoot knife blade, file, cross tip screwdriver, (3) flat tip screwdrivers, can/bottle opener, needlenose pliers, blasting cap crimper, C4 explosive punch, wire cutters, scale, ruler, saw, wire crimper and a lanyard ring. Plier head retracts and slides into the handle. Other components fold into the handle and when opened, lock in the open position and are released by a lock release mechanism on outside of handles.

5110-01-462-3400	07400 or equal	Black Oxide Finish	5-1/8" L (closed). Black Nylon Sheath.	EA	\$108.92
------------------	-------------------	--------------------	---	----	----------

This multi-use pocket tool features a component locking mechanism. The tool contains a drop point knife blade, serrated sheepsfoot knife blade, file, Phillips tip screwdriver, (3) flat tip screwdrivers, can/bottle opener, needlenose pliers, wire cutters, scale, ruler, crimper and a lanyard ring. Plier head retracts and slides into the handle. Other components fold into the handle and when the locks are released on the outside of handles.



5110-01-394-6252	07550G or equal	Black Oxide Finish	5-1/8" L (closed). Black Nylon Sheath.	EA	\$64.73
------------------	--------------------	--------------------	---	----	---------

This multi-tool is made from 100% stainless steel and is designed with one-hand opening characteristics. The multi-tool includes: locking pliers, wire cutters, hard-wire cutters, serrated knife, metal/wood file, ruler (inch/metric), bottle opener, small screwdriver, medium screwdriver, large screwdriver, Phillips screwdriver (#1/#2), hex bit driver, wire stripper, and lanyard attachment.



5110-01-474-0894	Stainless Steel Finish.	4" L (closed). Black Nylon Sheath.	EA	\$78.88
------------------	----------------------------	---------------------------------------	----	---------

This tool is the next generation multi-tool. Tool offers two locking knife blades with one-hand access, plus two more locking tools and a more comfortable handle. The tool also comes with needlenose and regular pliers, wire cutters, hard-wire cutters, clip-point knife, serrated knife, diamond-coated file, wood/metal file, wood saw, scissors, extra small, small, medium, large and Phillips screwdrivers, can/bottle opener, wire stripper and lanyard attachment.



**Stainless steel finish. Leather sheath.**

5110-01-456-0578		4" L (closed).	EA	\$71.30
------------------	--	----------------	----	---------

### Folding Multi-Tool

This multi tool is designed for the user who needs extreme wire cutting ability and quick access to the components. The tool has a stainless steel plier head and stainless steel components other than the saw blade. The pliers are spring loaded with the jaws containing replaceable and indexable tungsten carbide inserts with a nitride finish. The aluminum handles have black rubber molded inserts and rotate around the plier head. All the components in the handle rotate independently. The tool features the following components: Spring-loaded, needle-nose pliers, wire cutters, bottle opener, flat tip screwdrivers (3), Phillips tip screwdriver (1), coarse/fine file, scissors, half serrated drop point knife blade, replaceable carbide saw blade and universal jig saw coupler.



**Furnished in a nylon sheath.**

5110-01-475-2144	08239G1 or equal	6-5/8" L (Opened), 5-1/8" L (closed).	EA	\$100.77
------------------	------------------	---------------------------------------	----	----------

### Multi-Tool Kit

This multi-tool kit contains: a multi-pliers tool (NSN 5110-01-346-5339); six stainless steel screwdriver bits; and a coupler that fits over the cross-tip screwdriver blade in the multi-pliers. The screwdriver bits and the coupler are stored in a rubber bit holder with slots for each of the items; the holder has an extended gripping tab that permits easy bit removal from the sheath. The screwdriver bits are 1/4" hex inserts and consist of three flat-tip bits (in sizes 12-14, 5-6, and 0-1) and three cross-tip bits (in Phillips sizes 1, 2, and 3). Furnished in a black synthetic sheath with a Velcro flap closure, a belt loop, and two pockets (one for the multi-pliers tool and one for the rubber bit holder).



5110-01-385-7354	07510G or equal	4-7/8" L (closed).	SE	\$59.15
------------------	-----------------	--------------------	----	---------

GSA Global Supply™ offers tens of thousands of office products, tools and supplies to help meet your maintenance, repair and operations requirements. See the complete array of products at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

### Measuring Tape (Steel)

Self supporting steel measuring tape features permanent graduation markings and numbers printed on the full length of the tape. Housed in a butt end plated metal or impact resistant plastic case.



Features automatic winding power return, blade lock and a belt clip. Displays English markings. Graduations are in 1/16" increments (first 6" are in 1/32"). Reads left to right.

5210-01-139-7444 SKILCRAFT AbilityOne 25' L x 1" W. EA \$19.39

### Ball Peen Hammer (Fiberglass Handle)

These hammers are hard faced and either a machinist or engineer type. They will have a polished striking face on one end for striking punches and chisels and a polished hemispherical ball peen on the other end for use in riveting, shaping, and straightening unhardened metals. The handle can be made of wood, plastic, fiberglass or metal and may or may not be covered by an additional grip for comfort. It is the hammer of choice when making gaskets or driving drift pins. ASME B107.53.



5120-00-061-8546 PRIME 32oz, 16" L. EA \$21.59

### Slip Joint Pliers (Straight Nose)

These straight nose, combination, slip joint pliers have flat gripping surface with fine teeth, a curved center jaw section with sharp teeth. The wire cutter can be either a side or throat type. The two position, slip joint permits the jaws to be opened wider. These chrome plated, forged steel pliers have polished heads. ASME B107.23.



5120-00-223-7397 PRIME 8" L, Comfort Grip, Regular. EA \$8.91

### Wire Twister Pliers

Pliers provide fast twisting of safety wire and are excellent for work on critical components of aircraft and vehicles. Features right hand (clockwise) twist and a diagonal (standard) nose configuration for hard to reach areas. Spiraling mechanism produces a close, uniform twist in safety wire when rod is pulled and pliers rotates. Jaws can be locked in a closed position. Furnished with wire cutter. ASME B107.18.



Type: I (Right-hand twist), Class: 2 (Hand Push twist rod return), Style: A (Serrated wire clamping jaws)

Produces three revolutions per pull.

5120-00-305-2306 PRIME 9" L. EA \$64.87

Did you know that almost all GSA Global Supply prices include shipping?

### Insulated Wire Cutter

Designed for cutting electrically charged barbed wire. Insulated handles withstand high voltages up to 14,000 volt RMS. Cuts wire, cable and light chain to 3/16", soft and medium hard metals to 1/4" diameter. Cuts chain links up to Brinell 300, or Rockwell C31. A center cut tool with a special parrot beak jaw for ease in grasping wire and staples.



5110-00-595-8229 9" L. EA \$90.23

### Bolt Cutter (Clipper Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter The removable/replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047.



Class 3: Clipper Cut (Close Cutting).

5110-00-188-2524 36" L, 9/16". Replacement Jaws 5110-01-381-0808. EA \$130.23

### Bolt Cutter (Angle Cut)

This bolt cutter tool will slice through rivets, bolts and steel rods like butter The removable / replaceable, sharp edged jaws are made of hardened tool steel. The dual lever arm steel handles have a toggled or geared action and a rubber bumper or lock screw eliminates pinching of the operator's hands. Described by (Length and Max bolt size) A-A-3047.



Class 1: Angular Cut (Flush Cutting). Angular cut of 25° - 35° from the base plane of the jaw shanks.

5110-00-224-7057 36" L, 9/16". Replacement Jaws 5110-01-380-5088. EA \$189.17

### Straight Trimmer's Shears

Use lightweight shears for light paper cutting and trimming applications. Balanced shears reduce fatigue. Have straight handles. Rust resistant stamped stainless steel. Molded plastic handles are for left and right hand use. Both blades are stamped stainless steel and pointed.



5110-01-241-4373 PRIME 8-1/4" L, 3-5/8" L Cut. EA \$4.64

### Staple Gun (Compression Type)

This heavy duty, manually operated, compression type staple gun drives wire staples onto penetrable materials such as wood or composition board. Use for posters, labels, tags and building paper. The steel spring mechanism returns the handle to the starting position and feeds the next staple to driving position, making it easier to operate with one hand. Comfortable handgrip design.



5120-00-889-1796 CS5000 or equal Staple Size: 1/2" W x 9/16" L Legs. EA \$66.33

## Socket Set (Standard, Regular Length)

**A.** When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1.

This socket set consists of (20) pieces: hinged long handles (2) 9" and 14-1/2", reversible ratchet, universal joint, (3) solid extensions (2", 5" and 10" L) and (13) regular length 12 point sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4".

5120-00-081-2307 **PRIME** 1/2" Drive, 12 Point, Metal or Plastic Box. SE \$151.24



## Socket Set (Standard, Mixed)

**B.** When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1.

This socket set consists of (23) pieces: long hinged handles (2) 8" and 8-1/2", reversible ratchet, brace type speeder, (2) solid extensions (6" and 11" L), (2) universal joint sockets (1/2" and 9/16"), (6) long length sockets (1/2", 9/16", 5/8", 11/16", 3/4" and 13/16") and (9) regular length sockets (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8").

5120-00-322-6231 **PRIME** 3/8" Drive, 12 Point, Metal or Plastic Box. SE \$118.48



## Socket Set (Standard, Regular Length)

When working in a confined area with limited turning space, you need a socket set to fix that problem. All have square drives. These are for hand use only, no impact wrenches. ASME B107.1.

**C.** This socket set consists of (21) pieces: (14) regular length sockets in sizes: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-13/16", 1-7/8" and 2", (3) handles: (20" long hinged, reversible ratchet and sliding T), universal joint, (3) solid extensions (3", 8" and 16" L).

5120-00-204-1999 **PRIME** 3/4" Drive, 12 Point, Metal Case. SE \$451.52



**D.** This socket set consists of (27) pieces: (22) regular length 12 point sockets: 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2, 2-1/8", 2-3/16", 2-1/4", 2-5/16", 2-3/8", 2-7/16", 2-1/2", 2-9/16", 2-5/8", 2-3/4", 2-13/16", 2-15/16", 3" and 3-1/8", (3) handles: (22" L hinged, 20" L reversible ratchet and 20 to 32" sliding T), (2) solid bar extensions: (8" and 17" L).

5120-00-081-2309 1" Drive, 12 Point, Plastic or Metal Box. SE \$1,919.06



## Hex Key Set

**E.** Hex Key Set, Tool Type: Ball End Key, Handle Type: L-Key, Measurement Type: Inch/Metric, 22 Pieces. Hex Size Range: 0.050 - 3/8 inch. Hex Size Range 1.5 - 10.0mm. Container Type: Plastic Caddy, Material: Steel, Overall Length: 7-1/4 inches. Paramount Part # PAR30199.

TL1-G3987035 EA \$31.39

## Hex Bit Socket Set

**F.** Hex Bit Socket Set, Tool Type: Ball Hex Bit Set, Drive Size: 3/8 inch, Measurement Type: Metric, Eight pieces, Size Range: 3 - 10mm, Container Type: Clip Rail, Additional Information: Extra Long Ball End Hex Bit Socket Set, Paramount Part # TH307SV-B.

TL1-G3989581 EA \$79.50



**G.** Hex Bit Socket Set, Tool Type: Hex Bit Set, Drive Size: 3/8 inch 1/2 inch, Measurement Type: Inch, 10 Pieces, Size Range: 3/8 Drive: 1/8 - 3/8, 1/2 Drive: 1/2 - 5/8, Paramount Part # HX710A-B.

TL1-G3988596 EA \$53.15



**Socket Set**



**A.** Socket Set, Type: Standard and Deep Socket Set, Measurement Type: Inch/Metric, Drive Size: 1/4, 3/8, and 1/2 inch, Number of Points: 6, 8, and 12, 107 pieces, Size Range: 5/32 - 13/16 and 4 - 13, 9 - 15, 17, 19mm. Fractional Size: 1/4" Drive: (10) 6 Pt Std.: 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2", (7) 6 Pt.; Deep: 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2", (9) 12 Pt.; Std: 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2", 3/8" Drive: (5) 8 Pt. Std. Metric Size: 1/4" Drive: (10) 6 Pt. Std. Metric: 4; 5; 6; 7; 8; 9; 10; 11; 12; 13mm, (7) 6 Pt. Deep Metric: 7; 8; 9; 10; 11; 12; 13mm. Accessories: (1) 1/2" Drive Extension 2", (1) 1/2" Drive Ratchet, (5) Combination Wrenches: 3/8; 7/16; 1/2; 9/16; 5/8", (1) 1/4" Drive Extension 3", (1) 1/4" Spinner Handle, (1) 1/4" Ratchet, (2) 3/8" Drive Extensions: 3 and 6", and (1) 3/8" Ratchet. Case Type: Blow Molded Case, Paramount Part # BM118-B.

TL1-G3990739 EA \$140.40

**B.** Socket Set, Type: Standard and Deep Socket Set, Measurement Type: Inch/Metric, ; Drive Size: 1/4, 3/8 and 1/2 inch; Number of Points: 6, 8, and 12; 116 pieces. Size Range: 1/4" Dr. Std.: 5/32 - 1/2 and 4 - 13mm, 1/4" Dr. Deep: 3/16 - 1/2 and 4 -13mm, 3/8"; Combo Wrenches: 3/8 - 5/8 and 10; 12; 14 - 15mm; Dr. Std. and Deep: 3/8 - 13/16 and 9 - 18mm, 1/2" Dr. Std.: 5/8 - 15/16 and 9; 21 - 24mm. Fractional Size - 1/4" Drive: (10) 6 Pt. Std.: 5/32; 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2 inch, (9) 6 Pt. Deep: 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2 inch, 3/8" Drive: (3) 8 Pt Std.: 1/4; 5/16; 3/8 inch, (8) 12 Pt Std.: 3/8; 7/16; 1/2; 9/16. Metric Size - 1/4 inch Drive: (10) 6 Pt. Std. Metric: 4; 5; 6; 7; 8; 9; 10; 11; 12, 13mm (10) 6 Pt: Deep Metric: 4; 5; 6; 7; 8; 9; 10; 11; 12; and 13mm, 3/8" Drive. Accessories - (2) 1/4 inch Dr extensions 3" and 6", (1) 1/4 inch Dr. Ratchet, (1) 1/4 inch Spinner handle, (1) 1/4 inch Dr. 3/8 inch adapter, (2) 3/8 inch Dr. Extension 3", (1) 3/8 inch Dr Ratchet, (1) 1/2 inch Dr. Ratchet, Additional Tools: (4) Combination Wrenches: 3/8; 7/16; 9/16; 5/8 inches. Case type: Blow Molded Case. Paramount Part # BM130-B.

TL1-G3990849 EA \$149.18

Consider the value of  
**GSA Global Supply™:**  
 competitive prices, worldwide  
 delivery and convenient choices  
 for ordering and billing.

**Blind Riveter Kit**

Has a hand held hydraulic riveter with 4,200 lbs. of pulling force and slip resistant handle grips. Pulling heads are included in the kit. Heads are right angle, offset and extended straight pulling heads for Cherry Max or Huck Clinch blind rivets. This kit provides the ability to install all Cherry Max Rivets (1/8" to 1/4"), Pull Thru Nutplate Rivets (3/32" to 1/8"), all Pop type rivets from 3/32" to 1/4" in diameter. In addition pull up studs and driving anvils are provided for Rivnut sizes 6-32, 8-32, 10-32, 1/4-28, 10-24, 1/4-20, 5/16-18 and 3/8-16". The kit is supplied in a metal, weather tight carrying case.



5180-01-201-4979 FSI D-100-MIL-2 or equal KT \$1,603.21

**Office Tool Kit**

Kit offers all in one convenience! Contains: screwdriver bit set and handle with (1) Phillips and (5) flat tip mini drivers, slip joint pliers with combination jaw and cutter, chain pliers with long round nose and cutter, heavy duty straight trimmer's shears, curved claw hammer, adjustable wrench, (2) flat tip screwdrivers (3/16" and 5/16" W tips), (2) Phillips screwdrivers (#1 and #2), smooth jaw tweezers, (6) L-shaped Allen wrench set (nominal sizes 0.05 to 1/8"), steel measuring tape (16" L x 3/4" W), utility knife with retractable blade in four positions. Equipped with a custom zipper tool case.



5180-01-336-7141 KT \$139.80

**Electronic System Tool Kit**

All-in-one kit. Includes: (53) individual tools, (31) interchangeable screwdriver/nutdriver blades and handles, extensions, electronic snips, straight nose soldering seizer, Bristol spline bits, Allen hexagonal socket screw key bits, Phillips and flat tip screwdriver blades, reamer, chain nose, needle nose, ignition and other pliers, adjustable wrench, adjustable wire cutter and stripper, electronic technician's knife, mini-driver kit, offset ratchet screwdriver set, four way pocket tool, screwdrivers, screwdriver hexagonal socket, nut drivers, amplifier torque handle and tool case.



5180-01-046-4980 TCS100ST or equal KT \$563.58

## Refrigeration Equipment Tool Kit

This kit provides the necessary components and hand tools required for refrigeration maintenance.

Kit includes: compressed gas cylinder valve connection adapters (8), pipe and tube adapters (13), adapter socket wrench, air conditioning ratcheting box wrench, pinch bar, tube hand bender set (6 piece), hacksaw and blades, modern refrigeration and air conditioning book, brazing and soldering set, copper brazing alloy, silver brazing alloy, wire scratch brush, pipe

bushing, power cable assembly, cold hand chisels (2), abrasive cloth, terminal hand crimping tool, tube cutter and flaring tool kit, charging refrigerant cylinder, leak detector, socket wrench extension, half round hand file, tube hand flaring tool, flashlight, brazing flux, soldering flux, thickness (feeler) gage, hand hammer, hose assembly and set, socket wrench set, speeder brace type handle with socket set, torch, non-metallic hose set, socket head screw key set, pocket knife, charging and testing refrigerant manifold, multimeter, hand oiler, abrasive paper, tubing pinch off tool, pliers, mechanical puller, center solid punches, drive pin punches, tube swaging hand punch, tools and accessories roll, hand screw starters, Phillips screwdrivers, flat tip screwdrivers, offset screwdrivers, sealing compound, tin alloy solder, electric soldering iron, mechanical handheld tachometer, insulation electrical tape, two meter measuring tape, self indicating bimetallic thermometer, rollaway tool boxes (2), portable tool chests (2), tool bag, attachment universal joint, rotary vacuum pump unit, line piercing valve, box and open end combination wrench set, open end adjustable wrench, open end box (flare nut) wrench, pipe wrench, pipe wrench (heavy duty, adjustable), ratchet wrench set socket wrench sets and open end wrenches, pipe wrenches and air conditioning ratchet wrench. Department of the Army Supply Catalog SC 5180-95-N18.

5180-00-596-1474

KT \$5,686.61



## Master Mechanic's Tool Kit



This kit contains the following: pry bar, hand hacksaw blades and frame, mounting bracket, scratch wire brush, hand cold chisels, hand rivet buster chisel, spring tension clip, socket wrench extension, screw extractor set, hand file (Swiss and American patterns), contact point flat, half, round regular (with wood handle), mechanical finger, gap setting gage thickness gage, hand hammers, socket wrench handle, socket head screw key set, pocket knife, putty knife, retaining ring pliers set, diagonal cutting pliers, slip joint pliers, aligning punch, solid center punch, drive pin punch, magnetic retrieving tool, tools and accessories rolls, machinist's steel rule, phillips, standard, and offset screwdriver set, flat tip screwdriver, offset screwdriver, screwdriver socket wrench attachments, socket wrench sets, stud remover and setter, two meter measuring tape, portable toolboxes, box wrench set, box and open end combination wrench set, open end (double-head) wrench set, attachment universal joint, adjustable auto wrench, adjustable open end wrench, adjustable wrench, open end box wrench, box (double head) wrench, open end tappet wrench, open end wrench, pipe wrench (heavy duty adjustable), curved and straight jaw vise grip type pliers. Department of the Army Supply Catalog SC 5180-95-NO5.

5180-00-699-5273

KT \$2,375.83

## Mechanic's Tool Kit



This 546 piece kit has 331 sockets, 26 drive tools, 90 combination wrenches, 31 screwdrivers and nutdrivers. There are 68 additional tools including pliers, hex key set, punches, chisels and a hacksaw with blades. There are fractional and metric sizes including 1/4, 3/8, 1/2, and 3/4" drives.

5180-01-544-9840

DD

KT \$1,843.00



## General Mechanic's Tool Kit



Kit includes pry bar, sash and trim paint brush, scratch wire brush, cold chisel, driftpin, solid extension bars, files, gap setting and thickness gauges, hammer, wood file, hinged, socket wrench and brace type speeder handles, test lead, keys, key sets, putty knife, pliers, battery terminal clamp puller, drive pin punch set, magnetic retrieving tool, steel rule, offset screwdriver, cross tip and flat tip screwdriver sets, sockets, universal joint attachments, adjustable open end wrench, box, combination box and open end, flare nut, pipe and pliers wrenches. Comes with a toolbox. Marine Corps Component List SL3-00456A.

5180-00-606-3566

KT \$1,256.59



All-in-one kit is ideal for general maintenance and repairs. Kit includes: mounting brackets; pry bar; tool-cleaning brush; cold chisel; spring tension clips; files; flashlight; thickness gauge; hammer; wood file handle; key sets; pocket and putty knives; padlock; pliers; aligning, drive pin and solid center punches; magnetic retrieving tool; tools and accessories roll; steel rule; Phillips and flat-tip screwdrivers; metal-cutting shears; sockets; socket wrench tool clip; test light; toolbox; combination box and open-end wrenches and set; Allen wrench set; socket wrench set; solid extension bar; box; flare nut and open-end wrenches; and pliers and spanner wrenches. Department of the Army Supply Catalog SC 5180-95-N26.

5180-00-177-7033

KT \$1,074.22

## Welder's Tool Kit



This kit contains the necessary components and hand tools required for its intended use by welders. The kit includes the following items and is IAW Army Supply Catalog SC 5180-95-N39.

**Welder's tool kit includes: hacksaw blade and frame, scratch wire brush, (2) cold chisels, plier clamp, marking crayon, (3) American pattern files, friction igniters, leather gloves, industrial goggles and lenses (clear and Shade #6), machinist's hammer, welder's chipping hammer, wood file handle, padlock, slip joint pliers, aligning and center solid punches, 16' measuring tape, flat tip screwdriver, machinist's scriber, combination square and adjustable open end, box and fixed open end wrenches and pliers. Dated parts list included.**

5180-00-754-0661

21" L x 8-1/2" W x 7-3/8" H.

KT \$622.22

## Sheet Metalworker's Tool Kit



Kit contains the following metal working tools. Scratch awl, hand hacksaw blade, dolly sheet metal working block, acid swabbing brush, wire scratch brush, sheet metal chest, cold hand chisels, plier clamp, mechanics' divider, lb. brazing flux, hand hacksaw frame, sheet metal gauge, sheet metal groover, 8- and 16-oz. hammer, tinners' hammer, round nose pliers, diagonal cutting pliers, slip joint pliers, semicircular protractor, metal cutting punch and die set, hand rivet set, solid rivet, blind riveter, circumference rule, machinists' steel rule, sheet metal seamer, metal cutting shears, soldering iron, T-square, measuring tape, trammel heads and plier wrench. Dept of the Army Supply Catalog SC 5180-95-N19

5180-00-596-1510

KT \$2,640.92

### Mine Probe Tool Kit

A. The kit contains a multi-tool with blasting cap crimper, LED flashlight with white bulb, 3-piece titanium probe and handle, (3) plastic delrin tips and (3) titanium tips and furnished in a black ballistic sheath.

5180-01-516-3229 **DD** Fiskars 05982 or equal KT \$191.82



### Weapon Cleaning Kit

B. This weapons cleaning kit is designed for 50 caliber weapons.

5180-01-516-3224 **DD** Gerber 22-01104 or equal KT \$152.80

### Combination Wrench Set (Box and Open End)

C. This combination wrench set (box and open end style) is chromium plated and has a 15° offset box end and the open end. The open end is suitable for use on hexagonal and square headed bolts and nuts. B107.100.

Set consists of (12) standard length wrenches in sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1".

5120-00-148-7917 **PRIME** 12 Point, Roll or Wrap. SE \$82.79



### Combination Box and Open End Wrench Set (Geared)

D. Geared combination wrenches have an all steel, one piece construction and are fully polished. The box end features a geared ratcheting 12 point closed head design with a 0° offset. Short ratcheting arc and small head thickness allows the fastener to be quickly turned, even in confined areas. The conventional open end permits more torque to be applied to a fastener.

Set consists of (10) wrenches in the following sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

5120-01-495-7712 SE \$178.13




### Box Wrench Set (Single Head, Ratchet)

E. A single headed wrench that loosens and tightens hexagonal fasteners such as tubing and hose nuts.

Set consists of (11) chrome plated wrenches in the following fractional sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1".

5120-00-474-7227 **PRIME** 12 Point, Tool Roll. SE \$248.54



Our efforts are ongoing to fulfill your supply needs and provide you with quality products at cost-saving prices. We now offer a wider range of products than ever before. Check out our expanded product line at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).

**Wrench Set**

Wrench Set, 12 Point Black Oxide, Combination, Tool Type: Combination Wrench Set, System of Measurement: Inch, Size Range: 3/8 - 1-1/4 inches, 14 pieces. Fractional Sizes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, and 1-1/4. Finish Coating: Black Oxide. Container Type: Canvas Roll. Paramount Part # PAR-PRBS14-1.



TL1-G3989576 EA \$79.39

Wrench Set, Tool Type: Combination Wrench Set, System of Measurement: Metric, 16 pieces. Metric Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, and 21. Finish/Coating: Satin Chrome. Container Type: Canvas Roll. Paramount Part # PAR-PRFM16-1.



TL1-G3990005 EA \$95.95

Wrench Set, Tool Type: Ratcheting Combination Wrench Set, Reversible, System of Measurement: Inch, Size Range: 1/4 - 1 inch, 13 pieces. Fractional Size: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, and 1. Finish/Coating: Mirror Polished. Container Type: Blow Molded Case. Paramount Part # PAR-BPCBAGSET.



TL1-G3990919 EA \$155.83

Wrench Set, Reversible Ratcheting Combination Wrench Set, System of Measurement: Inch, 13 pieces, Fractional Sizes: 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, and 1. Finish/Coating: Mirror Polished. Container Type: Blow Molded Case. Paramount Part # PAR-13PCBTRSET.



TL1-G3991164 EA \$181.79

Wrench Set, Tool Type: Ratcheting Combination Wrench Set, System of Measurement: Metric, Size Range: 8 - 19mm, 12 pieces. Metric Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19. Finish/Coating: Mirror Polished. Container Type: Blow Molded Case. Paramount Part # PAR-12PCBAGSET.



TL1-G3990291 EA \$111.05

Wrench Set, Reversible Ratcheting Combination Wrench Set, System of Measurement: Metric, 12 pieces. Metric Size: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19. Finish/Coating: Mirror Polished. Container Type: Blow Molded Case. Paramount Part # PAR-12PCBTRSET.



TL1-G3990141 EA \$101.65

Wrench Set, Tool Type: Combination Wrench Set, System of Measurement: Inch, 16 pieces. Fractional Size: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, and 1-1/4. Finish/Coating: Satin Chrome. Container Type: Canvas Roll. Paramount Part # PAR-PRRS16-1.



TL1-G3990006 EA \$95.95

Wrench Set, Tool Type: Reversible Ratcheting Combination Wrench Set, System of Measurement: Inch, 8 pieces. Fractional Size: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4. Finish/Coating: Mirror Polished. Container Type: Blow Molded Case. Paramount Part # PAR-8PCBTRSET.



TL1-G3989305 EA \$70.60

Wrench Set, Tool Type: Stubby Reverse Ratcheting Combination Wrench Set, System of Measurement: Inch, Size Range: 1/4 - 3/4 inch, 9 pieces. Fractional Sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4. Finish/Coating: Mirror Polished. Container Type: Blow Molded Case. Paramount Part # PAR-9PCBTRSET



TL1-G3989430 EA \$74.40

Wrench Set, Tool Type: Combination Wrench Set, System of Measurement: Inch/Metric, Size Range: 3/8 - 1 inch, 11 pieces. Fractional Size: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, and 1. Finish/Coating: Mirror Polished. Container Type: Canvas Roll. Paramount Part # PAR-PRLS11-1.



TL1-G3988815 EA \$57.98

## Adjustable Wrench (Crescent)

This heavy duty, open ended, adjustable crescent wrench has a knurled or serrated worm adjustment. The head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. ASME B107.8.



5120-00-264-3796 **PRIME** 12" L, 1-5/16" Jaw Open Min. EA \$27.65

## Combination Bench and Pipe Vise

Use combination vise as a machinist's vise or for holding pipes or rods. Replaceable V-shaped alloy steel pipe jaws are serrated and heat treated. Main jaw facings are hardened steel and serrated. Swivel base rotates to any position and has a positive locking mechanism. Swivel base plate has three mounting holes.



5120-00-243-9072 Jaw 5" W, Opening 6", Capacity: 1/4" to 4-1/2". EA \$889.35

## Tool Satchel



This highly portable cotton duck satchel is excellent for keeping tools organized.

**Includes two pockets with slide fastener closure and two nylon web handles. (Does not include sling.)**

5140-00-473-6256 **PRIME** SKILCRAFT AbilityOne 19-1/2" L x 6" W x 8-1/2" H. EA \$27.47

## Mobile Tool Cabinet



These mobile steel cabinets store and transport powered and nonpowered hand tools. Has welded construction, a baked enamel finish, a lock with (2) keys and a continuous piano type hinge (If it has drawer covers). Drawers are mounted on durable compound slides and have suitable pulls and dividers.

Has (7) drawers that are 25" W x 18-1/2" D, (3) drawers 2" H, (3) drawers 4" H, (1) drawer 6" H. Cabinet is mounted on (2) swivel locking and (2) rigid nonlocking casters measuring 5" in diameter. Drawers have automatic internal locking system.

5140-01-010-4775 Stack-On GSA-4775 or equal 29" W x 20" D x 35" H. EA \$403.05


## Mechanic's Tool Pouch



A convenient accessory for mechanics. Cotton duck cloth pouch has (2) webbed handles, a zipper closure along the entire length of the top and (7) tool pockets. Bottom stiffened by synthetic composite board.

5140-00-329-4306 UNICOR Olive Drab 11-1/2" L x 5-1/4" W x 7" H. EA \$24.84

## Portable Toolbox



Keeps tools in one place. Aluminum box closes with two latches and has a single handle at the top.

**A. Three-panel style. Handles up to 45 lbs. of tools. Naval Engineering Dwg 6SE01086 Rev F.**

5140-01-154-3868 18" L x 8-2/5" W x 13-1/2" H. EA \$252.56

**B. Three-panel style. Handles up to 60 lbs. of tools. Naval Engineering Dwg 6SE01087 Rev F.**

5140-01-154-3869 22" L x 8-2/5" W x 16-1/2" H. EA \$274.12

## Mobile Tool Chest

The 0450 Mobile Tool Chest survives rough handling and transport in extreme environments. Material: Plastic. Flips up on its wheels to orient the front of the case upward for transporting. Footpads in the bottom of the case and mirror depressions in the lid allow for multiple cases to be stacked. Standard case attributes include automatic pressure equalization valve (to balance the air pressure inside the case with the pressure outside the case), o-ring seal (to keep dust and moisture out), full-grip rubberized handles (for one or two person loading) and stainless steel padlock protectors. (Dimensions - Interior: 20.56 L x 10.97W x 12.65D"). Pelican Part # 0450-015-110.



TL1-G3936569 Black 30 H x 14-34 W x 18 D" (outside) EA \$771.88

Stock up on the supplies you need.

GSA Global Supply™ is your single-source solution for tools.



A

### Transport Case

A. Transport Case, Plastic, Certifications: IP67, Additional Information: Large Case with Foam. Pelican Part # 1660-020-110.

TL1-G3920809	Black	31-19/32 W x 23 D x 19-1/2" H	EA	\$452.71
--------------	-------	-------------------------------	----	----------



B

### Cargo Storage Container

B. Cargo Storage Container, ActionPacker, attached lid, plastic, Rubbermaid Part # 1192-01-38.

TL1-G1492691	Black	44.30 L x 20.90 W x 16.40 H (Decimal Inch)	EA	\$119.94
--------------	-------	--	----	----------



C

### Single Bit Ax

C. This ax is ideal for general utility use in forestry work. It has a forged, hardened steel head, a ground polished cutting edge, and an elliptical tapered eye for the handle. B107.400

Single bit, men's (Dayton) pattern ax has a curved hickory handle and flat top face for striking. (NFES #0707)

5110-00-293-3336	PRIME	4 lbs, 4-3/4" W Cut, 31" L.	EA	\$30.42
------------------	-------	-----------------------------	----	---------



D

### Shovel

D. The ideal tool for handling loose and bulky materials, such as dirt, sand, gravel, grain and snow. The high grade steel blade is heat treated for long life and features sharpened cutting edges. Shoulder edge of blade is rolled to form a step for digging leverage. Handle is fashioned from hardwood and features a transparent lacquer or varnish coating.

Has an open back and a "D" handle. Blade is made of 14 gauge steel and has a round point.

5120-00-293-3336		Blade: 12" L x 9-3/4" W. 26" L Handle.	EA	\$15.76
------------------	--	--	----	---------



E

### MAX-Military Multi-Purpose Tool

E. The MAX-Military tool is (7) tools in (1). The Max comes with the following: 3-1/2 lb single bit Hudson Bay style ax with fiberglass handle, ax sheath, shovel attachment, mattock attachment, pick attachment, broad pick attachment, rake-hoe attachment, rake-hoe fastener and safety hitch pins. Includes attachment carrying bag.

5120-01-416-8568	595 Max-Military or equal		SE	\$247.46
------------------	---------------------------	--	----	----------



F

### Intr trenching Tool

F. The tool is capable of being used as a shovel when fully extended and as pick when the shovel blade is locked in position at a 90-degree angle. Intr trenching tool features: a hinged shovel; D-type hand grip; one serrated cutting blade edge; one axe blade edge and an aluminum handle. The blade and handle can be locked into opened or closed positions. Folds to 9-1/2" for storage.

5120-00-878-5932	SKILCRAFT AbilityOne	Length: 23-1/2" (extended)	EA	\$84.14
------------------	----------------------	----------------------------	----	---------



G

### Off-Road Survival Tool Kit

G. Off-road survival tool kit (Sport Utility Pack), (7) piece kit w/folding case. Consisting of: Exchange-A-Blade folding handsaw, Expert-M 100+ lumen (2) CR123 lithium battery tactical flashlight, concertina wire cutter, MP600 needle nose multi-purpose pocket tool, back pack compact axe, folding spade and a small first aid kit. Furnished in a semi-rigid polyester case which is compact enough to fit under most truck, van and SUV seats, yet carries the essential tools needed for many off-road applications. Weight: 8.4 lbs.

5180-01-457-5621		Case: 12" x 11" x 3" Closed Position.	KT	\$364.82
------------------	--	---------------------------------------	----	----------

# Power Tools

## Vibration Cushioned Needle Scaler

This vibration cushioned needle scaler with pistol grip handle contains (19) 3mm diameter needles to clean weld seams, remove paint, rust, dress concrete and masonry. Features a two spring configuration to reduce return piston vibration, a lever throttle and a 360° rotating auxiliary side handle. Operating pressure is 90 psig. Air inlet connection is 3/8" NPT. Accessories include one bushing (3/8 x 1/4" NPT), one lubricant tube, two O rings and instructions inside a plastic, metal or wooden case.



Ergonomic Product

5130-01-317-2453 **PRIME** EA \$438.66

## Pneumatic Needle Scaler

Pneumatic Needle Scaler, Straight Handle, Type of Power: Pneumatic, Blows Per Minute: 4,600, Stroke Length: 1-1/8 inches, Shank Size: 1/4 inch, Needle Size Diameter: 3.0000mm, Jupiter Pneumatics Part # 5580006645JP.



TL1-G3990806 EA \$153.10

Pneumatic Needle Scaler, Pistol Grip, Blows Per Minute: 3,000, Stroke Length: 1-1/8 inches, Shank Size: 1/4 inch, Needle Size Diameter: 3.0000mm, Jupiter Pneumatics Part # 5580006745JP.



TL1-G3991046 EA \$181.05

## Angle Grinder

Angle Grinder, 4-1/2 inches, Spindle Size: 5/8 - 11, Wheel Type: Type 27, Switch Type: Self-Locking, Rear Exhaust, 10,000 RPM, Jupiter Pneumatics 5520004531JP.



TL1-G3991186 EA \$198.40

## Mini Angle Grinder

Angle Grinder, Mini, two inch, 20,000 RPM, Spindle Size 3/8 - 24, Wheel Type - Type 27, Switch Type - Self Locking, Side Exhaust, Jupiter Pneumatic Part # 5520002032JP.



TL1-G3990397 EA \$124.20

## Die Grinder

Die Grinder, 90 Degree Angle, Collet Size: 1/4 inch, Air Inlet Size: 1/4 inch, Rear Exhaust, Cubic Feet per Minute: 4.00, .3 HP, 20,000 RPM, Length: 6-5/8 inches, Jupiter Pneumatics Part # 5530006545JP.



TL1-G3990303 EA \$118.57

## Pencil Die Grinder Kit

Pencil Die Grinder Kit, 14 pieces, Collet Size: 1/8 inch, Air Inlet Size: 1/4 inch, 54,000 RPM, Jupiter Pneumatics Part # 5530007514JP.



TL1-G3990228 EA \$113.78

## Pencil Die Grinder

Pencil Die Grinder, Collet Size: 5mm, Collet Size: 1/8 inch, Rear Exhaust, 54,000 RPM, Air Inlet Size: 1/4 inch, Cubic Feet per Minute: 4.00, Length: 5-1/4 inches, Jupiter Pneumatics Part # 5530007545JP.



TL1-G3989891 EA \$96.80

## Straight Die Grinder

Straight Die Grinder, Collet Size: 1/4 inch, Air Inlet Size: 1/4 inch, Rear Exhaust, Cubic Feet per Minute: 4.00, .3 HP, 25,000 RPM, Jupiter Pneumatics Part # 5530005545JP.



TL1-G3989333 EA \$75.72

## Mini Straight Die Grinder

Mini Straight Die Grinder, Collet Size: 1/4 inch, Air Inlet Size: 1/4 inch, Front Exhaust, Cubic Feet per Minute: 4.00, 0.3 HP, Length: 4-3/4 inches, 27,000 RPM, Jupiter Pneumatics Part # 5520004332JP.



TL1-G3989203 EA \$71.15

MILSTRIP is your ticket to simple purchases that save you time and money.

### Disk Sander

Right-angle air sander for medium- and heavy-duty sanding, deburring, blending, smoothing and brushing operations. No-load speed is 6,000 rpm. Sander has lever throttle and auxiliary side handle. 1/4" female NPTor NPTF air inlet connection. The spindle has a 5/8-11 UNC-2A thread for mounting the sanding pad. Operating pressure is 90 psig. Pad diameter is 7". The angle height over the spindle is 4.5" maximum. Furnished with parts list and instruction manual.



5130-00-596-1176 **PRIME** EA \$257.60

### Orbital Palm Sander

Orbital Palm Sander, Pad Width: 5 inches. Rear Exhaust, Spindle Size: 5/16 - 24, 0.25 HP, Inlet size: 1/4 inch, Cubic Feet per Minute: 4.00, Overall Length: 6-7/16 inches, Jupiter Pneumatics Part # 55100012034JP.



TL1-G3990844 EA \$157.54

### High Speed Sander with Regulator



High Speed Sander with Regulator, 5 inches, Pad Width: 3 inches, Rear Exhaust, Spindle Size: 7/16 - 20, 0.2 HP, Inlet Size: 1/4 inch, Cubic Feet per Minute: 4.00, Overall Length: 8 inches, Jupiter Pneumatics Part # 55100014023JP.

TL1-G3989525 EA \$81.59

### Pneumatic Cut-Off Tool

Pneumatic Cut-Off Tool, Wheel Diameter: 3 inches, Type of Power: Air, Maximum RPM: 20,000, 0.5 HP, Additional Information: Air Cut Off Tool, Jupiter Pneumatics Part # 5570004445JP.



TL1-G3989957 EA \$99.51



### Cordless Power Tool Set



This (6) piece set contains heavy duty, 18 volt cordless power tools. Set includes: 1/2" hammerdrill/drill/driver, 6-1/2" diameter 16 tooth carbide blade, circular saw and a rip fence, reciprocating saw with keyless blade clamp, impact driver, Cut off tool and a hands free flexible floodlight. Also included: one hour charger, (2) 18 volt batteries, 360 degree side handle, wrench, backing flange and a three position side handle. Furnished in a contractor bag.

5130-01-535-1215 **DD** SE \$599.72

### Power Tool Kit



Power Tool Kit - 18V Cordless XRP 9-Tool Combo Kit. This product features: DCD950 18V XRP cordless hammerdrill with patented three-speed all-metal transmission and 1/2 inch self-tightening chuck delivers 450 units watts out of maximum performance, faster application speed, and superior bit retention, and DC390 18V circular saw with 6-1/2 inch carbide blade can cut 2x4's at a 45 degree angle in a single pass, and DC385 18V reciprocating saw with keyless blade clamp allows for quick blade change without touching blade or reciprocating shaft, and DC825 18V impact driver with 1,330 inch-pounds of maximum torque, and DC411 18V cut-off tool with 6,500 RPM provides high power for cutting and grinding applications, and DW919 18V flexible floodlight provides hands-free use, and DC330 18V variable speed jig saw with all metal lever action keyless blade change, and DW059 18V 1/2 inch high torque impact wrench with 300 foot-pounds of maximum torque, and DC550 18V cut-out tool with tool-free bit change. The combo kit includes the following accessories: Two 18V XRP batteries, one hour charger, 360 degree side handle, carbide tipped blade, type 1 guard and wheel, wrench, backing flange, two contactor bags and a two-position side handle. Dewalt Part # DCK955X.

TL1-G3913511 DEWALT EA \$1,034.69

### Hammer Drill

Hammer Drill, Type: Hammer Drill/Driver Kit, Chuck Size: 1/2 inch, Type of Power: Battery, Battery Type: XRP Lithium-Ion, Voltage: 18.0, Blows per Minute: 0-8500/0-21250/0/3400, Maximum RPM 500/1250/2000, Minimum RPM: 0, Chuck Type: Self-Tightening, Number of Speeds: 3, Unit Watts Out: 450. Accessories: one hour charger, two 18V NANO Phosphate Lithium Ion battery packs, 360 degree side handle, and carrying case. (Replacement Charger Number: DC9310 and Replacement Battery Number: DC9180.) Dewalt Part # DCD970KL.



TL1-G3913498 DEWALT EA \$367.69

### 12V Cordless Hazardous Location Driver

This brushless 12-volt 1/4" hex driver is UL listed for Class I, Division 2 (hazardous) locations for maximum 50 Degree C ambient. It features: no-load speed: 400 RPM; pistol-grip handle; straight drive; quick-release chuck; L.E.D. indicator; reverse switch; automatically shuts-off tool when pre-set fastening torque is reached to ensure accuracy. Dimensions with battery pack: length: 7-15/32"; height: 10-15/32"; width: 2-13/16"; weight: 3.3 lbs. Includes: 2 batteries, charger, and a steel carrying case.

Fastening torque range: 7-40 in. lbs.

5130-01-508-1221 DD EA \$1,856.00

### Drill (Cordless)

Heavy-duty 18-volt 1/2" (13mm) adjustable clutch drill/driver kit features: variable speed; reversing switch; anti-slip soft comfort grip; keyless chuck; and an electric brake. Includes a one-hour charger, two battery packs (with two amp-hours minimum each pack), a screwdriver bit, and a heavy-duty carrying case.



No-load speed: 2000 rpm (maximum); Maximum torque: 400 in.-lbs. (minimum).

5130-01-444-4662 EA \$263.49

### Pneumatic Drill

Heavy-Duty Reversible Pneumatic Drill, Type: Pistol Grip, Chuck Size: 1/2 inch, Chuck Type: Keyed, 350,000 RPM, Style: Reversible, Rear Exhaust, Pressure: 90, Air Inlet Size: 1/4 inch, Additional Information: Pneumatic Drill, Jupiter Pneumatics Part # 5560002245JP.



TL1-G3991122 EA \$188.17

### Electric Rotary Tool Kit



Electric rotary tool kit is used for grinding, carving, drilling, sanding, buffing, sawing, deburring, routing, polishing, engraving, sharpening and shaping. Variable speed 5,000 to 35,000 RPM. The rotary tool has a 2-1/4" body diameter with a collet that accommodates 1/8" diameter shanks and an overall length of 8". Furnished in a metal or plastic carrying case with the following accessories: One each collet, collet wrench, 5/8" cylinder wheel, screwpoint mandrel, mandrel with internal threads, 1/2" standing drum, 1/8" drill bit, 7/8" polishing wheel; two each 15/16" cutting wheels, and 1/2" diameter felt polisher. Conforms to UL 745.

5130-01-014-6856 PRIME EA \$77.41

### Cable Swaging Tool



Portable, air-operated tool is for cutting flexible cable and for swaging ball- or shank-type terminal connectors to aircraft cables. Cable size range for ball type is 1/16 to 3/16"; for shank types it is 1/16 to 1/4". Consists of power cylinder with yoke assembly, air hose assembly, foot control valve, air filter and lubricator. Also includes 20 pairs of swaging dies and seven pairs of cutting dies for cable sizes 1/16 to 1/4". Operates on 80 to 100 psi air pressure. Equipped with 17 gauges, instruction manual and carrying case.

5130-00-712-4855 EA \$13,093.44

Don't waste energy looking for the products you need. Use GSA Global Supply™ – Your Reliable Government Source.

### Impact Wrench (Pneumatic)



Air powered, portable, impact wrench loosens and tightens bolts and nuts. Has built in power regulator for control of power output. The wrench has a pistol grip handle and is reversible. Operating pressure is 80 - 100 psi. Furnished with operating and maintenance instructions.

**A. This quick disconnect type pneumatic impact has a pistol grip handle with a 3/4" male square straight drive spindle. Comes with a hex nipple (0.38 NPTF x 0.25 NPTF) and a 3' hose. Has a 38"-18NPTF male coupling with 300 psi (maximum). Capacity: 700 ft-lbs min. Working torque range: 100 to 500 ft-lbs with an average air consumption of 7.5 CFM.**

5130-01-428-3751                      3/4" Drive.                      EA \$919.72

**B. 1" square drive for extra heavy duty, high volume, production work. Standard 1-1/4" inch bolt capacity. Working torque: 950 ft-lbs min. Maximum torque: 1350 ft-lbs. Air inlet connection is 1/2" NPT or NPTF.**

5130-00-184-1426                      1" Drive.                      EA \$1,170.24

### Butterfly Impact Wrench

Butterfly Impact Wrench, Drive Size: 3/8 inch, Inlet Size: 1/4 inch, Cubic Feet per Minute 2.50, Pressure: 90, Impacts Per Minute 1,000, Bolt Capacity: 3/8 inch, Handle Type: Lever, Maximum RPM 10,000, Maximum Torque Foot/Pounds: 5 - 90, Minimum Hose Size: 3/8 inch, Jupiter Pneumatics Part # 5540003469JP.



TL1-G3990589                      EA \$139.00

### Impact Ratchet Wrench

Impact Wrench, Ratchet, (Nut Runners), Drive Size: 3/8 inch, Inlet Size: 1/4 inch, Cubic Feet per Minute, 4.00, Pressure: 90, Impacts per Minute: 150, Bolt Capacity: 3/8 inch, Handle Type: Throttle Lever pressed to flat, Maximum RPM 150, Maximum Torque Foot/Pounds: 50, Minimum Hose Size: 3/8 inch, Additional Information: Air Ratchet Wrench, Jupiter Pneumatics Part # 5550008145JP.



TL1-G3990455                      EA \$128.89

## Hardware



C

### Disposable Particulate Respirator

**C.** Lightweight, low-profile design provides worker comfort, minimizes interference with eye protection. N95 protection provides protection against non-oil particulates and is 95% efficient. Designed to function as a one-size-fits-all respirator to include adjustable straps and a pre-shaped metal noseband for customized nasal contour adjustment. Includes an exhalation valve.

4240-01-492-0177                      BX(contains 10 EA)                      \$7.90



D

### Dust Mask (Disposable)

**D.** Light-weight dust mask features an adjustable nose clip and adjustable upper and lower elastic straps to hold it in place, making it ideal for covering nose and mouth. Excellent for use when grinding, sanding, sweeping, bagging, and other dusty operations. Not for use in oil environments. Disposable unit meets 42 CFR 84 for NIOSH N95 requirement.

4240-01-463-5449                      BX(contains 20 EA)                      \$7.67



E

### Safety Goggles

**E.** Safety-type goggles provide eye protection against small flying particles of dust, chips and machine cuttings. Molded plastic flexible frame has clear plastic lenses and an adjustable elastic webbing headband. Goggles are ventilated to reduce fogging and can be worn over eyeglasses.

4240-00-052-3776                      PRIME UNICOR                      Clear                      PR                      \$3.17

## Penetrating Fluid

Penetrating fluid penetrates deeply to loosen corroded or rusted parts, nuts, screws and hinges without causing damage. Also use as a rubber lubricant and preservative. This non-toxic fluid contains no mineral oil. Use on cold or hot surfaces.

🕒 24-month maximum shelf life (extendable)

🌿 Nontoxic Item



6850-00-973-9091	DD	MSDS	P/N 0354-000 or equal	AbilityOne	10-oz, aerosol can	BX(contains 12 EA)	\$32.54
------------------	----	------	-----------------------	------------	--------------------	--------------------	---------

## Road/Sidewalk Deicer



Ice melting pellets quickly melt ice and snow on steps, sidewalks, driveways, parking lots and loading docks. Pellets contain concentrated ingredients that release 37% more heat than ordinary calcium chloride compounds.

7930-01-412-0984	MSDS	P/N 149433 or equal	DR(contains 40 LB)	\$74.88
------------------	------	---------------------	--------------------	---------

## Deicing Fluid

Loosens and melts thin layers of ice from windshields and windows and prevents further icing. Safe for vehicle finishes, this convenient spray also de-ices locks. (Contents are flammable.)

🕒 24-month maximum shelf life (extendable)

🌿 Ozone-Safe Item



6850-00-835-0484	DD	MSDS	P/N 0344-000 or equal	AbilityOne	14 oz., aerosol can	BX(contains 12 EA)	\$40.86
------------------	----	------	-----------------------	------------	---------------------	--------------------	---------

## Abrasive Disk Kit

Kit contains of an assortment of aluminum oxide disks with a resin bond and drill backing cloth used for metal working. Features Merit abrasive-style "power-lock" disk-to-pad attachment design. Kit consists of 150 disk of assorted sizes and grits as follows:

One-inch diameter 40 grit (25 each), one-inch diameter 80 grit (25 each), two-inch diameter 60 grit (5 each), two-inch diameter 80 grit (20 each), two-inch diameter 100 grit (5 each), two-inch diameter 120 grit (20 each), three-inch diameter 50 grit (25 each), three-inch diameter 100 grit (25 each); Also includes three disk holders with the following sizes: one-inch diameter stiff back-up pad holder (1 each), two-inch diameter medium back-up pad holder (1 each), and three-inch diameter medium back-up pad holder (1 each).



5345-01-015-1419	MSDS		KT	\$76.82
------------------	------	--	----	---------

## Padlock

Intended for low-security use. Inside vertical clearance of the shackle is between 1" to 1-5/8" from the top center portion of the padlock to the innermost inside bend radius of the shackle. Shackle side clearance is 3/4" to 7/8"; shackle diameter 0.281" to 0.312". Key-operated padlock. Case is made of steel. "US" marking may not be present. ASTM F883, Type P01, Grade 2, Option E.



Shackle is made of hardened steel. (Case is made of steel).

Includes a 9" sash chain. (Lock shown is a representational picture only, actual item received may be of different design.) **NOT KEY RETAINING.**

5340-01-346-4612	EA	\$11.85
------------------	----	---------

## Padlock Set

Set of five padlocks keyed alike and furnished with one key per lock and two additional keys per set. Has a rectangular style, solid or laminated brass body and brass shackle. Shackle clearance is 0.750 with a 0.250" shackle diameter. Includes a 9" chain and key retaining feature. CID A-A-59486. (Except shackle diameter is nonstandard for CID.)



(Lock shown is a representational picture only, actual item received may be of different design.)

5340-00-682-1505	SE	\$62.78
------------------	----	---------

## Work Gloves



**F** Half-finger design with a split cowhide palm; nylon mesh or stretchable polyester back; impact reducing padding on palm, thumb and index finger; and hook-and-loop closure tab. Machine wash and dry. Sized to fit palm circumference of 9" to 10".

8415-01-394-0211	Black overall or black and gray	PR	\$8.74
------------------	---------------------------------	----	--------

**G** Form-fitting gloves protect the hands from heat, cold and abrasion. The gloves are designed for superior finger control, dexterity and sensitivity and can be worn comfortably for long periods of time. They have cotton elastic cuffs with hook-and-loop closure; synthetic leather palm and finger material; seamless thumb design; seamless index finger design; reinforced finger tips; reinforced finger and knuckle areas; neoprene padded knuckle panel; snug fitting non-static padded top; hidden seam stitching; double-layer padded palm with pre-curved anatomic design to add comfort.

8415-01-486-8773	P/N MPCT05-07 or equal	Black	Size: Extra-Small	PR	\$30.25
8415-01-486-9481	P/N MPCT05-08 or equal	Black	Size: Small	PR	\$30.25
8415-01-486-9482	P/N MPCT05-09 or equal	Black	Size: Medium	PR	\$30.25
8415-01-486-9483	P/N MPCT05-10 or equal	Black	Size: Large	PR	\$30.25
8415-01-486-9487	P/N MPCT05-11 or equal	Black	Size: Extra-Large	PR	\$30.25
8415-01-486-9488	P/N MPCT05-12 or equal	Black	Size: Extra-Extra Large	PR	\$30.25

## Flashlight

Premium flashlight with durable aluminum body, featuring an adjustable beam between spot and flood utilizing a LED lamp. Push button on/off switch, shatter proof lens and corrosion-resistant body. Includes a belt holster. (3.0 volts) (two AA alkaline batteries included). For replacement batteries see NSN's 6135-01-447-0950 (PG/4) or 6135-00-985-7845 (PG/24).



6230-01-513-2663	DD	AbilityOne	Black	Length: 6-1/4"	EA	\$12.86
6230-01-513-4300	DD	AbilityOne	Blue	Length: 6-1/4"	EA	\$12.86
6230-01-513-3296	DD	AbilityOne	Red	Length: 6-1/4"	EA	\$12.86
6230-01-513-3305	DD	AbilityOne	Silver	Length: 6-1/4"	EA	\$12.86

Premium flashlight with durable aluminum body, corrosion-resistant, featuring an adjustable beam between spot and flood utilizing a LED lamp. Push button on/off switch, and shatter proof lens. For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).

**Includes 1 spare lamp in the head assembly (3.0 volts). Requires two D alkaline batteries (not included).**

6230-01-513-3306	DD	AbilityOne	Black	Length: 10-1/2"	EA	\$18.31
------------------	----	------------	-------	-----------------	----	---------

Tube-shaped flashlight has a three-way switch for on, off and flasher functions. Features a roll-resistant design and a clear, pre-focused spot lens.



**Heavy-duty model comes with one PR-2 bulb installed, plus a spare bulb that is stored in the watertight plastic case, with hanger ring. Requires two D cell batteries (not included). (Flashlight is not intended for use in environments containing explosive gases or extreme temperatures.) For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).**

6230-00-163-1856	PRIME	AbilityOne		Length: 8" (maximum)	EA	\$5.93
------------------	-------	------------	--	----------------------	----	--------

Explosion-proof and heat-resistant flashlight is specifically designed to resist dust, water and fumes. It is especially suited for use in areas where danger is present from possible explosion of combustible gases, dusts or explosives. Also suitable for shipboard use. Features a three-way switch for on, off and flasher functions. Includes one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12). Meets MSHA for safe use in methane-air mixture in accordance with UL 783 Class I, Division I, Groups C and D.



6230-00-299-3035	PRIME	Black and Yellow		Length: 8-1/4"; Diameter 3"	EA	\$10.85
------------------	-------	------------------	--	-----------------------------	----	---------

Keep this handy for general use. Standard flashlight features a three-way switch for on, off and flasher functions plus a diffused-light lens and multi-colored (red, blue and blackout) removable filters. Has a straight, molded plastic case and comes with one PR-6 bulb installed plus one spare bulb. Requires two D cell batteries (not included). For replacement batteries see NSN's 6135-01-446-8310 (PG/4) or 6135-00-835-7210 (PG/12).



6230-00-270-5418	PRIME			Length: 9"; Diameter: 2-1/4"	EA	\$8.35
------------------	-------	--	--	------------------------------	----	--------

## Head Lamp

Lightweight lamp includes an elastic headband that adjusts to fit your head perfectly. Water-resistant, high-impact polycarbonate case. This cordless lamp has a 6000 candlepower spot beam. Lens adjusts 90° degrees from straight ahead to straight down. Weighs 5-oz and has an on-off switch. Spare bulb (included) nests inside lens. Powered by two size "AA" batteries (included). This light can be securely attached by head strap, Velcro, magnets, or clips. Approved for FM, CSA, CENELEC and MSHA standards making the flashlight safe to be used in gaseous or electrical hazardous environments.



*Accessories available: 6135-01-447-0950 Alkaline Battery*

*Accessories available: 6135-00-985-7845 Alkaline Battery*

6230-01-413-8296	P/N 2250 or equal	EA	\$18.72
------------------	-------------------	----	---------

## Alkaline Battery

This alkaline, manganese dioxide battery is great for use with tape recorders, pocket calculators, smoke detectors, transistor radios, and other electronic equipment. Frequently lasts more than twice as long as the same size carbon-zinc battery, depending on type of use. Non-rechargeable. ANSI C 18.1.



**Cylindrical battery has flat terminals; nominal voltage is 1.5V.**

ⓘ 36-month maximum shelf life (not extendable)

6135-01-447-0950	Size: AA	PG(contains 4 EA)	\$2.90
------------------	----------	-------------------	--------

**Pallet contains 1,488 packages (186 cases, each containing 8 packages each). (NFES #0030)**



ⓘ 36-month maximum shelf life (not extendable)

6135-00-985-7845	Size: AA	PG(contains 24 EA)	\$4.99
------------------	----------	--------------------	--------



ⓘ 36-month maximum shelf life (not extendable)

6135-01-446-8310	Size: D	PG(contains 4 EA)	\$3.38
------------------	---------	-------------------	--------



**(NFES #0033)**

ⓘ 36-month maximum shelf life (not extendable)

6135-00-835-7210	Size: D	PG(contains 12 EA)	\$10.75
------------------	---------	--------------------	---------

# Cleaning

## Powdered Laundry Detergent with Bleach

**A.** Powdered professional line laundry detergent. Unique activated bleaching system removes many tough stains. Whiten whites while keeping colors bright. High-powered grease cutting formula is effective on tough institutional stains.

Package contains two boxes that contain 214 oz. each. (Each box washes 95 loads.)

Ⓜ 12-month maximum shelf life (not extendable)

🌱 Biodegradable

7930-01-490-7301	<b>MSDS</b>	P/N 000-37000-42282-2 or equal		PG(contains 2 EA)	\$75.22
------------------	-------------	--------------------------------	--	-------------------	---------



A

## All-Purpose Cleaner

**B.** Concentrated general purpose cleaner/degreaser. Removes grease, oil, and dirt from bare and painted surfaces. Biobased, biodegradable, non-hazardous, Low-VOC, cost effective and environmentally preferable. Can be diluted to suit specific cleaning jobs.

Power Green, Ability One product replaces NSN 7930-01-342-5315.

Ⓜ 36-month maximum shelf life (extendable)

🌱 BioPreferred; Biobased; Biodegradable; Low-VOC Item

7930-01-373-8849	<b>MSDS</b>	P/N 1064089 or equal	AbilityOne	22 oz trigger spray bottle	BX(contains 12 EA)	\$56.86
------------------	-------------	----------------------	------------	----------------------------	--------------------	---------



B

Power Green, Ability One product replaces NSN 7930-01-306-8369.

Ⓜ 36-month maximum shelf life (extendable)

🌱 BioPreferred; Biobased; Biodegradable; Low-VOC Item

7930-01-373-8848	<b>MSDS</b>	P/N 1064092 or equal	AbilityOne	1 gal.	BX(contains 6 EA)	\$56.45
------------------	-------------	----------------------	------------	--------	-------------------	---------

Power Green, Ability One product replaces NSN 7930-01-342-5316.

Ⓜ 36-month maximum shelf life (extendable)

🌱 BioPreferred; Biobased; Biodegradable; Low-VOC Item

7930-01-373-8845	<b>MSDS</b>	P/N 1064090 or equal	AbilityOne		CN(contains 5 GL)	\$59.40
------------------	-------------	----------------------	------------	--	-------------------	---------



C

Power Green, Ability One product replaces NSN 7930-01-342-4145.

Ⓜ 36-month maximum shelf life (extendable)

🌱 BioPreferred; Biobased; Biodegradable; Low-VOC Item

7930-01-373-8844	<b>DD</b> <b>MSDS</b>	P/N 1064091 or equal	AbilityOne		DR(contains 55 GL)	\$485.03
------------------	-----------------------	----------------------	------------	--	--------------------	----------

## Disinfectant-Cleaner

**C.** This concentrated formula cleans, disinfects and deodorizes. Also kills odor-causing bacteria on hard, non-porous surfaces such as basins, tubs and showers. Dissolves wax buildup, grease and grime from floors. Contains 19.9 percent pine oil (for heavy-duty cleaning) and has a fresh clean scent.

Ⓜ 36-month maximum shelf life (extendable)

🌱 EPA registered (applicable to disinfectants and pesticides per FIFRA); Low-VOC Item

6840-01-342-4143	<b>MSDS</b>		AbilityOne	1 liter	BX(contains 24 EA)	\$160.06
------------------	-------------	--	------------	---------	--------------------	----------



D

## Disinfectant-Detergent

**D.** General-use janitorial disinfectant is ideal for cleaning and deodorizing urinals, bathrooms, shower stalls, and animal quarters. Effective against intestinal bacteria. Concentrated cleaner contains at least 60 percent pine oil and 10 percent soap. Rinses easily and leaves a clean-smelling scent. Must be diluted before use. (Not intended for use in medical facilities.)

Ⓜ 36-month maximum shelf life (extendable)

🌱 EPA registered (applicable to disinfectants and pesticides per FIFRA); Low-VOC Item

6840-00-687-7904	<b>MSDS</b>		AbilityOne	qt. bottle	BX(contains 24 EA)	\$198.13
6840-00-584-3129	<b>MSDS</b>		AbilityOne	1 gal.	BX(contains 6 EA)	\$134.46
6840-00-551-8346	<b>MSDS</b>		AbilityOne		DR(contains 55 GL)	\$927.36

## Glass Cleaner



**A.** Ready to use biobased, non-flammable, environmentally preferred liquid glass cleaner. May be used for cleaning and polishing of glass surfaces, plastics, ceramics, chrome, painted surfaces and stainless steel.

**Comes in a spray-pump container. This NSN is the replacement NSN for 7930-00-664-6910.**

① 36-month maximum shelf life (extendable)

🌿 BioPreferred; Biobased; Biodegradable; Low-VOC Item; Nontoxic Item

7930-01-326-8110 **MSDS** AbilityOne 16 oz. bottle DZ \$28.24

**B.** Ready-to-use, non-streaking, non-filming glass and surface cleaner that contains ammonia. Suitable for cleaning stainless steel, chrome, porcelain, ceramic tile, Plexiglas, Formica counters, mirrors, plastic, vinyl, tabletops, and glass. Effectively removes grease and other soils from surfaces.

① 36-month maximum shelf life (extendable)

🌿 Low-VOC Item

7930-01-381-3499 **MSDS** 32 oz. bottle BX(contains 12 EA) \$52.74

## Absorbent Material



Granular material's sponge-like action soaks up oil, grease, and water. The user simply scatters this porous, absorbent compound around grease racks and other exceptionally dirty areas, then sweeps up. Eliminates slipping dangers.

7930-00-269-1272 **MSDS** CO(contains 44 LB) \$33.70



## BioRenewables Industrial Degreaser

BioRenewable industrial degreaser contains 53 percent biobased material. Removes grease, dirt, cosmoline, tar, many inks and most adhesives and industrial oil. Safe to use on ferrous and non-ferrous metal, concrete, ceramic tile and brick. Degreaser is not recommended for use on floors coated with a floor finish, but is safe to use on floors with cured epoxies and urethanes. Do not use to degrease concrete floors prior to resurfacing. Use with solvent resistant sprayer, faucets, pumps or use for parts tank washer.



**Spartan P/N: 2310 or equal.**

① 24-month maximum shelf life (extendable)

🌿 BioPreferred; Biobased; Low-VOC Item

7930-01-555-2897 **MSDS** AbilityOne CN(contains 5 GL) \$138.53

## Degreaser

Cuts heavy grease and soil quickly and completely on engines, mowers, shop machinery, condenser coils, tools and more. Ideal for degreasing concrete, asphalt driveways and equipment bays. This aqueous-based, ready-to-use degreaser contains no petroleum or chlorinated solvents, phosphates or acids and is VOC compliant, non-flammable, non-combustible and biodegradable.



① 48-month maximum shelf life (extendable)

🌿 Biodegradable; Low-VOC Item

7930-01-383-7926 **MSDS** P/N 22732 or equal 32 oz. bottle BX(contains 12 EA) \$69.86

## Biodegradable Cleaner and Degreaser

Ready-to-use biodegradable general purpose cleaner that is suitable for use on grease, dirt, soap scum, food stains and fingerprints. Liquid detergent contains no phosphates, abrasives, or dyes. It is non-flammable and non-toxic for aquatic use.



**Comes in a spray-pump dispenser.**

① 36-month maximum shelf life (extendable)

🌿 Biodegradable; Nontoxic Item

7930-00-357-7386 **MSDS** AbilityOne 22 oz. bottle BX(contains 12 EA) \$22.49

## Antibacterial Hand Soap

Antibacterial liquid hand soap. Contains an anti-microbial agent that kills germs in seconds and continues to inhibit the growth of bacteria even after the soap is rinsed off. Moisturizers make it mild and gentle even with regular use.



**For use with Places Holder NSN 4510-01-490-6456.**

① 24-month maximum shelf life (extendable)

8520-01-490-7370 P/N 9759-12 or equal 12 oz. Pump Bottle BX(contains 12 EA) \$42.45

**Refill.**

① 24-month maximum shelf life (extendable)

8520-01-490-7367 P/N 9755-04 or equal 1 gal. GL \$12.15

## Hand Cleaner

Waterless hand cleaner with aloe vera can be used with or without water. 80 percent biobased, removes grime, grease, carbon, asphalt, graphite, tar, flux, oil, cements, most inks and adhesives.

**Box contains 4, 1 gallon containers with four pump dispensers.**

① 24-month maximum shelf life (extendable)

 BioPreferred; Biobased

8520-01-555-2902 **DD** **MSDS** AbilityOne 1 gal. BX(contains 4 GL) \$94.53



Heavy-duty hand cleaner has natural citrus pumice to scrub away grease and grime. Enhanced with lanolin. For industrial and institutional use.

① 24-month maximum shelf life (extendable)

8520-01-425-5328 P/N 095024 or equal 1 gal. BX(contains 4 EA) \$53.23



Hand cleaner petroleum-free, quick-acting lotion formula that is 84 percent biobased. Contains pumice scrubbing particles for cleaning industrial soils, medium dirt and grease. Contains baby oil and an orange citrus formula with lanolin, aloe, and JoJoba to help protect hands.

**One-gallon bottle with pump dispenser.**

*Travis Association for the Blind P/N 1935-04, GOJO Industries P/N 0955-04, or equal.*

 BioPreferred; Biobased

8520-01-458-0767 **DD** AbilityOne 1-gallon container BX(contains 4 EA) \$84.34



Waterless hand cleaner with aloe vera can be used with or without water. 80 percent biobased, removes grime, grease, carbon, asphalt, graphite, tar, flux, oil, cements, most inks and adhesives.

**Box contains 4, 1 gallon containers with four pump dispensers.**

**Contains pumice.**

① 24-month maximum shelf life (extendable)

 BioPreferred; Biobased

8520-01-555-2891 **DD** **MSDS** AbilityOne 1 gal. BX(contains 4 GL) \$95.35



## Cleaning Towelette



Wipes are high-strength, pre-moistened disposable hand cleaning towels that are specially formulated to remove grease, grime, oil and ink without irritating skin.

**Contains 130 pre-moistened towels in a "pop-up" type plastic pail.**

① 36-month maximum shelf life (extendable)

7930-01-504-8866 **MSDS** P/N 6298-04 Citrus 9-1/4 x 10" BX(contains \$92.68  
or equal. fragrance 4 EA)

## Cleaning Cloth

Non-woven cloths can be used with solvents in clean-up of ink, grease and oil. Excellent for aircraft and mechanical applications. Disposable cloths come in a dispenser box. Type 1 - untreated; Class 7 - Aircraft solvent wiper.



**Unit of issue is a box containing 18 dispenser boxes, each box contains 150 cloths for a total of 2,700 cloths.**

7920-01-180-0556 White 8-3/4 x 8-3/4" BX(contains 2700 EA) \$258.02

## Solvent Cleaning Cloth

Heavy-duty spun-lace, low-lint reusable wiper can be used with solvents in clean-up of inks, grease and oil. Cloth is interfolded and is excellent for use in aerospace, metal fabrication, printing presses, and painting. Type 1 - Untreated; Class 7 - Aircraft solvent wiper.



**Unit of issue box is a case containing eight dispensers, 100 wipes per dispenser for a total of 800 cloths.**

7920-01-180-0557 AbilityOne White 16-3/4 x 19-1/4" BX(contains 800 EA) \$223.55

## Shop Towels

Absorbent, reusable and disposable red shop towels for industrial cleaning. Suitable for cleaning shop equipment, tools, machinery and for automotive use. Made of 100 percent cotton. Box contains 24 bundles of 12 for a total of 288 towels.



7920-01-454-1148 **DD** AbilityOne Red 15 x 15" BX(contains 288 EA) \$92.35

## Disposable Latex Gloves

General-purpose, disposable, lightly powdered, non-sterile, medical-grade, micro-touch latex examination gloves have a tapered finger design and can be comfortably worn on either hand.




**Fits hand size 9 (palm circumference 9").**

8415-01-434-1781 Size: Large BX(contains 100 EA) \$6.25

When you order from GSA, be confident that all our products fully comply with applicable environmental regulations and executive orders.



A



B



C



D




E



F



G



H

## Wet Mop Wringer and Bucket Set

A. This 26- to 35-quart plastic mopping bucket features wide-stance casters and a metal bail. A plastic sideward press wringer accommodates 12- to 32-ounce mop heads and has a metal handle. Wringer is removable from the bucket.

7920-01-343-3776	Yellow	OT	\$74.45
------------------	--------	----	---------

## Wet Mop Head

B. Mop head for wet mopping has narrow, 1-1/4"-wide cotton twill headband.

Full-length yarns of four- or five-ply cotton-rayon are folded in half and sewn onto headband. To prevent tangling, a 3/4"-wide tape tailband is sewn across the yarns, approximately 1-1/2 to 2" from the yarn ends.

Mop head has 225 strands of yarn, each measuring 35 or 37" long.

7920-00-926-5494	AbilityOne	Length: 18-1/2"; Weight: 20 oz.	EA	\$9.02
------------------	------------	---------------------------------	----	--------

## Wet Mop Handle

C. Mop handle is designed for use with a wet-cleaning mop head. It includes a tightening device that firmly holds the steel plate of the mop head against a steel wire bail. (Tightening device is a combination screw and wing nut type).

Features a wooden handle.

7920-00-267-1218	AbilityOne	Length: 60"; Diameter: 1-1/8"	EA	\$7.59
------------------	------------	-------------------------------	----	--------

## Upright Broom

D. This large, upright warehouse-type broom is suitable for heavy-duty sweeping of rough, uneven floors. Made of corn fiber and measures 12 to 14" wide and 17 to 18" long.

7920-00-291-8305	PRIME	41" handle	EA	\$8.99
------------------	-------	------------	----	--------

## Push Broom

E. Floor sweeping brush consists of a hardwood or plastic block set with 3"-long bristles. The block has Acme-threaded holes on both sides for inserting a handle (not included).

Soft bristles made of 100% horsehair or fine polyester filament make the brush suitable for sweeping smooth interior wood, concrete or tile floors without scratching.

7920-00-292-2363		Length: 30"	EA	\$16.51
------------------	--	-------------	----	---------

Light duty push broom.

7920-00-243-3407	PRIME	AbilityOne	Length: 18"	EA	\$14.36
------------------	-------	------------	-------------	----	---------

## Wooden Utility Handle

F. Wood handle is for use with various tools such as squeegees, push brooms, and paint rollers.

Tapered end.

7920-00-177-5106	AbilityOne	Length: 54"; Diameter: 15/16"	EA	\$4.51
------------------	------------	-------------------------------	----	--------

## Dustpan

G. Household-style open dustpan has a dirt-retaining ridge parallel to the front edge. Dustpan can be hung on the wall for convenient storage.

Sheet steel and a corrosion-resistant finish with a 4" handle. Measures 11-13" across the front and 7" deep.

7290-00-224-8308	AbilityOne		EA	\$6.52
------------------	------------	--	----	--------

H. This durable, lightweight dustpan is ideal for sweeping without having to bend over. The injection-molded, 12 x 11" plastic hopper swings freely or snap locks into upright position. Attached to 32" extruded aluminum handle. Use with lobby broom 7920-01-572-7349.

7290-01-460-6663	AbilityOne		EA	\$15.19
------------------	------------	--	----	---------

## Vacuum Cleaner

**I.** Powerful 7.5 Amp motor, Upright vacuum cleaner with onboard attachments. Tool Pak conveniently stores crush-resistant hose, 1 extension wand, combination upholstery nozzle/dusting brush and crevice tool. On-board tools for easy above-the-floor cleaning with reach up to 8 ft. Triple filter bag system. Five position carpet height adjuster. Three position handle. Operates on 120 volt, 60Hz power.

7910-01-420-0590	DD	EA	\$170.30
------------------	----	----	----------

**J.** Dry-pickup vacuum cleaner is suitable for general housekeeping and carpet maintenance. It has a strong, lightweight housing and resilient bumper guards to protect surfaces and furniture. Conforms to UL standards.

**Upright-style model with wheels includes six-foot hose, 42" wand assembly, bare floor tool, upholstery nozzle, brush and crevice tool.**

*Commercial-duty model is designed for continuous eight-hour use. Includes a 30-foot cord. Operates on 115v AC, 60-Hz, single-phase power.*

7910-00-720-5536	DD	EA	\$123.52
------------------	----	----	----------

**K.** Electrolux's Sanitare HEPA commercial upright vacuum has a HEPA sealed filtration and washable filter that captures 100 percent of particles 75 times smaller than the diameter of a human hair. The cleaning path is 13 inches with a 40 foot cord with quick release cord hooks and a 3-to-1 reinforced anti-clog stretch hose. Deluxe tool set includes: telescopic metal wands, dusting brush, upholstery nozzle and crevice tool. Completely sealed long-life motor. CRI Green Label Certified. U.L. commercial-approved meets OSHA Standards.

OS3AEUKSC5713B	Electrolux Sanitare EUKSC5713B	Black/Red	EA	\$303.25
----------------	--------------------------------	-----------	----	----------

**L.** Electrolux's Sanitare bagless HEPA vacuum with a washable filter, a sealed HEPA filtration and an easy-empty dust cup. The onboard cleaning tools include a hose that stretches up to 10 feet and has a brush view window. Vacuum has a quiet commercial grade motor. CRI Green Label Certified.

OS3AEUKSC5845B	Electrolux Sanitare EUKSC5845B	Black/Red	EA	\$303.07
----------------	--------------------------------	-----------	----	----------

**M.** Hoover WindTunnel T-Series bagless upright vacuum that is lightweight with 12 amps and WindTunnel technology. Removes imbedded dirt and minimizes scatter on carpet with no suction loss. Has a washable filter and lifetime HEPA filter. System check indicator tells when filter needs to be cleaned. Has an eight foot stretch hose. A turbo hand tool is included. Intuitive power controls at fingertips. Belt changes easily. Cord is 27 foot long.

OS3AHVRUH70105	Hoover HVRUH70105	Slate	EA	\$130.76
----------------	-------------------	-------	----	----------

**N.** Hoover twin chamber bagless commercial upright vacuum has a hush mode. Vacuum is bagless, twin chamber dust cup with HEPA filtration and a powerful 12 amp commercial motor. Includes a four piece onboard tool set and a triple stretch hose. Multispeed power with a power surge and hush speed settings. Folding handle for easy storage and a 35 foot quick disconnect SJT cord. Ready to use right out of the box. U.L. listed for commercial use and meets OSHA requirements. CRI Green Label Certified.

OS3AHVRC1660900	Hoover HVRC1660900	Black	EA	\$275.56
-----------------	--------------------	-------	----	----------

## Carpet Cleaner

**O.** Hoover Steamvac spotter/carpet cleaner has SpinScrub multiple brush technology which cleans carpet fibers with hot tap water and concentrated solution. Cleans both forward and reverse, with minimal drying time. High impact polypropylene construction with five self-adjusting rotating brushes and a 35 foot SJT cord. U.L. listed for commercial use and meets OSHA requirements. 48 oz. cleaning concentrate solution included.

OS3AHVRC3820	Hoover HVRC3820	Black	EA	\$326.93
--------------	-----------------	-------	----	----------



## Wet-Dry Vacuum



**A.** This two-stage wet/dry vacuum features: a 12-gallon steel tank, a 35-foot power cord; a crevice tool; a round brush; a gulper nozzle; a 12" floor nozzle with brush and squeegee inserts; a 2-1/2" x 6 foot hose; a 1-1/4" x 7 foot hose; two extension wands, and a 6" utility nozzle. Horsepower: 2.5; Motor: 8.2 amps, 120 volts, 60 hertz; Dry capacity: 11 gal.; Wet capacity: 10 gal.; Shipping weight: 25 lbs. UL listed.

TL1-SVC-46438C EA \$312.42

**B.** This unit is perfect for vacuuming dry and wet debris and has an 18-foot power cord. Includes: 1-1/4"-x-8-foot hose with hand grip and air flow control; two interlocking metal extension wands with positive lock; 10" combination wet/dry nozzle; crevice tool; round brush; gulper nozzle; and dual-surface selector nozzle. Has a 10-gallon, stainless steel tank. Dry capacity: 9 gal.; Wet capacity: 8 gal.; Horsepower: 6; Voltage: 120; Hertz: 60; Amps: 11; CFM: 195; Shipping weight: 23 lbs. UL listed.

TL1-SVC-92523C EA \$279.14

## Electric Floor Polisher

Commercial-type polisher is designed to operate at approximately 250 RPM, and is used for wet or dry scrubbing, polishing or buffing of wood, tile or linoleum floors and for shampooing rugs. Concentrated-weight, single-brush model has a bumper to prevent damage to walls and furniture and an automatic shut-off feature that reacts when handle is released. Comes with three polishing brushes, two scrubbing brushes and a 50-foot long, three-conductor cord. Has two wheels that raise out of the way when machine is operating. Conforms to UL standards.



**Hospital-duty model has fully enclosed, special air-cooled motor. Unit operates on 115v AC, 60-Hz, single-phase power.**

*Model weighs 60 pounds and has a 1/2-hp motor. Wheels measure 3-1/2". Diameter brush fiber size; 14-1/2" minimum overall.*

7910-00-985-6797 **DD** EA \$839.82

# Paints and Accessories

## Paintbrush

This one brush does it all! Ideal for painting chairs, garden tools, ladders, metal furniture, radiators, scrollwork and small pipes. Flat Fitch brush is made of hog bristle and has a cupped, chiseled edge. Features a 8-1/4" L wooden or synthetic handle. Dimensions are bristle width at metal ferrule, exposed bristle length and thickness.



8020-00-201-1870	2" L x 1-1/4" W x 5/8" D.	EA	\$3.89
8020-00-244-0154	1-1/2" L x 3/4" W x 3/8" D.	EA	\$2.38

## Paint Remover (Aircraft)

Nonphenolic activated organic solvent removes difficult paint finishes from aircraft wheels, landing gear and other aircraft components. Noncorrosive remover is biodegradable. Use in an immersion tank. MIL-PRF-83936.



**i** 12-month maximum shelf life (extendable)

**BB** Biobased; Biodegradable

8010-01-374-4336 **DD** **MSDS** DR(contains 55 GL) \$1,434.92

## Thinner

For easier application, these thinners reduce aircraft coatings to their required viscosity. MIL-T-81772.



**Type 1: Polyurethane Thinner.**

**i** 36-month maximum shelf life (extendable)

8010-00-181-8079 **MSDS** CN(contains 5 GL) \$135.87

## Enamel (Fire Retardant)

This fire retardant enamel is designed for use on primed or painted metal bulkheads. The chlorinated alkyd resin enamel forms a dry, rust resistant film that will not burn. It retards combustion, but will not prevent burning of base material. Dries to the touch in two hours; dries hard (to a semi gloss finish) in six hours. Applied by spray or brush. May be used with hot spray equipment. MIL-DTL-24607.

**i** 12-month maximum shelf life (extendable)

**BB** Benzene-Free Item According to ASTM/EPA Test Methods; Cadmium Free According to ASTM/U.S.EPA Test Methods; Carcinogen Free; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods; NESHAP compliant; Toluene Free

8010-01-344-5100 **MSDS** White 27880 CN(contains 5 GL) \$266.05

## Marine Coating

This weather resistant enamel is intended for use on primed, smooth metal, fiberglass (GRP), wood and plastic/composite surfaces. Highly weather resistant enamel has excellent color and gloss retention, good drying, freedom from aftertack and good flexibility. MIL-PRF-24635.

**A. Type 2: Standard durability coatings with max VOC 340 g/L (2.8 lb/gal). Class 2: Semigloss. Grade A: Standard Pigmented.**

① 24-month maximum shelf life (extendable)

 Benzene-Free Item According to ASTM/EPA Test Methods; CFC-Free Item; Carcinogen Free; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAP compliant; ODS-Free Item

8010-01-350-4727	<b>MSDS</b>	Gray 26008	CN(contains 5 GL)	\$179.81
8010-01-344-5322	<b>MSDS</b>	White 27875	CN(contains 5 GL)	\$190.85



**Type 3: Standard durability coatings. Class 2: Semigloss. Grade B: Low Solar Absorbent.**

8010-01-533-2578	<b>DD MSDS</b>	Gray 26270	CN(contains 5 GL)	\$290.00
------------------	----------------	------------	-------------------	----------

## Epoxy Ship Paint

**B.** Epoxy polyamide finish coat protects bilges, tanks, exterior underwater hulls and other components of a ship. The hard, durable and chemically resistant coating is appropriate for sandblasted steel, aluminum or fiberglass surfaces. Resistant to water immersion and solvents. Apply by spray or brush. MIL-DTL-24441.

**Type III: Three Coat System. Maximum VOC 340 g/l.**

① 24-month maximum shelf life (extendable)

 Benzene-Free Item According to ASTM/EPA Test Methods; CFC-Free Item; Cadmium Free According to ASTM/U.S.EPA Test Methods; Carcinogen Free; Chromate-Free Item According to ASTM/EPA Test Methods; HAPS Free; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; Mercury-Free Item According to ASTM/EPA Test Methods; NESHAP compliant; ODS-Free Item; Toluene Free

8010-01-302-3608	<b>MSDS PRIME</b>	Green 24272	10gal A and B Total, Formula 150.	KT	\$314.83
------------------	-------------------	-------------	-----------------------------------	----	----------



## Polyurethane Coating

**C.** An aerosol used as a touch up paint for use on metal surfaces on non-tactical equipment not subject to corrosion.

① 60-month maximum shelf life (not extendable)

8010-01-441-0162	<b>DD MSDS</b>	Pacific West Chemical PWC 297 or equal	Black 37038	Aerosol Cans.	BX(contains 12 EA, EA has 12 OZ)	\$168.57
------------------	----------------	--	-------------	---------------	----------------------------------	----------

In our ongoing efforts to fulfill your supply needs, we now offer a wider range of products than ever before. Check out our expanded product line!





A

### Aerosol Enamel

A. This fast drying, general purpose interior and exterior aerosol enamel is perfect for coating small objects and areas. For use on metal, wood, plaster, masonry, stone, glass, leather, fiber and previously painted surfaces. Packaged in an aerosol can that sprays easily without sputtering, using moderate finger pressure. User should shake by hand for one minute before using. A-A-2787.

**Type I - Solvent thinned enamel.**

Ⓜ 36-month maximum shelf life (extendable)

🌿 CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item

8010-01-331-6108	<b>MSDS</b>	Skilcraft AbilityOne	Black 37038	PT	\$10.29
8010-01-331-6107	<b>MSDS</b>	Skilcraft AbilityOne	Black 17038	PT	\$10.29



B

### Aircraft Structural Adhesive

B. This two part, liquid, glass bead filled epoxy paste kit is for bonding metal skins and honeycomb cores to yield tough, permanently flexible joints that resist humidity, water and most common fluids. Contains no asbestos.

Ⓜ 12-month maximum shelf life (extendable)

8040-01-163-3481	<b>MSDS</b>	EA-9309.3NA	Blue	1qt A and B Total.	KT	\$142.01
------------------	-------------	-------------	------	--------------------	----	----------



C

### Jet Engine Compressor Blades Sealing Compound

C. A two component, black, silicone rubber compound for use as an abradable sealant on Pratt & Whitney jet engine compressor blades.

Ⓜ 6-month maximum shelf life (extendable)

8030-01-301-5247	<b>DD MSDS</b>	BlueStar Silicones VI-SIL V-622	Black	1gal A and B Total.	KT	\$578.94
------------------	----------------	---------------------------------	-------	---------------------	----	----------



D

### Plastic Coating Compound (Strippable)

Strippable, water emulsion, sprayable, plastic coating compound that provides a protective coating for metallic, painted and plastic surfaces. MIL-PRF-6799.

**D. Type II: Multicoat System, Exterior, Class 1: Basecoat.**

Ⓜ 12-month maximum shelf life (extendable)

8030-00-721-9380	<b>MSDS</b>		Black	CN(contains 5 GL)	\$594.21
------------------	-------------	--	-------	-------------------	----------



E

**E. Type II: Multicoat System, Class 6: High Solids.**

Ⓜ 12-month maximum shelf life (extendable)

8030-01-181-6269	<b>MSDS</b>		White	CN(contains 5 GL)	\$538.79
------------------	-------------	--	-------	-------------------	----------

### Aircraft Sealing Compound

F. This two part, nickel filled, corrosion inhibitive, conductive polythioether based sealant is for use in EMI or RFI shielding applications while maintaining electrical continuity in aircraft applications.

**Class B-2: For application by extrusion gun or spatula; 2 hour application time.**

Ⓜ 6-month maximum shelf life (extendable)

8030-01-319-0829	<b>DD MSDS</b>	PRC-DeSoto PR-1764 B-2	Black	CA(contains 4.7 OZ)	\$232.25
------------------	----------------	------------------------	-------	---------------------	----------



F

### Expanded Sealing Tape (EPTFE)

G. An expanded Teflon (EPTFE) for sealing and gasketing aircraft access panel doors and other gasketing applications. These tapes, gaskets or sheets are resistant to aircraft fuels, fluid and lubricants. This preformed, odorless sealant is easily removed and requires no curing. SAE specification AMS 3255.

**Class 1: Continuous Ribbed, Type 1: Standard Sealant.**

Ⓜ 24-month maximum shelf life (extendable)

8030-01-368-7208	<b>MSDS</b>	Gray	100' L x 1-1/10" W x 0.02" T.	RO(contains 100 FT)	\$1,385.02
------------------	-------------	------	-------------------------------	---------------------	------------



G

## Sealing Compound

A nickel filled, electrically conductive, polythioether based sealant containing calcium chromate for corrosion protection and EMI/RFI shielding.

**Class B-1: For application by extrusion gun or spatula, 1 hour worklife.**

① 9-month maximum shelf life (extendable)

8030-01-551-9719	MSDS	PRC-DeSoto PR-2202 B-1	CA(contains 6 OZ)	\$172.44
------------------	------	------------------------	-------------------	----------

## Polythioether Based Sealing Compound

**H.** These polythioether based sealants are typically used in aircraft integral fuel tanks for repair of fillet and fastener seals, faying surface seals, as well as for initial sealing of faying surfaces, overcoating of fasteners, sealing seams and joints, but usage is not limited to such applications. Not for use on aircraft windshields and canopies. Sealing compound must be applied at temperatures above 50° F but will cure at lower temperatures. AMS3277.

**Type I: Sealant requiring an adhesion promoter and must be applied prior to sealing compound, Class B-1/2: For application by extrusion gun or spatula, 1/2 hour application time.**


① 9-month maximum shelf life (extendable)

8030-01-290-5137	MSDS	3.5oz A and B Total. Extrusion Cartridge.	KT	\$42.49
8030-01-290-5136	MSDS	2oz A and B Total. Extrusion Cartridge.	KT	\$37.68

**Type I: Sealant requiring an adhesion promoter and must be applied prior to sealing compound, Class B-1/4: For application by extrusion gun or spatula, 1/4 hour application time.**

① 9-month maximum shelf life (extendable)

8030-01-290-5134	MSDS	2oz A and B Total. Extrusion Cartridge.	KT	\$37.62
------------------	------	---	----	---------



## Fuel Tank Sealing Compound

**I.** One component, room temperature curing, fluorosilicone rubber sealing compound is for use in sealing aircraft fuel tanks and for other applications including bonding, sealing and coating substrates exposed to solvents, oil, fuel, erosion, corrosion, moisture, vibration and shock.

① 6-month maximum shelf life (extendable)

8030-00-755-4760	MSDS	Dow Corning Q4-2817 Red Plastic Injection Cartridge.	CA(contains 5.4 OZ)	\$368.55
------------------	------	--	---------------------	----------

## General Purpose Adhesive (Epoxy)

**J.** A fast setting, two component epoxy based adhesive for use with assemblies on Pratt & Whitney turbofan engines.

① 12-month maximum shelf life (extendable)

No Hazardous Waste; Nontoxic Item

8040-00-092-2816	MSDS	Royal or 3M Epoweld 8173 or Scotchweld 3501 B/A	Clear A and B Total.	BX(contains 100 EA, EA has 3.5 GM)	\$107.49
------------------	------	---	----------------------	------------------------------------	----------



## Electrical Grade Adhesive Sealant

**K.** A high strength, RTV silicone rubber adhesive sealant that releases an alcohol during cure. May be used on sensitive metals or electrical applications. Not fuel resistant.

① 12-month maximum shelf life (extendable)

8040-00-145-0020	MSDS	Dow RTV 3145	Gray	TU(contains 3 OZ)	\$29.23
------------------	------	--------------	------	-------------------	---------

A methoxy-curing, high strength, RTV silicone for use in sealing, bonding and encapsulating electrical/electronic wires and terminals, mounting resistors, connectors and other components and repairing wires and cables. Not fuel resistant.

① 12-month maximum shelf life (extendable)

8040-00-117-8510	MSDS	Dow or Accrabortd RTV 3145 or Instabond 1645	Clear	TU(contains 3 OZ)	\$22.89
------------------	------	--	-------	-------------------	---------



**GLOBAL SUPPORT.  
EASY REQUISITIONS.  
24/7/365.**



*For more information,  
scan this QR code  
with your smart phone.*



## **Your Mission. Your Way.**

GSA Global Supply™

GSA Global Supply has supported military customers around the world since 1949. We ship tools, office supplies, safety gear and more into the Middle East, Europe, Asia and beyond. We seamlessly support your requisition via MILSTRIP or Government Purchase Card. Our deployed staff in Afghanistan and Kuwait works side by side with DLA's Deployment Support Team to provide training and expedite the flow of needed supplies. GSA's mission is to help you focus on yours.

For more information, visit [www.gsaglobalsupply.gsa.gov](http://www.gsaglobalsupply.gsa.gov) or call **1.800.525.8027**.



*We Accept GSA SmartPay® 2*

---

**Now: Extended hours for customer service.** Status updates, billing and information available 24/5 (Sunday, 9P EST – Friday, 9:30P EST) at **1.800.488.3111**.



**U.S. General Services Administration**



# Fax Order Form

05-12-00074

(Make copies of this form for future use)

**Customer ID:**

(Find ID on back cover, in the yellow box, above mailing address)

Date

Customer Name

Telephone Number

Fax Number

Ship-To Address

Customer E-mail Address

Optional Document Number (14 digits)

Signature of Approving/Ordering Official (Optional)

## If Paying With Government Purchase Card

Government Purchase Card Number

Expiration Date

## Activity Address Code

Activity Address Code

Access Code

## Remarks:

Will you accept a back order if an item is out of stock?  Yes  No  
 (We do not place back orders for government purchase card purchases.)

***Fax your order  
24 hours a day!***

	GSA Part No./NSN	Quantity	Item Description	U/I	Unit Price	Extended Price
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						

**Fax to (800) 856-7057** *Thank you for your order!*

(Your order will be confirmed by fax or e-mail.)

Estimated Total Cost

## For GSA Use Only

Store <input type="text"/>	Ticket Number <input type="text"/>	Lines <input type="text"/>	Total <input type="text"/>	Fax Back (Date/Time/Initials) <input type="text"/>
----------------------------	------------------------------------	----------------------------	----------------------------	--


**U.S. GENERAL SERVICES ADMINISTRATION**

GSA CMLS  
501 W FELIX ST STE 1101  
WHS 9 SECTION F  
FT WORTH TX 76115-3411

PRSR STD  
POSTAGE AND FEES  
PAID  
GENERAL SERVICES  
ADMINISTRATION  
PERMIT G-30

**OFFICIAL BUSINESS**

Penalty for Private Use \$300



# Ordering Information

[www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov) | Call Center (800) 525-8027



- 1 To order online, visit us at [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov).
- 2 Call (800) 525-8027 (7:30 a.m. to 8 p.m., ET, Monday through Friday). If using your government purchase card, please have your card ready. Otherwise, have your six-digit Activity Address Code and account information available.
- 3 Fax your order to (800) 856-7057.



Scan this code with your smartphone and a QR reader app to obtain a pdf version of this publication, or to order a paper copy.

[www.gsa.gov](http://www.gsa.gov)  
February 2012  
5-12-00074

Order catalogs at [gsa.gov/cmls](http://gsa.gov/cmls)

