

Your Mission. Your Way.



2008
Environmental Products

www.GSAGlobalsupply.gsa.gov

See it. Buy it. Get it.

A selection of “green” products from GSA Global Supply ...

GSA Global Supply is pleased to highlight a few of our most popular “green” items. From office products to cleaning supplies, GSA Global Supply offers a variety of environmentally friendly products that carry our service guarantees:

- Easy Requisitions – See It. Buy It. Get It.
- Flexible – Featuring Multiple Ordering Options
- Reliable – Delivering the Products You Need, Where You Need Them
- Anywhere – Assuring Global Delivery
- Anytime – Supporting 24/7 Purchasing
- More – Offering Extensive Product Selection
- Safe – Providing Easy Compliance

The items in this publication are just a few of the “green” items available to you. For a complete selection, visit us online at www.GSAGlobalSupply.gsa.gov.



Ordering

Online (24 Hours):

www.GSAGlobalSupply.gsa.gov

The GSA Global Supply Web site give you access to tens of thousands of tools, office supplies, computer products and other items. You can use your government purchase card or arrange direct billing with your Activity Address Code (AAC/DoDAAC). Select the items you want and place your order.

All GSA Global Supply items are also available via **GSAAvantage!**[®] and the DOD EMALL web site.

Telephone:

(800) 525-8027

DSN 465-1416

Call our toll-free number to place your order. We are open from 7:30 a.m. to 8 p.m. (Eastern Time), Monday through Friday.

Fax Orders (24 Hours):

(800) 856-7057

You will receive a confirmation of your order with a tracking number for your files.

Part Number Ordering

Many GSA Global Supply catalogs feature items with National Stock Numbers (NSNs) and others with GSA part numbers. FEDSTRIP/MILSTRIP customers can order GSA part-numbered items by using one of the following identifiers:

- AOB: For domestic shipment
- AO2: For overseas shipment

Both NSNs and GSA part-numbered items carry the same customer benefits. All are FAR-compliant and AbilityOne Guaranteed. All can be shipped anywhere on the globe. All are backed by GSA Global Supply customer service.

DOD EMALL

All GSA Global Supply items appear on the DOD EMALL site. Customers must use their AAC/DoDAAC to purchase GSA items.



Why do you need to purchase environmental products and services?

Federal buyers are bound by a variety of laws that impact environmental issues. These include Section 6002 of the Resource Conservation and Recovery Act (RCRA), the Energy Policy Act and the Farm Security and Rural Investment Act (FSRSIA). GSA offers a variety of environmental products and services to assist customers in implementing federal acquisition policies on this topic.

The Federal Acquisition Regulation (FAR) Part 23 and Executive Order 13423 require the acquisition of environmental products and services. Therefore, ordering activities must give preference to products that have certain environmental attributes. Environmental

products and services have a number of attributes, including but not limited to: recycled and postconsumer content materials, energy efficiency, renewable energy sources, biobased, less toxic, less hazardous constituents, and environmentally preferable.

The mandatory environmental purchasing requirements are only part of the reasoning to buy environmental products and services. The federal government is the largest purchaser in the United States. By becoming stewards of the environment and purchasing green products, federal activities can minimize negative impact on the environment.


Finding environmental products and services

Often identifying the environmental attributes of everyday products can be the most difficult aspect of buying supplies and equipment. GSA, as a government agent and subject to the same environmental mandates as other agencies, continually updates contracts to ensure vendors offer and supply products that work within environmental goals.


GSA Global Supply offers many environmentally friendly products. A sampling of these products is presented on the following pages. All are offered on a requisition basis and can be found on either the GSA Global Supply (www.GSAGlobalsupply.gsa.gov) ordering site or *GSA Advantage!*®.

All environmental items can be found on the GSA Global Supply site by selecting the “Green” items tab on the top of the main shopping page. This will result in a listing of all environmentally friendly items that can be further filtered using specific product attributes or price.

Selecting the “Green” Items tab on the main page produces a listing of environmentally friendly products.




The environmentally-friendly product offering can be further narrowed by selecting the appropriate environmental attribute and/or price.



Many green products are currently available from GSA. These products can be purchased on **GSA Advantage!**[®], www.gsaadvantage.gov, GSA's online shopping and ordering system. **GSA Advantage!**[®] provides access to thousands of contractors and millions of supplies and services through GSA MAS contracts. **GSA Advantage!**[®] features a green shopping experience which is designed to allow direct access to the variety of environmental products that GSA offers. It can be accessed at www.gsaadvantage.gov/environmental, or by clicking on the environmental specialty category listing on the **GSA Advantage!**[®] homepage, as highlighted below.



The Environmental Aisle contains links to environmental policies, program information, and options for filtering search results by specific environmental attributes.



Selecting Environmental from the main page, takes you to the Environmental Specialty Category.



Printed catalogs and the ordering Web sites use symbols to identify the environmental attributes of the products.

Here is a quick reference guide to those symbols.



Environmentally Friendly - Item contains environmental attributes or features such as water conserving, lead-free, etc. as described in the item detail .



Recycled - Item contains recycled content as described in the item detail (U.S. Environmental Protection Agency (EPA) item meeting EO 13101).



Comprehensive Procurement Guideline compliant - This product has been certified to meet or exceed the U.S. Environmental Protection Agency's Recovered Material Advisory Notice (RMAN) standard for recovered materials as specified in the Resource Conservation and Recovery Act Section 6002 Comprehensive Procurement Guideline.



Energy Star - Item complies with U.S. Department of Energy (DOE) and U.S. Department of Environmental Protection Agency's (EPA) Energy Star Program as required by the Federal Acquisition Regulation (FAR) Subpart 23.203 and Executive Order 13123.



FEMP - Item meets Federal Energy Management Program (FEMP) energy efficiency levels as required by the Federal Acquisition Regulation (FAR) Subpart 23.203, Executive Order 13123, and Executive Order 13221.



PRIME - Item is included in the Navy's Plastics Removal in Marine Environment Program. Items in the PRIME program require biodegradable packing materials.



NESHAP compliant -The "as applied" formulation of this coating has been certified to meet applicable volatile organic compound and hazardous air pollutant emission limits as established by National Emissions Standards for Hazardous Air Pollutant (NESHAP) regulation, 40th Code of Federal Regulation, Part 63.



GreenSeal Seal of Approval -This product has been certified to meet or exceed voluntary standards for environmental preferability as established by GreenSeal.



California South Coast Air Quality Management District compliant -This product has been certified to meet or exceed applicable air emissions standards established by the California South Coast Air Quality Management District.



Bio-based -This product has been certified to meet or exceed bio-based material standards as established by the USDA Biobased Products Coordination Council.



U.S. EPA Significant New Alternatives Program approved -This product meets the U.S. EPA Significant New Alternatives Program criteria requirement as a suitable substitute for ozone depleting substances.



U.S. EPA Environmental Technology Verification - This product has been evaluated under the U.S. Environmental Protection Agency Environmental Technology Verification Program and found to an innovative technical solution, beneficial to human health or the environment.



Non-Toxic item - Item is non-toxic



Brand New

Electronic Product Environmental Assessment Tool (EPEAT) registered item – The EPA recommends that federal ordering activities give preference to information technology (IT) products with one of the following three EPEAT ratings: bronze, silver or gold:



Bronze: Product meets all required criteria



Silver: Product meets all required criteria plus at least 50% of the optional criteria that apply to the product type being registered



Gold: Product meets all required criteria plus at least 75% of the optional criteria that apply to the product type being registered

Remember that GSA also offers Schedule contracts for services related to energy and environmental issues. Please consult Schedules E-Library for more information and contractor listings (www.gsa.gov/elibrary).

Environmental Services (Schedule 899)

Successfully managing environmental issues is critical to many federal agencies. Therefore, access to professional environmental services is crucial. GSA offers direct access to service providers that can make a difference. Some of the services available through GSA include: Environmental Planning and Documentation, Compliance Audits and Plans, Occupational Training, Waste Management, Reclamation, Recycling and Disposal, Geographic Information, Hazardous Material Management, and Remediation.

“Strengthening Federal Environmental, Energy and Transportation” are the objectives of Executive Order (E.O.) 13423. President Bush signed this order in January 2007, which requires federal agencies to advance the nation's energy security and environmental performance. One of the key elements of E.O. 13423 is Electronics Stewardship, which calls on each agency to “seek to reduce” the environmental impact of how they purchase, use, and dispose of electronics. Through SIN 899-5, Reclamation, Recycling and Disposal Services, contractors can provide waste management and recycling for batteries, electronic equipment and parts. Environmental contractors can also assist with pollution minimization or preventive initiatives including reuse assessments and inventory control. E.O. 13423 also calls for more widespread use of Environmental Management Systems (EMS). EMS is a management system to assist in the identification, tracking, and prioritization of environmental issues and their impacts. GSA Environmental Services Schedule

899 has contractors that allow governmental organizations to move beyond just “compliance”. Through SIN 899-2, Environmental Compliance Services, an EMS can be designed and implemented to meet the specific requirements of individual organizations. Contractors on GSA Schedule 899 can conduct audits on your current EMS systems or assist you with creating audit procedures.

Energy Management Services (Schedule 03 FAC)

The demands for efficient, environmentally responsive solutions are on the rise. That's why you will find a world of effective energy management solutions available through the Facilities Maintenance and Management Schedule (03FAC). We've partnered with proven vendors to provide you with comprehensive program support, whether you need help with planning strategies, audits, energy supply sourcing (including renewable energy) or emergency options. Special Item Numbers include: Energy Management Program Support (Energy Planning and Strategies, Energy Choice Analysis, Risk Management, Metering Services, Billing and Management Oversight and Homeland Security) and Energy Audit Services (Energy Audits, Resource Efficiency Management, Use of Alternative Energy Sources, and Building Commissioning Services).



Environmental Items

HP Color LaserJet CP3505x Printer

HP Color LaserJet CP3505 Printer produces both color and black-and-white pages at speeds up to 22 pages per minute. This printer delivers in just 17 seconds from Sleep mode or less than 12.5 seconds from Ready mode. It has a powerful 450 MHz processor and up to 384 MB of memory, upgradeable to 1024 MB. It has a 100 sheet multi-purpose tray. A 250-sheet input tray and a 500-sheet input tray for an HP Jetdirect Fast Ethernet embedded print server for easy network sharing. Simple 1-door access to the preinstalled, easy-to-replace print cartridges.



HP part number **CB444A#201**

CP1ACB444A#201	HP CB444A#201	EA	\$1,455.51
----------------	---------------	----	------------

Air Duster

This dust blaster delivers a concentrated blast of air that removes dust from office and computer equipment without damaging sensitive parts or electronics. The 100% ozone-safe office duster is trigger-operated with a spray nozzle. Dispenses pure, moisture-free inert gas that removes microscopic contaminants, lint and dust.



CFC-Free Item; Ozone-Safe Item

7930-01-398-2473	MSDS	AbilityOne	10 oz.	BX(contains 6 EA)	\$28.59
------------------	------	------------	--------	-------------------	---------

Insta-Plaque

Do-it-yourself award maker instantly assembles to present and protect awards, letters, documents, licenses, photographs and diplomas with a clear acrylic cover. Reusable plaque has a clear protective cover with four pre-drilled holes and four decorative tacks for attaching the acrylic frame to the plaque. Plaque holds 8-1/2 x 11" documents.



Includes a blank "Certificate of Award" for inscription.

Contains 100% Recovered Material, Which Includes 50% Postconsumer Material

9905-01-357-9983	CPG	Oak	10-1/2 x 13"	EA	\$9.27
9905-01-357-9984	CPG	Walnut	10-1/2 x 13"	EA	\$9.27

Banker Storage/Filing Box

Storage files feature durable multiple-thickness, corrugated fiberboard construction. Designed with smooth rolled edges, tote handles, lift-off lid and a large labeling area.



Box is secured by a flap, string and button closure.

Holds letter size files. Stacking strength: 750-lbs.

50% Postconsumer Material

7520-01-316-2158	CPG	Off-White	12"W x 10-1/4"H x 24"D	BD(contains 12 EA)	\$66.49
------------------	-----	-----------	------------------------	--------------------	---------

Holds legal size files. Stacking strength: 500-lbs.

50% Postconsumer Material

7520-01-316-2159	CPG	Off-White	15"W x 10"H x 24"D	BD(contains 12 EA)	\$61.33
------------------	-----	-----------	--------------------	--------------------	---------

Special-Use Box

Each corrugated, fiberboard box features lapped joints secured by wire stitching. This lock-bottom box includes hand holes and has a bursting strength of 275 psi.



Use exclusively for retiring, storing and shipping paper files to the Federal Archives and Records Center.

40% Postconsumer Material

8115-00-117-8249	DD	CPG	AbilityOne	White	14-3/4 x 12 x 9-1/2"	BD(contains 25 EA)	\$41.74
------------------	----	-----	------------	-------	----------------------	--------------------	---------

Using **energy efficient** IT equipment minimizes **energy consumption** during work hours.

Stealth Ballpoint Pen

The "Stealth Writer" features a comfortable wide barrel rubber cushioned grip. Sleek, quality plastic construction with a long-life refill and plastic plunger retraction mechanism. Comes with an extra blue medium point cartridge. U.S. Department of Defense insignia capped on retraction mechanism.



Woodland camouflage pattern on barrel.

♻️ 30% Recycled Plastic

7520-01-439-3407	DD	SKILCRAFT	AbilityOne	Black Ink	Medium Point	EA	\$4.52
------------------	----	-----------	------------	-----------	--------------	----	--------

Desert camouflage pattern on barrel.

♻️ 30% Recycled Plastic

7520-01-439-3408	DD	SKILCRAFT	AbilityOne	Black Ink	Medium Point	EA	\$4.52
------------------	----	-----------	------------	-----------	--------------	----	--------

MD Ergo Grip

Wide body ball point pen is ergonomically balanced and weighted to reduce gripping tension. The soft contoured rubber grip provides added comfort and control.



Features a burgundy finish.

♻️ 30% Recycled

7520-01-484-5255	DD	SKILCRAFT	AbilityOne	Black Ink	Medium Point	EA	\$4.11
------------------	----	-----------	------------	-----------	--------------	----	--------

Features a blue finish.

♻️ 30% Recycled

7520-01-484-5256	DD	SKILCRAFT	AbilityOne	Blue Ink	Medium Point	EA	\$4.40
------------------	----	-----------	------------	----------	--------------	----	--------

Recycled Pencil

Recycled plastic-cased pencil is made from 100% recycled materials, has bonded lead for extra point strength and smooth writing capability. Includes eraser.



♻️ 100% Postconsumer Material Recovered Material

7510-01-357-8952	SKILCRAFT	AbilityOne	Black	Hardness: No. 2 (Medium)	DZ	\$1.56
------------------	-----------	------------	-------	--------------------------	----	--------

Desk Tray Organizer

This convenient organizer keeps desk drawers tidy. It holds postable notes, flags, tape and an array of other office products.



♻️ 50% Postconsumer Recycled Plastic

7520-01-362-8656				16"W x 11-3/4"L X 1-1/4"H	EA	\$29.21
------------------	--	--	--	---------------------------	----	---------

Slant D-Ring Binder

Slant D-ring binder includes a clear overlay on front, spine and back cover. Pockets on inside covers. Accommodates 8-1/2 x 11" sheets.



♻️ Contains 25% Recovered Material

7510-01-384-8786	CPG	AbilityOne	White	Capacity: 1"	EA	\$3.80
7510-01-385-6711	CPG	AbilityOne	White	Capacity: 1-1/2"	EA	\$4.24
7510-01-384-8788	CPG	AbilityOne	White	Capacity: 2"	EA	\$4.49
7510-01-384-8673	CPG	AbilityOne	White	Capacity: 2-1/2"	EA	\$4.94
7510-01-368-3486	CPG	AbilityOne	White	Capacity: 3"	EA	\$4.41

Classification Folder

Features two 217-lb. kraft inner dividers with 1/3-cut self-tabs. Six two-prong fasteners are located at the top on inside of covers and on both sides of inner dividers. Expands to 2". Compressors not included.



♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-990-8884	CPG	AbilityOne	Red	Letter Size	EA	\$2.26
7530-01-011-9454		AbilityOne	Red	Legal Size	EA	\$2.96

Double-Pocket Report Cover

Double-pocket presentation portfolio handily accommodates supporting materials, including samples, forms or reference materials. Made of coated, leather-grained paper stock. Each pocket is 5" deep x 9-1/2" wide and has a 3/8" capacity for 8-1/2 x 11" paper.



♻️ 30% Postconsumer Material

7510-00-584-2490	CPG	AbilityOne	Light Blue	11-1/2 x 9-1/2" BX(contains 25 EA)	\$10.67
7510-00-584-2489	CPG	AbilityOne	Dark Blue	11-1/2 x 9-1/2" BX(contains 25 EA)	\$10.67
7510-00-584-2491	CPG	AbilityOne	Gray	11-1/2 x 9-1/2" BX(contains 25 EA)	\$10.67
7510-00-584-2492	CPG	AbilityOne	Tan	11-1/2 x 9-1/2" BX(contains 25 EA)	\$10.67
7510-01-512-2415	CPG	AbilityOne	Red	11-1/2 x 9-1/2" BX(contains 25 EA)	\$10.67
7510-01-512-2414	CPG	AbilityOne	Yellow	11-1/2 x 9-1/2" BX(contains 25 EA)	\$10.67

Self-Stick Notes

Self-stick notes use adhesive on the back which allows each sheet to be attached to almost any surface and removed without leaving a mark. Each pad contains 100 sheets.



Notes are unruled.

ⓘ 12-month maximum shelf life (extendable)

♻️ 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-116-7866	CPG	SKILCRAFT	AbilityOne	Yellow	1-1/2 x 2"	DZ	\$4.04	
7530-01-207-4356	CPG	SKILCRAFT	AbilityOne	Yellow	2 x 3"	DZ	\$7.29	
7530-01-207-4354	CPG	SKILCRAFT	AbilityOne	Blue	2 x 3"	DZ	\$7.29	
7530-01-207-4355	CPG	SKILCRAFT	AbilityOne	Green	2 x 3"	DZ	\$7.29	
7530-01-207-4353	DD	CPG	SKILCRAFT	AbilityOne	Pink	2 x 3"	DZ	\$7.74
7530-01-116-7867	CPG	SKILCRAFT	AbilityOne	Yellow	3 x 3"	DZ	\$10.07	
7530-01-116-7865	CPG	SKILCRAFT	AbilityOne	Yellow	3 x 5"	DZ	\$12.82	
7530-01-285-8355	CPG			Yellow	4 x 6"	DZ	\$11.97	

Memo Sheets

A. Convenient memo sheets are pre-cut to fit into memo holders. Unruled sheets have a 16-lb. basis weight.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-285-5836		SKILCRAFT	AbilityOne	White	3 x 5"	PG(contains 500 SH)	\$2.18
------------------	--	-----------	------------	-------	--------	---------------------	--------



Lined Writing Pad

B. This memorandum pad is bound on top and contains 100 sheets of 16-lb. basis weight paper.

Sheets are ruled on both sides with blue lines that are spaced 5/16" apart.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-124-7632		SKILCRAFT	AbilityOne	Yellow	8-1/2 x 14"	DZ	\$17.35
------------------	--	-----------	------------	--------	-------------	----	---------



Single-Part Computer Paper

C. Continuous, flat-fold computer paper features holes punched on both margins for smooth sprocket feed.

Has a 20-lb. basis weight. Has three horizontal lines per inch, with the third line printed darker. Does not have vertical margin perforations.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-145-0414				White	14-7/8 x 11"	BX(contains 2500 SH)	\$46.18
------------------	--	--	--	-------	--------------	----------------------	---------



100% Post-Consumer Paper

D. This product meets the need for an environmentally friendly paper, while delivering reliable, high quality performance. This 84 brightness paper is excellent for daily use in copiers and printers. Processed chlorine free (PCF) without additional bleaching. Both paper and packaging are recyclable with general office waste. 20-lb. basis weight.

100% Postconsumer Material

7530-01-503-8441		SKILCRAFT	AbilityOne	White	8-1/2 x 11"	BX(contains 5000 SH)	\$56.61
------------------	--	-----------	------------	-------	-------------	----------------------	---------



50% Recycled Paper

E. Aspen 50 copier paper contains 50% post-consumer content, but has the same hardworking characteristics and brightness as a non-recycled sheet. It is high performing with excellent runnability and is compatible in all office equipment. Engineered for use in high-speed copiers, printers, and plain paper fax machines. Paper is 20-lb., acid-free, and 92 brightness. Complies with the National Defense Authorization Act of 1998 and AFI 64-117, AF Government-Wide Purchase Card (GPC) program guidelines 2.10.4.

50% Postconsumer Material

7530-01-555-2904		Boise P/N 055011CTN		White	8-1/2 x 11"	BX(contains 10 RM)	\$40.55
7530-01-555-2911		Boise P/N 055011		White	8-1/2 x 11"	RM	\$4.06



Copier Paper

F. Guaranteed hassle-free performance in copiers, laser and inkjet printers, plain paper fax machines and multifunction machines. This 92 bright white paper provides excellent print contrast. Designed to stay flat and not curl. Perfect for correspondence, as well as presentations. 20-lb. basis weight.

Sheets are not hole-punched.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-335-2623				White	8-1/2 x 11"	BX(contains 10 RM)	\$37.43
7530-01-334-7817				White	8-1/2 x 14"	BX(contains 10 RM)	\$53.08



Watermarked Copier Paper

G. High-quality, sulfite-watermarked, dual-purpose paper ensures maximum reliability and copy quality. For use in dry toner equipment.

U.S. Federal Seal watermark. Has a 20-lb. basis weight.

Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-200-2203		AbilityOne		White	8-1/2 x 11"	BX(contains 10 RM)	\$77.46
------------------	--	------------	--	-------	-------------	--------------------	---------



Copier Paper (Splox Delivery System)

Boise Cascade has developed a unique paper delivery system that delivers paper when you need it. The speed-loading, patented, recloseable box is reamless so that you only take out what is needed and store the rest. The ergonomically designed box weighs only 25 pounds and features a handle for easy and safe portability. This 20-pound paper with a brightness of 84 and 30 percent postconsumer content is acid free and is designed for high-speed copiers, plain-paper fax machines, and laser printers. 2500 sheets per carton.



r 30% Postconsumer Material

OS1-P1SP-RC20	BOISE P1SP-RC20	White	8-1/2 x 11	CT	\$40.76
---------------	-----------------	-------	------------	----	---------

Aspen Color Copier Paper

Premium recycled paper for optimum performance in color copiers. Made without the use of chlorine or chlorine compounds (PCF). Great for sales collateral, flyers, presentations, documents with full-cover coverage, and custom marketing materials requiring professional results. Laser guaranteed. FSC certified. Acid-free. 28 lb., 96 brightness.

100% Postconsumer Material

OS1-P1ACC-2811	BOISE P1ACC-2811	White	8-1/2 x 11"	RM	\$9.84
----------------	------------------	-------	-------------	----	--------

Copier Paper

Long-grain, 20-lb. basis weight paper, is suitable for use in wet toner liquid process copiers. 84 brightness.



Contains 50% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-200-2207	CPG AbilityOne	White	8-1/2 x 11"	BX(contains 10 RM)	\$73.24
7530-01-200-2206	CPG AbilityOne	White	8-1/2 x 14"	BX(contains 10 RM)	\$93.69

Easel Pad

This paper pad ideal for a variety of situations including lectures, demonstrations, training sessions and conferences. Can be used with crayons, graphite pencils, or quick-drying markers. Can be used on easel or hung on wall. Pad is perforated at the top for easy tear-off and features two holes, spaced 17-1/2" apart for mounting. Has a sturdy cardboard backing.



Paper is unruled.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-00-619-8880	CPG AbilityOne	White	27 x 34"	PD(contains 50 SH)	\$10.61
------------------	----------------	-------	----------	--------------------	---------

Paper is ruled.

Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

7530-01-398-2661	CPG AbilityOne	White	27 x 34"	PD(contains 50 SH)	\$10.35
------------------	----------------	-------	----------	--------------------	---------

Packaging Tape

Weather- and water-resistant tape sports a flat, paper backing. Useful for closing and sealing fiberboard containers. Has a 3" core.



12-month maximum shelf life (extendable)

7510-00-297-6655	PRIME AbilityOne	Opaque	Width: 2"	RO(contains 120 YD)	\$10.33
------------------	------------------	--------	-----------	---------------------	---------

Doormat

Useful in entryways to remove dirt from shoes. Made from recycled tires, this quality mat will not damage or mar floors. This reversible mat features corrosion-resistant cross-wires which make it flexible and easy to roll for storage.



80% Postconsumer Material Contains 85% Recovered Material

7220-00-238-8852	CPG AbilityOne	Natural gray-black	30" L x 18" W x 5/8" T	EA	\$27.73
7220-00-224-6486	CPG AbilityOne	Natural gray-black	50" L x 24" W x 5/8" T	EA	\$57.81

Office Water Cooler

Fresh water at your fingertips. Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to normal, pressurized water supply pipe. Electrically cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on 110 to 120 volts AC, 60-Hz power. Meets UL and industry standards. Certified lead free by the manufacturer.



Freestanding unit.

Produces 9-1/2 gallons per hour draw off capacity.

Lead-Free Item According to ASTM/EPA Test Methods

4110-00-255-8760	12"w x 12"d x 41-1/2"h	EA	\$612.26
------------------	------------------------	----	----------

Water cooler quenches your thirst with electronically cooled water and features a self-closing faucet. A five-gallon inverted glass bottle, NSN 8125-00-132-9566 (not included), supplies water by the force of gravity. Freestanding unit has an air-cooled condenser. Freon coolant is required. Use only when pressure-type dispensers are impractical. 0.95 gallon per hour minimum of chilled 50° F drinking water at ARI rating conditions. It comes with a receptacle for waste water so no drain line is required. Operates on 110 to 120 volts AC, 60-Hz power and has a three-wire cord. Meets UL and industry standards. Certified lead free by the manufacturer.



Lead-Free Item According to ASTM/EPA Test Methods

4110-00-203-0565	EA	\$155.54
------------------	----	----------

Paper Towels

Heavyweight paper towels are designed for use in bathroom dispensers.



Single-fold towels are 99 square inches overall. Fold depth: 5-1/2".

For use with Paper Towel Dispenser NSN 4510-00-224-8549.

♻️ 40% Postconsumer Material

8540-00-262-7178	CPG	Natural	9-1/4"W	BX(contains 4000 EA)	\$18.45
------------------	-----	---------	---------	----------------------	---------

♻️ Contains 100% Recovered Material, Which Includes 90% Postconsumer Material

8540-01-359-0798	CPG	AbilityOn	White	9-1/4"W	BX(contains 4000 EA)	\$41.31
------------------	-----	-----------	-------	---------	----------------------	---------

These Navy Pack single-fold towels are 99 square inches overall. Fold depth: 5-1/2".

For use with Paper Towel Dispenser NSN 4510-00-224-8549.

♻️ Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8540-01-055-6134	CPG	PRIME	AbilityOne	9-1/4"W	BX(contains 4400 EA)	\$40.84
------------------	-----	-------	------------	---------	----------------------	---------

Wide, multi-fold towels are 85 square inches overall. Fold depth: 3-1/8".

For use with Paper Towel Dispenser NSN 4510-00-224-8549.

♻️ Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8540-00-291-0389	CPG			9-1/4"W	BX(contains 4400 EA)	\$18.87
------------------	-----	--	--	---------	----------------------	---------

C-fold towels are 130 square inches overall. Fold depth: 4".

For use with Paper Towel Dispenser 4510-00-585-6305.

♻️ Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

8540-00-291-0392	CPG	AbilityOne	Natural	10-1/4"W	BX(contains 2400 EA)	\$20.33
------------------	-----	------------	---------	----------	----------------------	---------

Disposable wiping cloth for cleaning, polishing, and wiping surfaces that are wet, dry or oily. Not intended for use on transparent plastic.



With a 11-lb. basis weight, this towel absorbs up to 275% of its weight in water and up to 150% of its weight in oil.

Box contains 18 packages of 140 towels for a total of 2,520.

♻️ Contains 55% Recovered Material, Which Includes 40% Postconsumer Material

7920-00-543-6492	CPG	AbilityOne	White or Natural	15-1/4" x 16-1/2"	BX(contains 2520 EA)	\$49.46
------------------	-----	------------	------------------	-------------------	----------------------	---------

Multi-ply towel is reinforced with nylon fibers, making it suitable for cleaning up oil and water. Each banded package holds 100 towels. (Box holds 10 packages, equaling 1,000 towels).

93% biodegradable.

♻️ Contains 55% Recovered Material, Which Includes 40% Postconsumer Material

♻️ Biodegradable per EPA/OECD test methods

7920-00-823-9773	CPG	AbilityOne	White or Natural	13-1/2 x 13-1/2"	MX	\$54.28
7920-00-823-9772		AbilityOne	White or Natural	13-1/2 x 16-1/2"	MX	\$62.59

Toilet Paper

Toilet tissue consists of 4-1/2 x 4-1/2" perforated sheets wound around a core. Uncompressed rolls are individually wrapped.



Single-ply.

Basis weight: 11 lbs. (NFES #0142).

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8540-00-530-3770	CPG	AbilityOne	White	Length: 4,500"	BX(contains 96 EA)	\$60.38
------------------	-----	------------	-------	----------------	--------------------	---------

Two-ply.

Basis weight: 17 lbs.

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8540-01-380-0690	CPG	AbilityOne	White	Length: 2,188"	BX(contains 96 EA)	\$59.75
------------------	-----	------------	-------	----------------	--------------------	---------

Facial Tissue

Soft, absorbent tissue comes in folded, two-ply sheets.



Unit of issue contains six boxes of 200 tissues each.

♻️ Contains 10% Recovered Material, Which Includes 10% Postconsumer Material

8540-00-281-8360	CPG	AbilityOne	White	66 sq. in.	PG(contains 6 EA)	\$7.47
------------------	-----	------------	-------	------------	-------------------	--------

Unit of issue contains 12 boxes of 100 tissues each.

♻️ Contains 10% Recovered Material, Which Includes 10% Postconsumer Material

8540-00-793-5425	CPG	AbilityOne	White	66 sq. in.	PG(contains 12 EA)	\$8.11
------------------	-----	------------	-------	------------	--------------------	--------

Table Napkins

Standard paper napkin is ideal for general table or hospital use.



This single-ply napkin is used with Table Napkin Dispenser NSN 7350-00-205-0928.

♻️ Contains 30% Recovered Material, Which Includes 30% Postconsumer Material

8540-00-285-7001	CPG	AbilityOne	White	Unfolded: 130 sq. in.	BX(contains 10000 EA)	\$56.42
------------------	-----	------------	-------	-----------------------	-----------------------	---------



A

Dishwashing Detergent

A. Solitaire is a concentrated solid detergent that dissolves greasy, heavy soils. Can be used in hard or soft water and is gentle on hands. Safe for cleaning all types of dishes, glassware, pots, pans and silverware.

Box contains 4, 5-lb. capsules.

Ⓜ 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; No Hazardous Waste; Nontoxic Item; Biodegradable per EPA/OECD test methods; Carcinogen Free

7930-01-177-5119 **MSDS** Solitaire P/N 17301 or equal BX(contains 4 EA) \$127.53



B

Tide with Bleach

B. Powdered professional line laundry detergent. Unique activated bleaching system removes many tough stains. Whiten whites while keeping colors bright. High-powered grease cutting formula is effective on tough institutional stains.

Package contains two boxes that contain 214 oz. each.
(Each box washes 95 loads.)

Ⓜ 12-month maximum shelf life (not extendable)

🌿 Biodegradable per EPA/OECD test methods

7930-01-490-7301 **MSDS** PG(contains 2 EA) \$58.44



C, D, E

Glass Cleaner

C. Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

Non-streaking cleaner for windows, glass and mirrors as well as stainless steel, chrome, aluminum, ceramic and plastic. Low flow for use in filling spray bottles. Each 2 liter bottle yields 30 ready-to-use gallons.

Ⓜ 24-month maximum shelf life (extendable)

🌿 Low-VOC Item

7930-01-381-5826 **NEW** **DD** **MSDS** 3M P/N 23357 AbilityOne 2 liter bottle BX(contains 6 EA) \$187.56

General-Purpose Cleaner

D. Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

High-performance, all purpose cleaner can be used to clean floors, walls and other non-porous surfaces. High flow for use in filling buckets. Each 2 liter bottle yields 35 ready-to-use gallons.

Ⓜ 24-month maximum shelf life (extendable)

🌿 Low-VOC Item

7930-01-381-5834 **NEW** **DD** **MSDS** 3M P/N 19212 AbilityOne 2 liter bottle BX(contains 6 EA) \$129.39

Floor Cleaner

E. Concentrated heavy duty cleaner for use in the 3M brand Twist 'n Fill dispensing system.

No-rinse cleaner can be used in automatic scrubber or with mop to clean washable hard floors. Will not dull or damage floor finishes. High flow for use in filling buckets. Each 2 liter bottle yields 207 ready-to-use gallons.

Ⓜ 24-month maximum shelf life (extendable)

🌿 Low-VOC Item

7930-01-381-5897 **NEW** **DD** **MSDS** 3M P/N 20200 AbilityOne 2 liter bottle BX(contains 6 EA) \$170.00

Versatile, low-foaming cleaner for use in automatic scrubbers or in mop-on applications.

Formulated for scrubbing before recoating as well as cleaning before burnishing and daily cleaning. Use to clean any washable hard floor. High flow for use in filling buckets. Each 2 liter bottle yields 137 ready-to-use gallons.

Ⓜ 24-month maximum shelf life (extendable)

🌿 Low-VOC Item

7930-01-549-8189 **NEW** **DD** **MSDS** 3M P/N 23553 AbilityOne 2 liter bottle BX(contains 6 EA) \$221.30

Bathroom Cleaner

BioRenewable bathroom cleaner contains 83% biobased material. Efficient cleaning action quickly removes soap scum in showers, shower rooms (floors & walls), toilets, urinals, porcelain, ceramic, fiberglass and similar hard, non-porous surfaces. For general, light duty restroom cleaning dilute 12 ounces into one gallon of water. Rinse thoroughly. Do not use on non-acid resistant surfaces.



Box contains 12, (32-oz.) containers and one foam sprayer.

🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; Bio-based

7930-01-555-2900 **NEW** **DD** **MSDS** AbilityOne 1 qt. BX(contains 12 EA) \$57.60

Glass Cleaner

BioRenewable ready to use glass cleaner contains 81% biobased material. Use for cleaning windows, mirrors, glass and plexiglass. Contains no ammonia.



Box contains 12, (32-oz.) containers and 12 trigger sprayers.

🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; Bio-based

7930-01-555-2898 **NEW** **DD** **MSDS** AbilityOne 1 qt. BX(contains 12 EA) \$38.34

BioRenewable concentrated glass cleaner contains 81% biobased material. Use to clean and polish any hard surface not harmed by water such as window glass, panes and sills, mirrors, countertops, chrome, automobile glass, fluorescent lights and tubing and any glass or mirror finish. Removes tough stains such as grease, smoke, oils, tape residue, food stains, dust and dirt. Contains no ammonia. For general cleaning use 2 ounces per gallon of cold water. Not for use on wood furniture or other polished surfaces. (Do not mix with other chemicals.)

🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; Bio-based

7930-01-555-3384 **NEW** **DD** **MSDS** AbilityOne 1 gal. BX(contains 4 EA) \$52.98

Multi-Purpose Cleaner

BioRenewable TriBase multi-purpose cleaner contains 72% biobased material. Use to clean glass, mirrors, floors, walls, restroom and kitchen surfaces and tile. Cleans any surface not damaged by water. Apply with mop, brush, pressure washer or use as a spray and wipe cleaner.



🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; Bio-based

7930-01-555-2901 **NEW** **DD** **MSDS** AbilityOne 1 gal. BX(contains 4 EA) \$55.21

Industrial Degreaser

BioRenewable industrial degreaser contains 53% biobased material. Removes grease, dirt, cosmoline, tar, many inks and most adhesives and industrial oil. Safe to use on ferrous and non-ferrous metal, concrete, ceramic tile and brick. Degreaser is not recommended for use on floors coated with a floor finish, but is safe to use on floors with cured epoxies and urethanes. Do not use to degrease concrete floors prior to resurfacing. Use with solvent resistant sprayer, faucets, pumps or use for parts tank.



🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; Bio-based

7930-01-555-2897 **NEW** **DD** **MSDS** AbilityOne CN(contains 5 GL) \$138.53

Graffiti Remover SAC

BioRenewable ready-to-use graffiti remover contains 53% biobased material. Works against marks and stains. Removes typical graffiti markings, paint, marker, ink, crayon and pencil. Takes away scuff marks, wax residue and adhesives. Generally applied with solvent resistant sprayer, sponge, brush or cloth.



🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; Bio-based

7930-01-555-2899 **NEW** **DD** **MSDS** AbilityOne 1 gal. BX(contains 4 GL) \$138.49

Box contains 12, (32-oz.) containers and three solvent resistant sprayers.

🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; Bio-based

7930-01-555-3382 **NEW** **DD** **MSDS** AbilityOne 32 oz. bottle BX(contains 12 EA) \$114.31

Multi-Purpose Germicidal Cleaner

Biodegradable industrial strength cleaner and disinfectant quickly cuts greasy, grimy soils, light rust, oil and tar. Kills HIV-1 (AIDS virus), bacteria, salmonella and fungi. Multi-purpose spray is perfect for cleaning, degreasing and disinfecting a wide variety of hard surfaces. Also destroys bacterial odors. Non-flammable, ready-to-use and harmless to most hard surfaces.



Comes in a pump spray bottle.

🌿 Low-VOC Item; Nontoxic Item; Biodegradable per EPA/OECD test methods; EPA registered (applicable to disinfectants and pesticides per FIFRA)

7930-01-177-0795 **MSDS** P/N 26824 or equal 24 oz. bottle BX(contains 12 EA) \$35.89

Comes in a trigger spray bottle.

🌿 Low-VOC Item; Nontoxic Item; Biodegradable per EPA/OECD test methods; EPA registered (applicable to disinfectants and pesticides per FIFRA)

7930-01-393-6747 **MSDS** P/N 26825 or equal 25 oz. bottle BX(contains 12 EA) \$42.99

🌿 Low-VOC Item; Nontoxic Item; Biodegradable per EPA/OECD test methods; EPA registered (applicable to disinfectants and pesticides per FIFRA)

7930-01-346-5283 **MSDS** P/N 26801 or equal 1 gal. BX(contains 6 EA) \$61.92

Cleaner/Degreaser

Formulated to provide a safer alternative to hazardous chemicals and solvents, Simple Green or equal is a concentrated, water based, biodegradable cleaner and degreaser. An effective product to remove oil, lubricants, grease and grime from almost any washable surface. Meets the EPA's National Emission Standards for Hazardous Air Pollutants (NESHAP). The product also meets the requirements for California Volatile Organic Compound (VOC) Emissions for Consumer Products requirements for Cleaning Compound, Solvent-Detergent. Non-flammable.



Low-VOC Item; Nontoxic Item; NESHAP compliant; Biodegradable per EPA/OECD test methods

7930-01-306-8369	MSDS	P/N 13005 or equal	1 gal.	BX(contains 6 EA)	\$56.63
7930-01-342-5315	MSDS	P/N 13012 or equal	24 oz. container	BX(contains 12 EA)	\$48.65
7930-01-342-5316	MSDS	P/N 13006 or equal		CN(contains 5 GL)	\$45.06

All-Purpose Cleaner

Power Green is a biodegradable, nonabrasive, nonflammable and pH balanced cleaner/degreaser. It safely removes grease, oil and dirt while meeting today's safety and environmental standards. This multi-purpose cleaner/degreaser easily cuts most greases, oils, tar and dirt from bare and painted surfaces. It is safe for cleaning woodwork, furniture, kitchen appliances and bathroom fixtures. It cleans and freshens naturally and economically.



36-month maximum shelf life (extendable)

Biodegradable per EPA/OECD test methods: Low-VOC item

7930-01-373-8849	DD	MSDS	AbilityOne	22 oz trigger spray bottle	BX(contains 24 EA)	\$148.40
------------------	-----------	-------------	------------	----------------------------	--------------------	----------

Glass Cleaner

Fast-drying formula contains ammonia. Cleans, polishes and leaves a sparkling shine on glass, windows, mirrors and chrome. Also cleans plastic, ceramic and vinyl tile, painted surfaces, appliances and stainless steel and other non-porous materials.



Comes in a spray-pump container.

36-month maximum shelf life (extendable)

Low-VOC Item; Nontoxic Item

7930-01-326-8110	MSDS	AbilityOne		16 oz., bottle	DZ	\$21.32
------------------	-------------	------------	--	----------------	----	---------

Ready-to-use, non-streaking, non-filming glass and surface cleaner that contains ammonia. Suitable for cleaning stainless steel, chrome, porcelain, ceramic tile, Plexiglas, Formica counters, mirrors, plastic, vinyl, tabletops, and glass. Effectively removes grease and other soils from surfaces.



36-month maximum shelf life (extendable)

Low-VOC Item

7930-01-381-3499	MSDS			32 oz., bottle	BX(contains 12 EA)	\$56.00
------------------	-------------	--	--	----------------	--------------------	---------

Spill Clean-Up Kit - Oil Only

13-gallon spill kit for use with oil, coolants and solvents (oil only). Kit contains: (25) each 18 x 18" cotton pads (oil only), (4) each 3 x 48" Woolly Snakes, (2) each 18 x 18" cotton pillows, (5) pounds of USA-DRI absorbent, (1) each pair glasses, (1) each pair gloves, (1) each Emergency Response Handbook, (4) each temporary disposal bags/ties, (4) each hazardous material labels, (1) each 20-gallon lab pack container (21 x 21").



Biodegradable per EPA/OECD test methods

4235-01-456-9893	DD	MSDS	P/N KIT 203	AbilityOne	KT	\$119.15
------------------	-----------	-------------	-------------	------------	----	----------

Spill Clean-Up Kit - Universal

13-gallon spill kit for use with oil, coolants, solvents and water (universal). Kit contains: (25) each 18 x 18" Woolzorb pads (universal), (4) each 3 x 48" Woolly Snakes, (2) each 18 x 18" wool pillows, (5) pounds of USA-DRI absorbent, (1) each pair glasses, (1) each pair gloves, (1) each Emergency Response Handbook, (4) each temporary disposal bags/ties, (4) each hazardous material labels, (1) each 20-gallon lab pack container (21 x 21").



Biodegradable per EPA/OECD test methods

4235-01-456-9899	DD	MSDS	P/N KIT 505	AbilityOne	KT	\$131.48
------------------	-----------	-------------	-------------	------------	----	----------

Machinery Wiping Cloth

These heavy-duty, non-woven wiping cloths feature soft, absorbent cellulose layers sandwiched between layers of non-interlaced rayon fibers. Both the base material and the reinforcement fibers decompose in landfills and salt water, making them environment-friendly and decomposable. Also, because the fibers are not interlaced, they will not pose a hazard to wildlife before decomposing. Base cloth is made from recycled material.



30% Recycled

Biodegradable per EPA/OECD test methods

7920-01-370-1364	PRIME	AbilityOne	10 x 16-1/2"	BX(contains 400 EA)	\$26.00
7920-01-370-1365	PRIME	AbilityOne	13-1/4 x 16-1/2"	BX(contains 400 EA)	\$32.49
					\$32.49

Cleaning Cloths

Three-ply soft paper towel is highly absorbent and non-abrasive. Paper towel can be used for cleaning and polishing plexiglass, acrylic sheets and aircraft canopies using non-abrasive liquid cleaning solutions or water without scratching the surface.



Box contains fifteen pop-up dispenser packages containing 90 towels for a total of 1,350 towels.

Plastic wiping.

30% Recovered Material, Which Includes 30% Postconsumer Material

7920-00-965-1709	PRIME	JWOD	White	15-1/4 x 16-1/2"	BX(contains 1350 EA)	\$64.49
------------------	--------------	------	-------	------------------	----------------------	---------

Wiping Cloth

Soft and absorbent, this sanitized rag wipes machinery and equipment surfaces clean of water, grease and oil. Cloth contains cotton fiber mixed with synthetic fabrics. Measures at least 9" wide and 200 sq. in. (The 50-lb. bale is compressed to less than 3-1/2 cu. ft.)



For general-purpose wiping, lightweight rag (2 to 7 oz./sq yd) is made from mixed color remnants, mill ends and reclaimed fabrics.

Price listed is F.O.B. Origin (transportation costs are NOT included).

7920-00-148-9666	DD	PRIME	Assorted Colors	BE(contains 50 LB)	\$16.62
------------------	----	-------	-----------------	--------------------	---------

For use where a higher-quality wiping rag is required, this lightweight rag is made from sheets, shirts, pillowcases and similar materials. (2 to 7 oz. per square yard).

Price listed is F.O.B. Origin (transportation costs are NOT included).

7920-00-205-3570	DD	PRIME	White	BE(contains 50 LB)	\$22.37
------------------	----	-------	-------	--------------------	---------

For heavy-duty wiping, rag (3 to 10 oz./sq. yd.) is made from mixed color remnants, mill ends, and reclaimed fabrics. Mixed colors. (NFES #0565)

7920-00-205-1711		PRIME	Assorted Colors	BE(contains 50 LB)	\$28.79
------------------	--	-------	-----------------	--------------------	---------

Trash Bag

This heavy-duty, premium-quality plastic bag features strong puncture- and tear-resistance and includes closure ties.



The 20- to 30-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-183-9767	CPG		Clear	30 x 36"	BX(contains 250 EA)	\$32.50
------------------	-----	--	-------	----------	---------------------	---------

The 33-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-183-9769	CPG	AbilityOne	Dark Brown or Green	33 x 39"	BX(contains 125 EA)	\$38.25
------------------	-----	------------	---------------------	----------	---------------------	---------

The 34-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-150-6256	CPG	AbilityOne	Clear	32 x 44"	BX(contains 125 EA)	\$35.95
------------------	-----	------------	-------	----------	---------------------	---------

The 57-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-01-183-9764	CPG		Dark Brown or Green	36 x 58"	BX(contains 100 EA)	\$26.62
------------------	-----	--	---------------------	----------	---------------------	---------

The 71-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-00-759-0794	CPG		Clear	38 x 65"	BX(contains 50 EA)	\$14.65
------------------	-----	--	-------	----------	--------------------	---------

The 125-gallon size has a 75-lb. load capacity.

♻️ 25% Postconsumer Material

8105-00-145-0163	CPG		Clear	69 x 57"	BX(contains 100 EA)	\$41.22
------------------	-----	--	-------	----------	---------------------	---------

Chef's Cap

This garrison cap is made of paper and features an adjustable head size from 6-7/8 to 7-1/2". For use by food servers in cafeterias, restaurants, and soda fountains.



♻️ 20% Postconsumer Material

8415-00-634-2410		White		BX(contains 1000 EA)	\$42.32
------------------	--	-------	--	----------------------	---------

Paper Tableware

Round, disposable paper cup is tapered to stack easily. It is odorless and leakproof. Meets FDA requirements.



Biodegradable, compostable and recyclable cup is made of 100% paper and uses no plastic packaging/packing materials. Tall-style cup without handle is for hot liquids. Uncoated. Suitable for Navy shipboard use.

♻️ Biodegradable per EPA/OECD test methods

7350-01-359-9524	PRIME	AbilityOne	White with dolphin design	Capacity: 9 oz.	BX(contains 1000 EA)	\$61.76
------------------	-------	------------	---------------------------	-----------------	----------------------	---------

Traffic Cone

Plastic or rubber cone is ideal for marking roadwork, helping to prevent accidents. Square-base cones can be used for marking line painting or serving as an emergency blockade.



♻️ Contains 50% Recovered Material

9905-00-424-9829	CPG	Red-Orange	Height: 18"		BX(contains 10 EA)	\$68.14
9905-00-527-4997	CPG	Red-Orange	Height: 28"		BX(contains 5 EA)	\$58.83

Vehicle Placard

Flip-type aluminum plate, (Placard). Inscription can be flipped to a "blank page, Explosives 1.1, 1.2, 1.3, 1.4, 1.5, or 1.6" as required. Each placard has a minimum of four stainless steel clips, riveted to the frame for holding the desired inscription in place when driving.



♻️ Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

9905-01-371-5231	CPG		10.8 x 10.8" minimum		EA	\$20.40
------------------	-----	--	----------------------	--	----	---------

Paintbrush

Made with natural hog bristle or synthetic filament. Flat, metal-bound paint and varnish brushes come in several different grades. Grades AA and A are thicker brushes and feature superior paint loading and release. Grade B is excellent for utility painting. Grade C is suitable where a professional finish is not required and for one-time applications such as applying adhesives, cements, etc. Hog bristle brushes should be used only with solvent- or oil-based coatings. Synthetic fiber brushes may be used with solvent-, oil- or water-based coatings. Measurements for brush width, bristle length and brush thickness are nominal.



Hog bristle brush. Chiseled shape.

Grade A; Thickness: 3/4"; Chiseled edge.

8020-00-260-1302	PRIME	2"w x 2-3/4"	EA	\$3.93
------------------	-------	--------------	----	--------

Grade B; Thickness: 1/2"; Chiseled edge.

8020-00-260-1304	PRIME	2"w x 2-1/4"	EA	\$2.53
------------------	-------	--------------	----	--------

Sash-and-Trim Brush

These brushes are specially designed for painting small, narrow areas on wood and metal furniture, pipes, window frames and screens. Use hog bristle brushes only for solvent-based coatings. Synthetic bristle brushes may be used with solvent- or water-based coatings. Oval brushes have 7-1/2" handles; flat brushes have 7" handles and angular, bevel-cut bristles.



Hog bristle brush. Square shape.

Thickness: 1/2".

8020-00-559-0389	PRIME	2"w x 2-1/2"	EA	\$3.22
------------------	-------	--------------	----	--------

Thinner

For thinning cellulose nitrate-based lacquers and dopes to facilitate spraying. Also for use in brush conditioner. Thinner has an acetate-alcohol-naphtha-ketone formulation and contains a flammable substance. Typical VOC 100%. A-A-857.



① 36-month maximum shelf life (extendable)

☘ CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Mercury-Free Item According to ASTM/EPA Test Methods

8010-00-160-5787	MSDS	GL	\$20.42
8010-00-160-5788	MSDS	CN(contains 5 GL)	\$83.77

For easier application, thinner reduces aircraft coatings to required viscosity. Typical VOC 100%. MIL-T-81772.

Type I. For reducing polyurethane aircraft coatings.

① 36-month maximum shelf life (extendable)

☘ CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Mercury-Free Item According to ASTM/EPA Test Methods

8010-00-181-8080	MSDS	GL	\$24.15
------------------	------	----	---------

Traffic Paint

This 100% acrylic waterborne paint covers two types of low-VOC, ready-mixed paint. This paint is suitable for application on airfields, streets, roads, highways and other traffic-bearing surfaces such as Portland cement concrete, bituminous cement concrete, asphalt, tar and previously painted areas of those surfaces. The paint may be used either alone or to bind reflective beads. Maximum VOC 150 g/L. TT-P-1952D.



Type I - For use under normal conditions

① 12-month maximum shelf life (extendable)

☘ Lead-Free Item According to ASTM/EPA Test Methods; Mercury-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Toluene Free; Carcinogen Free

8010-01-359-9242	MSDS CA	Black 37038	CN(contains 5 GL)	\$98.24
8010-01-017-1512	MSDS CA	White 37925	CN(contains 5 GL)	\$99.01
8010-01-019-1776	MSDS CA	Yellow 33538	CN(contains 5 GL)	\$100.17

Aerosol Enamel

Fast-drying, general-purpose interior and exterior enamel is perfect for coating small objects and areas. For use on metal, wood, plaster, masonry, stone, glass, leather, fiber, and previously painted surfaces. Packaged in an aerosol can that sprays easily without sputtering, using moderate finger pressure. User should shake by hand for one minute before using. A-A-2787.



Type I - Solvent-thinned enamel. VOC: 60%

① 36-month maximum shelf life (extendable)

☘ Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods

8010-01-331-6107	MSDS AbilityOne	Black 17038	PT	\$8.51
8010-01-331-6108	MSDS AbilityOne	Black 37038	PT	\$8.51
8010-01-331-6111	MSDS AbilityOne	Olive Drab 14064	PT	\$8.51
8010-01-331-6110	MSDS AbilityOne	Red 11105	PT	\$8.51
8010-01-331-6109	MSDS AbilityOne	Red 11136	PT	\$8.51
8010-01-331-6105	MSDS AbilityOne	White 17875	PT	\$8.51
8010-01-331-6106	MSDS AbilityOne	White 37875	PT	\$8.51
8010-01-331-6115	MSDS AbilityOne	Yellow 13538	PT	\$8.51

Fire-Retardant Enamel

This fire-retardant enamel is designed for use on primed or painted metal bulkheads. The chlorinated alkyd resin enamel forms a dry, rust-resistant film that will not burn. It retards combustion, but will not prevent burning of base material. Dries to the touch in two hours; dries hard (to a semi-gloss finish) in six hours. Applied by spray or brush. May be used with hot spray equipment. Maximum VOC: 340 g/L. TPD-24607.



① 12-month maximum shelf life (extendable)

☘ CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; NESHAP compliant

8010-01-344-5100	MSDS	White 27880	CN(contains 5 GL)	\$160.00
------------------	------	-------------	-------------------	----------

Epoxy Ship Paint

Epoxy-polyamide finish coat protects bilges, tanks, exterior underwater hulls and other components of a ship. The hard, durable and chemically resistant coating is appropriate for sandblasted steel, aluminum or fiberglass surfaces. Resistant to water immersion and solvents. Non-porous. Dries to a semigloss finish. Apply by spray or brush. Kit consists of equal quantities of components A and B. MIL-DTL-24441. QPL QUALIFICATION REQUIRED.



Type II - Three coat system. Maximum VOC: 340 g/L; 2.8 lbs/gal.

🕒 24-month maximum shelf life (extendable)

🌿 CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Lead-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; ODS-Free Item; Mercury-Free Item According to ASTM/EPA Test Methods; Cadmium Free According to ASTM/U.S.EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; Benzene-Free Item According to ASTM/EPA Test Methods; NESHP compliant; Toluene Free; Carcinogen Free; HAPS Free

8010-01-350-4742 **MSDS** CA Green 24272 Part A: 1 gal.; Part B: 1 gal. KT \$62.04

Formula 150.

8010-01-302-3608 **MSDS** CA Green 24272 Part A: 5 gal.; Part B: 5 gal. KT \$291.00

Marine Coating

This silicone alkyd copolymer (solvent-based) enamel is intended for use on primed, smooth metal, fiberglass, wood and plastic/composite surfaces. Highly weather-resistant enamel has excellent color and gloss retention, good drying, freedom from aftertack, and good flexibility. For brush, roller or spray application. MIL-PRF-24635. QPL QUALIFICATION REQUIRED.



Type II - Maximum VOC 340 g/L; Class 2 - Dries to semi-gloss finish (45 to 60%); Grade A - Standard pigmented.

🕒 24-month maximum shelf life (extendable)

🌿 Low-VOC Item; ODS-Free Item; NESHP compliant; Carcinogen Free

8010-01-344-6700 **MSDS** CA Brown 20109 CN(contains 5 GL) \$196.72
 8010-01-350-4727 **MSDS** CA Gray 26008 CN(contains 5 GL) \$144.47
 8010-01-344-5322 **MSDS** CA White 27875 CN(contains 5 GL) \$153.31

Single-Component CARC Polyurethane Coating

Use this single-component, chemical agent resistant, polyurethane coating (CARC) as a finishing coat on military combat equipment. Easily decontaminated after exposure to liquid chemical agents, coating also is resistant to water, weather, hydrocarbons and acids. Dries to the touch in 30 minutes and dries hard to a flat finish in three hours. Apply over epoxy primers by spray or brush. Maximum VOC: 420 g/L. MIL-DTL-53039. QPL QUALIFICATION REQUIRED.



🕒 12-month maximum shelf life (extendable)

🌿 Lead-Free Item According to ASTM/EPA Test Methods; Hexavalent-Chromium Free Item According to ASTM/EPA Test Methods; HAPS Free

8010-01-229-9561	MSDS	Green 34094	GL	\$49.14
8010-01-229-7547	MSDS	Green 34094	CN(contains 5 GL)	\$222.83
8010-01-276-3640	MSDS	Tan 33446	CN(contains 5 GL)	\$195.89

General-Purpose Adhesive

For fast-setting, general bonding, and for use on Pratt & Whitney turbofan engines. Loctite/Dexter-Hysol EPK 608, Hardman Epoweld 8173, or 3M 3501 Clear.



🕒 24-month maximum shelf life (extendable)

🌿 CFC-Free Item; Chromate-Free Item According to ASTM/EPA Test Methods; Low-VOC Item; No Hazardous Waste; Nontoxic Item

8040-00-092-2816 **MSDS** Clear Weight: 3-1/2 grams BX(contains 100 EA) \$124.95

GSA Global Supply also offers environmentally friendly products. A sampling of these products is presented on the following pages. All are

The environmentally-friendly product offering can be further narrowed by selecting the appropriate environmental attribute and/or price.

offered on a requisition basis and can be found on either the GSA Advantage!® or GSA Global Supply (www.GSAGlobalSupply.gsa.gov) ordering sites.

Environmental items can be found on the GSA Global Supply site by selecting the "Green" items tab on the top of the main shopping page. This will result in a listing of all environmentally friendly items that can be further filtered using specific product attributes or price.





A

Drip Pan

A. Superflex drip pans are made of double fiber woven reinforced rubber for maximum strength and durability. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

♻️ 100% Recycled

4940-01-490-2455	P/N 48511 or equal	Capacity: 3 gallon; 17-1/2" diameter	PG(contains 10 EA)	\$128.92
4940-01-490-2463	P/N 48512 or equal	Capacity: 6-1/2 gal.; 14" diameter	PG(contains 10 EA)	\$265.60
4940-01-490-2470	P/N 48513 or equal	Capacity: 15 gal.; 26-1/4" diameter	PG(contains 10 EA)	\$158.79



B

Drip Pan With Chain

B. Superflex drip pans are made of double fiber woven reinforced rubber for maximum strength and durability. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

Includes a 6 foot chain with eyelet for attaching pan to equipment.

♻️ 100% Recycled

4940-01-504-5270	PN 101019 or equal	Capacity: 3 gal.; 17-1/2" diameter	PG(contains 10 EA)	\$169.50
4940-01-504-5273	P/N 101020 or equal	Capacity: 6-1/2 gal.; 14" diameter	PG(contains 10 EA)	\$298.71
4940-01-505-0680	P/N 48554 or equal	Capacity: 15 gal.; 26-1/4" diameter	PG(contains 10 EA)	\$179.51



C

Drip Pan, Aircraft

C. Superflex drip pans are made of double fiber woven reinforced rubber for maximum strength and durability. Drip pan is crack and crush-proof. Oil resistant polyethylene resin, Molybdenum disulfide coated.

Interlocking containment pan 36 x 36", which can also be adjusted to 18 x 36". Pan has a three inch lip and interlocking sides. For aircraft and motor pool use.

♻️ 100% Recycled

4940-01-535-7654	DK Enterprise P/N 200550	36"L x 36"W x 2"H	PG(contains 10 EA)	\$615.73
------------------	--------------------------	-------------------	--------------------	----------

Ship Maul

Maul has a 5 pound forged steel head that is 8-3/4 inch long and a central octagonal section that tapers to a 1/2 inch diameter flat face at one end and a 1-7/8 inch circular convex face at the other end. With ground faces. Maul is hardened for extra strength and is 32 inches long. Hickory handle has a clear lacquer coating. Nonmagnetic.



5120-00-255-1476	PRIME	Head Weight: 5 lbs.	EA	\$34.65
------------------	-------	---------------------	----	---------

Pocket Multi-Tool (Retractable)

All-in-one multi-tool. Component locking mechanism. Retractable pliers-head knife tool consists of a drop point and serrated knife blades, pliers, wire cutters, flat-tip and Phillips screwdrivers, can/bottle opener, lanyard eye, ruler and crimper.



Stainless steel finish. Black nylon sheath.

5110-01-346-5339	PRIME	Length: 4-3/8" (closed)	EA	\$46.95
------------------	-------	-------------------------	----	---------

Measuring Tape (Steel)

Self-supporting steel measuring tape features permanent graduation markings and numbers printed on the full length of the tape. Housed in a butt-end plated metal or impact-resistant plastic case.



Features pull-push winding. Graduations are in 1/16 inch (first 6 inches graduated in 1/32 inch). Reads from left to right. The case does not have a stop or release mechanism for the blade.

5210-00-287-3335	PRIME	Length: 6'; Width: 1/2"	EA	\$6.29
------------------	-------	-------------------------	----	--------

Slip-Joint Pliers (Straight Nose)

Straight nose combination slip-joint pliers have flat gripping surface with fine teeth, a curved center jaw section with sharp teeth and a shear type wire cutter located in the throat. Two-position slip-joint permits jaws to be opened wider. Chrome-plated forged steel pliers have polished heads. Furnished with cushion-grip handles. ASME B107.23M.



Regular nose combination slip-joint pliers have a 3/8" jaw thickness.

5120-00-223-7397	PRIME	Length: 8"	EA	\$7.11
------------------	-------	------------	----	--------

Vise Grip Pliers

This multi-purpose tool can function as a portable vise clamp, adjustable-end wrench and locking pliers. Positive-grip pliers can securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal. Pliers also adjust easily and lock at any size within its capacity with desired amount of jaw pressure. Release lever conveniently opens jaws. Forged from alloy steel for maximum strength and durability. Surface treated with Oxide and Phosphate.



Pliers have curved jaws, with wire cutter. Jaw capacity: 0 to 1-7/8".

5120-00-494-1911 **PRIME** Length: 10" EA \$10.49

Adjustable Wrench

Heavy-duty open-ended wrench has a rack-and-worm adjustment. Head is angled at 22-1/2°. Consists of frame (fixed jaw and handle), movable jaw and adjusting worm. IAW ASME B107.8.



Jaw capacity: 15/16"

5120-00-240-5328 **PRIME** Length: 8" EA \$11.16

Jaw capacity: 1-5/16".

5120-00-264-3796 **PRIME** Length: 12" EA \$21.48

Bolt Cutter (Clipper Cut)

Designed for close cutting near flat surfaces. The clipper-cutter tool cuts rivets, bolts and steel rods and has an adjustable, rigid, two-jaw head. Removable, sharp-edged jaws are made of hardened tool steel. Dual lever-arm steel handles have toggle or geared action. Adjustments compensate for jaw wear. A rubber bumper or lock-screw stops eliminate pinching the operator's hands. CID A-A-3047



Capacity: 3/8".

5110-00-596-9156 **PRIME** Length: 24" EA \$108.08

Flat-Tip Screwdriver Set

Set of five flat-tip general purpose screwdrivers. Includes one stubby screwdriver, three general-purpose screwdrivers with flared sides, and one cabinet screwdriver with straight sides. Screwdrivers sizes are 1/4" tip width with 1-1/2" exposed blade length (stubby), 3/16" tip width (straight sides) with 3" exposed blade length, 1/4" tip width with 4" exposed blade length, 5/16" tip width with 6" exposed length and 3/8" tip width with 8" exposed blade length. Conforms to industry screwdriver standard ASME B107.15.



5120-00-103-9743 **PRIME** SE \$26.41

Phillips-Tip Screwdriver Set

Essential set contains five Phillips-type screwdrivers. General duty use screwdrivers are in accordance with ANSI B107.15-1993. (Qty - 5); Point sizes No.1 (3" blade length); No. 2 (4" blade length); No. 3 (6" blade length); No.1 (1" stubby); No.2 (1-1/2" stubby).



5120-00-357-7175 **PRIME** SE \$12.81

Socket Set

Chrome-plated steel socket set is a versatile collection of hand tools. Set includes: two hinged 9 and 14-1/2" long handles and one reversible ratchet, one universal joint, three solid extensions that are 2, 5 and 10" long and 13 regular-length 12-point sockets that have 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 and 1-1/4" wrench openings. Furnished in a case. ASME B107.1.



1/2" square drive.

5120-00-081-2307 **PRIME** SE \$92.41

Mechanic's set of 23 chrome-plated steel components. Set consists of 8" and 8-1/2" long hinged handles, a 6"-long reversible ratchet, a 16"-long brace-type speeder, 6"- and 11"-long solid extensions, two 12-point universal joints (1/2 and 9/16" wrench sizes), six long-length 12-point sockets (1/2", 9/16", 5/8", 11/16", 3/4" and 13/16" wrench openings), and nine regular-length 12-point sockets (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8" wrench openings). ASME B107.1.



3/8" square drive.

5120-00-322-6231 **PRIME** SE \$86.51

Electric Rotary Tool Kit

Electric rotary tool kit is used for grinding, carving, drilling, sanding, buffing, sawing, deburring, routing, polishing, engraving, sharpening and shaping. Variable speed 5,000 to 35,000 RPM. The rotary tool has a 2-1/4" body diameter with a collet that accommodates 1/8" diameter shanks and an overall length of 8". Furnished in a metal or plastic carrying case with the following accessories: One each Collet, Collet wrench, 5/8" Cylinder wheel, Screwpoint mandrel, Mandrel with internal threads, 1/2" Standing drum, 1/8" Drill bit, 7/8" Polishing wheel; Two each 15/16" Cutting wheel, and 1/2" diameter Felt polisher. Conforms to UL 45.



5130-01-014-6856 **PRIME** EA \$84.87

Electric Drill

Reversible, variable-speed, straight-drive drill has a removable auxiliary side handle and a trigger lock-on button. Double insulated. Heavy-duty, portable drill converts to a clutch screwdriver. Has a 0 to 1,000 rpm and 0 to 1,400 rpm no-load speed. Operates on 120V, 60-Hz current at 5 amp. Has a key-operated, three-jaw chuck. Comes with an instruction book and a chuck key with holder. Conforms to UL standards.



5130-00-935-7354 **PRIME** Chuck Size: 3/8" EA \$183.68

Twist Drill Set (Cobalt Steel)

Aircraft quality, heavy-duty cobalt high-speed steel bits for use in constant speed drills. Cobalt drills maintain their cutting ability at higher temperatures which is common in drilling harder materials. Recommended for use in the following types of steels: high-strength alloy steels, stainless steel, titanium, manganese steel, armor plate and steel. These bits feature 135° split points with straight round shanks for easier drill starting without the need for center punching. The bits are oxide surface-treated, right-hand cutting, and have two flutes. NAS 907.



Type D: Straight shank; jobbers length; short flute. The numbered sizes 1 to 40 are provided in an indexed metal case.

5133-00-980-3423 **PRIME** SE \$92.50

Circular Saw

Portable electric circular saw. Features adjustable metal base for depth and angle of cut adjustment, adjustable rip fence, position indicator, round arbor, dust blower, trigger switch in a comfortable handle and antikick-back clutch. Saw operates on 120V AC/DC. Furnished in a carrying case with one blade, arbor nut wrenches and operating instructions.



Motor armature axis is parallel to blade spindle axis. Has a minimum 3800 no-load rpm, a rated current of 15 amp and 5/8" diameter arbor hole. Minimum cut at 90° is 3-3/8"; maximum cut at 45° is 2-1/4". Blade diameter: 10 to 10-1/4".

Electromagnetic Interference-Suppressed tool. (Only the basic tool prior to modification for EMI suppression is required to have proof certifying compliance with the applicable UL Standard.)

5130-00-889-8991 **PRIME** EA \$639.67

Disk Sander

Right-angle air sander for medium- and heavy-duty sanding, deburring, blending, smoothing and brushing operations. No-load speed is 6000 rpm. Sander has lever throttle and auxiliary side handle. 1/4" female NPT or NPTF air inlet connection. The spindle has a 5/8-11 UNC-2A thread for mounting the sanding pad. Operating pressure is 90 psig. Pad diameter is 7". The angle height over the spindle is 4.5" maximum. Furnished with parts list and instruction manual.



5130-00-596-1176 **PRIME** EA \$240.54

Electric Etcher (Engraver)

Designed for engraving glass, plastics, wood, stone and metals. Heavy-duty vibrator-type etcher features an etching point that reciprocates at 7200 strokes per minute and an adjustment knob that varies width and depth marking. Etcher operates on 120v AC and is furnished with six alloy steel etching points: two with diamond tips and four with tungsten carbide tips. CID A-A-59252.



5130-00-596-8404 **PRIME** EA \$30.73

Crowbar

Commonly used commercial design has a round handle tapered toward handle end and a hardened prying end. Made of forged steel with a painted or oil-coated finish.



Heavy-duty, pinch-point style. Formed end has square sides with a flat, single-beveled edge.

5120-00-224-1390 **PRIME** Diameter: 1"; Length: 59 to 62". EA \$26.83

Portable Toolbox

Universal or general-use box is used for carrying hand tools. Box is made of sheet steel with a welded construction and features a baked enamel finish. A piano-type hinge runs the full length of the lid. There is one chest-type handle located at each end which has a 90 degree stop to prevent being raised above its horizontal position. When not in use, the handles rest against the box end surface. The hasp and staple accommodates a 1-3/4" padlock. A 1/4" plywood insert covers the inside bottom of the tool box.



Fabricated from 18 gage steel.

5140-00-226-9018 **PRIME** Red 12"w x 24"l x 12"h EA \$56.04

Garden Hose

Commercial-grade, rubber/vinyl-reinforced 5/8" diameter garden hose. Kink-resistant hose includes brass couplings, a protective collar at faucet end, and an abrasion-resistant gray cover. Burst strength is 500 psi with a minimum four-ply construction.



♻️ 65% Postconsumer Material

4720-01-447-8759 **CPG** LG(contains 50 FT) \$23.10
 4720-01-447-8757 **CPG** LG(contains 100 FT) \$38.50

Fax Order Form

(Make copies of this form for future use)

Customer Name _____

Ship-To Address _____

Date _____

Telephone Number _____

Fax Number _____

Optional Document Number (14 digits) _____

Signature of Approving/Ordering Official (Optional) _____

If Paying With Credit Card

Credit Card Number _____

Expiration Date _____

Activity Address Code

Activity Address Code _____

Access Code _____

Remarks:

Will you accept a back order if an item is out of stock? Yes No
(We do not place back orders for credit card purchases.)

*Fax your order
24 hours a day!*

	GSA Part No./NSN	Quantity	Item Description	U/I	Unit Price	Extended Price
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						

Fax to (800) 856-7057 *Thank you for your order!*
(Your order will be confirmed by fax.)

Estimated Total Cost _____

For GSA Use Only

Store	Ticket Number	Lines	Total	Fax Back (Date/Time/Initials)
-------	---------------	-------	-------	-------------------------------

To order, call (800) 525-8027 or fax (800) 856-7057

Choose to Reuse

Computers for Learning, an Alternative to Recycling

The problem of electronic waste (ewaste) is growing at an alarming rate. Ewaste is among the fastest-growing and most toxic components of municipal trash. The Computers for Learning (CFL) program promotes the reuse of federal excess computers and peripheral devices among needy schools and educational nonprofit organizations, reduces landfill disposal of toxic wastes, and maximizes the value of federal assets.

Although computers contain valuable metals, chips, and parts, these materials can be costly to recover. Hazardous materials such as lead, cadmium, mercury, brominated flame retardants, and hexavalent chromium must be dismantled in a special way so as to not cause harm to humans or the environment. Continued use of the computers is a better solution than dismantling/component recovery.

More Green than Recycling

Recycling an unwanted computer is shortsighted, considering the many benefits of reuse. When federal agencies partner with schools to reuse and give computer equipment a second life, they also give opportunity to America's youth in need.

Sharing Technology – Creating Opportunity

The Computers for Learning (CFL) program facilitates the transfer of excess federal computer equipment to schools and educational nonprofit organizations, giving special consideration to those with the greatest need. The CFL program implements Executive Order (E.O.) 12999, Educational Technology: Ensuring Opportunity for All Children in the Next Century. E.O. 12999 directs federal agencies to give "highest preference to schools and nonprofit organizations in the transfer of educationally useful federal equipment." The authority for transfers under CFL is the Stevenson-Wydler Technology Innovation Act of 1980, as amended (15 U.S.C. 3710(i)). This act authorizes federal agencies to transfer excess education-related federal equipment to educational institutions or nonprofit organizations for educational and research activities.

DID YOU KNOW?

Reusing just one computer with a Cathode Ray Terminal (CRT) monitor saves:

- 30 lbs of hazardous waste
- 77 lbs of solid waste
- 147 lbs (17.5 gallons) of water from being polluted
- 32 tons of air from being polluted
- 1,333 lbs of CO₂ from being emitted
- 7,719 kilowatts of energy



The Computers for Learning (CFL) program promotes the reuse of federal excess computers and peripheral devices among needy schools and educational nonprofit organizations, reduces landfill disposal of toxic wastes, and maximizes the value of federal assets.

Excess electronic products entered into GSAXcess® are automatically offered to eligible schools and educational nonprofits through the CFL program. Federal entities may opt to directly transfer excess electronic equipment to eligible schools and educational nonprofits, and report these transfers through CFL's Post Transaction Module to automatically include those transactions in their agency's Annual Non-Federal Recipients Report.

For more information, visit:
www.gsa.gov/computersforlearning

Ordering Information



1

Call (800) 525-8027 (7:30 a.m. to 8 p.m., ET, Monday through Friday). If using your government purchase card, please have your card ready. Otherwise, have your six-digit Activity Address Code and account information available.

2

Fax your order to (800) 856-7057.

3

To order online, visit us at www.GSAGlobalsupply.gsa.gov.

Call Center (800) 525-8027 | www.GSAGlobalsupply.gsa.gov

GSA CENTRALIZED MAILING LIST SERVICE
501 W. FELIX ST., STE 1101
WHS 9 SEC F
FORT WORTH, TX 76115-3411

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300**

www.gsa.gov
May 2008

Catalog Code:
5-08-00224

Order catalog at gsa.gov/cmls

PRSR STD
Postage & Fees Paid
General Services
Administration
Permit No. G-30

