



6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

September 9, 2004

Government Services Administration - Heartland Region
Regional Safety and Environmental Technical Team (6PMF)
Attn: Dave Hartshorn
1500 East Bannister Road
Kansas City, MO 64131-3088

RE: Radon Monitor Test Results

This letter refers to the radon monitors you did (and did not) return to RSSI for analysis. On September 3, 2004, we received a shipment of 236 monitors. There were seven other monitors listed on the chain of custody that were not in the shipment:

<u>Monitor Number</u>	<u>Location</u>
153915	Middle 6502-7272
153909	Middle 5810-6510
153949	Mid 3922-4622
153945	Mid 7134-7734
153938	Mid 7834-8734
154676	Vault - Inner room
154179	Area I Row 12 S

We have no record of receiving these seven monitors.

In addition, we were not able to read one of the monitors we received:

<u>Monitor Number</u>	<u>Location</u>
154108	B100 Fire pump Room

Unfortunately, our analysis equipment could not "read" your monitor and reliable results could not be obtained.

Upon manual inspection, it appears that the test material inside your monitor was too heavily "tracked" for our computers to be able to count the alpha tracks. When this occurs, our technicians view the test material through an imaging microscope and attempt to make a manual count. In this case, that also was not possible.

There are several reasons this might have occurred:

- 1) The aluminum foil pouch could have been punctured during manufacturing or handling. This would have exposed the monitor to radon long before your start date.
- 2) The radon level in your test location could be so high that you test period over-saturated the test material.

We are sorry that we were not able to analyze your monitor and have provided a replacement monitor. We suggest that you expose this monitor for only one month and then return it to us for analysis.

If you have questions at this time, please feel free to contact RSSI at 800-762-7774.

Roger Marsh, RSSI Radon Manager
radon@rssinc.org

Chain of Custody



GENERAL SERVICES ADMINISTRATION
Regional Safety and Environmental Technical Team (6PMF)
1500 E. Bannister Road, Kansas City, MO 64131-3088

To:	RSSI 6312 W. Oakton Street Morton Grove, IL 60053	847-205-1999
------------	--	--------------

Please Send Report Via:	<input type="radio"/> Phone (816-823-2227) <input checked="" type="checkbox"/> Fax (816-926-1779) <input checked="" type="checkbox"/> Mail (below)
--------------------------------	--

Please Send Report To:	General Services Administration Attn: Dave L. Hartshorn (6PEF-S) 1500 E. Bannister Road Kansas City, MO 64131	816-823-2227
-------------------------------	---	--------------

Please Invoice To:	Same as Above
---------------------------	---------------

Method of Transport:	FedEx	Analytical Priority Requested	Regular
Date Shipped:	31-Aug-2004		

PROJECT NAME	Region-Wide Radon Sampling	
Sample ID	Analysis	Comments

See Attached Data Sheets

3 BOXES
MAKE
THIS
SHIPMENT.

Comments and Instructions:

Relinquished by:	(b) (6)	Date:	31 AUG 04
Accepted by:	(b) (6)	Date:	9-3-04

Please Return this Form With the Sample Results



6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

September 9, 2004

GSA HEARTLAND REGION
ATTN: DAVE HARTSHORN
MAINTENANCE & ENVIRON. SECTION
1500 EAST BANNISTER ROAD
KANSAS CITY, MO 64131-3088

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
153901	1.9	2905-3605	05/05/04	08/27/04	
153902	1.5	ROOM 113	05/05/04	08/27/04	
153903	1.4	ROOM 15	05/05/04	08/27/04	
153904	1.4	NORTH CENTAL EXIT	05/05/04	08/27/04	
153905	2.1	ROOM 100	05/05/04	08/27/04	
153906	1.5	ROOM 112	05/05/04	08/27/04	
153907	1.6	NOD UNIT	05/05/04	08/27/04	
153908	2.7	SSD	05/05/04	08/27/04	
153910	2.0	3705-4505	05/05/04	08/27/04	
153911	1.8	BACK HALLWAY MAILROOM	05/05/04	08/27/04	
153912	2.1	9307-0008	05/05/04	08/27/04	
153913	1.9	DIRECT SERVICE UNIT	05/05/04	08/27/04	
153914	2.0	3013-3513	05/05/04	08/27/04	
153916	1.4	RELOCATION	05/05/04	08/27/04	
153917	1.2	RELOCATION	05/05/04	08/27/04	
153918	1.7	2213-2913	05/05/04	08/27/04	
153919	3.2	0108-1008	05/05/04	08/27/04	
153920	1.7	ROOM 100	05/05/04	08/27/04	

Continued



6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
153921	2.1	0800-1600	05/05/04	08/27/04	
153922	1.8	7302-8102	05/05/04	08/27/04	
153923	1.6	6610-7410	05/05/04	08/27/04	
153924	2.0	3415-4015	05/05/04	08/27/04	
153925	1.8	SSD	05/05/04	08/27/04	
153926	1.6	1432-2232	05/05/04	08/27/04	
153927	2.7	7324-8024	05/05/04	08/27/04	
153928	1.7	7142-8042	05/05/04	08/27/04	
153929	1.5	0352-0852	05/05/04	08/27/04	
153930	1.7	4337-5137	05/05/04	08/27/04	
153931	1.1	9851-0252	05/05/04	08/27/04	
153932	2.3	1527-2227	05/05/04	08/27/04	
153933	2.0	7919-8619	05/05/04	08/27/04	
153934	1.8	2845-3145	05/05/04	08/27/04	
153935	2.9	8124-8824	05/05/04	08/27/04	
153936	3.7	4517-5217	05/05/04	08/27/04	
153937	1.8	3245-4045	05/05/04	08/27/04	
153939	1.8	9350-9950	05/05/04	08/27/04	
153940	1.9	4722-5322	05/05/04	08/27/04	
153941	1.6	3847-4747	05/05/04	08/27/04	
153942	2.0	0632-1332	05/05/04	08/27/04	
153943	2.0	8719-9519	05/05/04	08/27/04	
153944	2.2	4115-4615	05/05/04	08/27/04	

Continued

RSSI

6312 West Oakton Street
 Morton Grove, IL 60053-2723
 847-965-1999
 Fax 847-965-1991

Page 3

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
153946	1.9	3537-4237	05/05/04	08/27/04	
153947	2.1	5317-5717	05/05/04	08/27/04	
153948	1.6	8749-9349	05/05/04	08/27/04	
153950	1.0	0827-1427	05/05/04	08/27/04	
153990	0.4	B8	05/04/04	08/25/04	
153991	0.4	B4	05/04/04	08/25/04	
153992	0.3	B4 DUPE	05/04/04	08/25/04	
154001	0.5	F19	05/25/04	08/25/04	
154002	1.1	J11	05/25/04	08/25/04	
154003	2.1	F33	05/25/04	08/25/04	
154004	1.2	C31	05/25/04	08/25/04	
154005	0.9	J14	05/25/04	08/25/04	
154006	1.6	H20	05/25/04	08/25/04	
154007	1.0	C13	05/25/04	08/25/04	
154009	1.9	G34	05/25/04	08/25/04	
154011	1.4	F9	05/25/04	08/25/04	
154012	1.6	C9	05/25/04	08/25/04	
154101	1.0	WAREHOUSE #1	04/29/04	08/23/04	
154102	0.6	WAREHOUSE #3	04/29/04	08/23/04	
154103	0.6	EMERGENCY DIESEL ROOM	04/29/04	08/23/04	
154104	2.1	OIG ROOM	04/29/04	08/23/04	
154105	1.0	FPS STORAGE	04/29/04	08/23/04	
154106	0.6	CUSTODIAL STORAGE AREA	04/29/04	08/23/04	

Continued



6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154107	0.9	MAILROOM BY DRINKING FOUNTAIN	04/29/04	08/23/04	
154109	1.3	AIR HANDLER BTWN 54&55 BOTTOM SEAL BROKN	04/29/04	08/23/04	
154110	1.3	C RHEA OFFICE	04/29/04	08/23/04	
154111	0.1	G3 STORAGE	04/29/04	08/23/34	
154112	0.5	F5	04/29/04	08/23/04	
154113	1.0	MAILROOM SHREDDER ROOM	04/29/04	08/23/04	
154114	0.8	D1	04/29/04	08/23/04	
154115	1.0	DAYCARE MIDDLE BY KITCHEN	04/29/04	08/23/04	
154116	1.0	DAYCARE REDROOM	04/29/04	08/23/04	
154117	0.3	B706	04/29/04	08/23/04	
154118	0.5	B1.121 MECH OFFICE	04/29/04	08/23/04	
154119	1.2	US MARSHALL OFFICE	04/29/04	08/23/04	
154120	0.8	AIR HANDLER 58	04/29/04	08/23/04	
154121	3.8	B2 US MARSHALL FITNESS CENTER	04/29/04	08/23/04	
154122	0.6	B1.127 CUSTODIAL BREAKROOM	04/29/04	08/23/04	
154123	0.9	DAYCARE ENTRY	04/29/04	08/23/04	
154124	1.2	B1.133 CUSTODIAL OFFICE	04/29/04	08/23/04	
154125	0.6	B1.115 MECH BREAKROOM	04/29/04	08/23/04	
154126	3.5	AREA J ROW 43 N DUPE	04/26/04	08/24/04	
154127	3.3	AREA J ROW 45 S DUPE	04/26/04	08/24/04	
154128	6.0	AREA J ROW 42 S MIDDLE	04/26/04	08/24/04	
154129	3.9	AREA J ROW 39 N DUPE	04/26/04	08/24/04	
154130	4.1	AREA J ROW 37 S DUPE	04/26/04	08/24/04	

Continued

RSSI

6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

Page 5

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154131	5.0	AREA J ROW 36 S MIDDLE	04/26/04	08/24/04	
154132	6.8	AREA J ROW 36 N MIDDLE	04/26/04	08/24/04	
154133	4.9	AREA J ROW 27 N DUPE	04/26/04	08/24/04	
154134	5.4	AREA J 29 S DUPE	04/26/04	08/24/04	
154135	4.4	AREA J ROW 29 N MIDDLE	04/26/04	08/24/04	
154136	6.7	AREA J ROW 29 S MIDDLE	04/26/04	08/24/04	
154137	4.7	AREA J ROW 25 S	04/26/04	08/24/04	
154138	4.9	AREA J ROW 23 N DUPE	04/26/04	08/24/04	
154139	5.5	AREA J ROW 24 N MIDDLE	04/26/04	08/24/04	
154140	4.0	AREA J ROW 19 N DUPE	04/26/04	08/24/04	
154141	5.2	AREA J ROW 18 N MIDDLE	04/26/04	08/24/04	
154142	4.9	AREA J ROW 24 S MIDDLE	04/26/04	08/24/04	
154143	6.0	AREA J ROW 21 S DUPE	04/26/04	08/24/04	
154144	6.0	AREA J ROW 18 S	04/26/04	08/24/04	
154145	5.3	AREA J ROW 9 S DUPE	04/26/04	08/24/04	
154146	2.7	AREA J ROW 12 S MIDDLE	04/26/04	08/24/04	
154147	4.0	AREA J ROW 12 N MIDDLE	04/26/04	08/24/04	
154148	5.3	AREA J ROW 7 N DUPE	04/26/04	08/24/04	
154149	5.5	AREA J ROW 11 N DUPE	04/26/04	08/24/04	
154150	4.2	AREA J ROW 15 N	04/26/04	08/24/04	
154151	3.9	AREA H ROW 59 S	04/26/04	08/24/04	
154152	3.6	AREA H ROW 51 S	04/26/04	08/24/04	
154153	2.9	AREA H ROW 53 N	04/26/04	08/24/04	

Continued

RSSI

6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

Page 6

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154154	3.2	AREA H ROW 55 S	04/26/04	08/24/04	
154155	4.8	AREA H ROW 49 N	04/26/04	08/24/04	
154156	3.1	AREA H ROW 48 N	04/26/04	08/24/04	
154157	3.8	AREA H ROW 57 N	04/26/04	08/24/04	
154158	2.5	AREA H ROW 47 S	04/26/04	08/24/04	
154159	4.9	AREA H ROW 43 S	04/26/04	08/24/04	
154160	2.5	AREA H ROW 42 S	04/26/04	08/24/04	
154161	3.6	AREA H ROW 47 S	04/26/04	08/24/04	
154162	3.1	AREA H ROW 45 N	04/26/04	08/24/04	
154163	7.2	AREA H ROW 36 S	04/26/04	08/24/04	
154164	3.4	AREA H ROW 36 N	04/26/04	08/24/04	
154165	2.5	AREA H ROW 41 N	04/26/04	08/24/04	
154166	2.6	AREA H ROW 30 N	04/26/04	08/24/04	
154167	3.5	AREA H ROW 36 S	04/26/04	08/24/04	
154168	2.7	AREA H ROW 33N	04/26/04	08/24/04	
154169	3.5	AREA H ROW 23 N	04/26/04	08/24/04	
154170	4.4	AREA H ROW 29 S	04/26/04	08/24/04	
154171	4.9	AREA H ROW 23 S MIDDLE	04/26/04	08/24/04	
154172	2.3	AREA H ROW 12 S MIDDLE	04/26/04	08/24/04	
154173	2.8	AREA H ROW 29 S MIDDLE	04/26/04	08/24/04	
154174	11.4	AREA H ROW 23 S	04/26/04	08/24/04	
154175	4.3	AREA H ROW 12 S	04/26/04	08/24/04	
154176	5.2	AREA I ROW 4 S	04/26/04	08/24/04	

Continued



6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

Page 7

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154177	3.2	AREA I ROW 46 N	04/26/04	08/24/04	
154178	4.2	AREA I ROW 0 N	04/26/04	08/24/04	
154180	4.2	AREA I ROW 2 N	04/26/04	08/24/04	
154181	5.4	AREA I ROW 1 S	04/26/04	08/24/04	
154182	5.8	AREA I ROW 16 S	04/26/04	08/24/04	
154183	4.3	AREA I ROW 18 N	04/26/04	08/24/04	
154184	6.7	AREA I ROW 10 N	04/26/04	08/24/04	
154185	10.7	AREA I ROW 28 S	04/26/04	08/24/04	
154186	3.5	AREA I ROW 6 N	04/26/04	08/24/04	
154187	6.5	AREA I ROW 32 S	04/26/04	08/26/04	
154188	3.7	AREA I ROW 34 N	04/26/04	08/24/04	
154189	5.9	AREA I ROW 20 S	04/26/04	08/24/04	
154190	5.1	AREA I ROW 30 N	04/26/04	08/24/04	
154191	4.7	AREA I ROW 14 N	04/26/04	08/24/04	
154192	6.9	AREA I ROW 36 S	04/26/04	08/24/04	
154193	5.2	AREA I ROW 8 S	04/26/04	08/24/04	
154194	3.4	AREA I ROW 2 N	04/26/04	08/24/04	
154195	4.0	AREA I ROW 38 N BOTH SEALS BROKEN	04/26/04	08/24/04	
154196	6.0	AREA I ROW 24 S	04/26/04	08/24/04	
154197	3.5	AREA I ROW 26 N	04/26/04	08/24/04	
154198	3.6	AREA I ROW 42 N	04/26/04	08/24/04	
154199	4.3	AREA I ROW 40 S	04/26/04	08/24/04	
154200	4.7	AREA I ROW 4 S	04/26/04	08/24/04	

Continued

RSSI

6312 West Oakton Street
 Morton Grove, IL 60053-2723
 847-965-1999
 Fax 847-965-1991

Page 8

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154301	1.8	ROOM 110	05/03/04	08/25/04	
154309	1.6	ROOM 104	05/03/04	08/25/04	
154319	1.7	ROOM 110 DUPE	05/03/04	08/25/04	
154321	1.5	ROOM 114A	05/03/04	08/25/04	
154323	1.7	BSMNT ON PIPE RACK	05/03/04	08/25/04	
154324	2.0	BSMNT NW CORNER OF STOREROOM	05/03/04	08/25/04	
154325	1.9	GSA INSPECTORS WIRE CLOSET	05/03/04	08/25/04	
154372	0.4	B6	05/04/04	08/25/04	
154376	1.3	6556-7356	05/06/04	08/27/04	
154377	1.4	0154-0954	05/06/04	08/27/04	
154378	1.3	5864-6664	05/06/04	08/27/04	
154379	1.3	9461-0262	05/06/04	08/27/04	
154380	1.3	5064-5764	05/05/04	08/27/04	
154381	1.3	7969-8669	05/06/04	08/27/04	
154382	1.3	8661-9361	05/06/04	08/27/04	
154383	1.2	9353-0054	05/06/04	08/27/04	
154385	1.3	2259-2859	05/06/04	08/27/04	
154386	1.4	9776-0477	05/06/04	08/27/04	
154387	1.4	7074-7774	05/06/04	08/27/04	
154388	1.1	2367-3167	05/06/04	08/27/04	
154389	1.3	5172-5772	05/06/04	08/27/04	
154390	1.4	4381-4781	05/06/04	08/27/04	
154391	1.2	3059-3859	05/06/04	08/27/04	

Continued

RSSI

6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

Page 9

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154392	1.4	0577-1077	05/06/04	08/27/04	
154393	1.1	5483-5983	05/06/04	08/27/04	
154394	1.2	4372-5072	05/06/04	08/27/04	
154395	1.1	3179-3679	05/06/04	08/27/04	
154396	1.6	1567-2267	05/06/04	08/27/04	
154397	1.2	8769-9569	05/06/04	08/27/04	
154398	1.5	3581-4281	05/06/04	08/27/04	
154399	1.5	2379-3079	05/06/04	08/27/04	
154400	1.4	7874-8474	05/06/04	08/27/04	
154611	3.8	8487-9187	05/06/04	08/27/04	
154612	1.2	4683-5383	05/06/04	08/27/04	
154613	1.3	1790-2390	05/06/04	08/27/04	
154614	1.2	6292-6992	05/06/04	08/27/04	
154615	1.1	3495-4295	05/06/04	08/27/04	
154616	1.6	CUSTOMER SERVICE	05/06/04	08/27/04	
154617	1.1	9697-0598	05/06/04	08/27/04	
154618	1.3	9297-9597	05/06/04	08/27/04	
154619	0.9	RECORDS DIVISION OFFICE	05/06/04	08/27/04	
154620	1.3	7092-7892	05/06/04	08/27/04	
154621	1.0	6585-7185	05/06/04	08/27/04	
154622	1.0	0990-1690	05/06/04	08/27/04	
154623	1.3	2695-3395	05/06/04	08/27/04	
154624	1.2	9287-9887	05/06/04	08/27/04	

Continued

RSSI

6312 West Oakton Street
 Morton Grove, IL 60053-2723
 847-965-1999
 Fax 847-965-1991

Page 10

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154625	0.9	5885-6485	05/06/04	08/27/04	
154635	0.5	ROOM 110	05/04/04	08/25/04	
154641	0.6	CREDIT UNION N23	05/04/04	08/25/04	
154645	0.5	INSIDE CONTRACT STATION #40	05/04/04	08/25/04	
154649	0.4	CREDIT UNION LOBBY	05/04/04	08/25/04	
154677	0.5	VAULT STORAGE	04/26/04	08/24/04	
154678	3.2	AREA J ROW 39 N	04/26/04	08/24/04	
154679	4.5	AREA J ROW 35 N	04/26/04	08/24/04	
154680	3.3	AREA J JAZ COLUMN	04/26/04	08/24/04	
154681	5.6	AREA J ROW 33 S	04/26/04	08/24/04	
154682	2.7	AREA J ROW 43 N	04/26/04	08/24/04	
154683	4.1	AREA J ROW 25 S	04/26/04	08/24/04	
154684	3.6	AREA J ROW 227 N	04/26/04	08/24/04	
154685	3.6	AREA J ROW 29 S	04/26/04	08/24/04	
154686	3.5	AREA J ROW 5 S	04/26/04	08/24/04	
154687	4.3	AREA J ROW 15 N	04/26/04	08/24/04	
154688	3.9	AREA J ROW 1 S	04/26/04	08/24/04	
154689	2.9	AREA J ROW 45 S	04/26/04	08/24/04	
154690	3.6	AREA J ROW 23 N	04/26/04	08/24/04	
154691	3.6	AREA J ROW 31 N	04/26/04	08/24/04	
154692	2.9	AREA J ROW 7 N	04/26/04	08/24/04	
154693	5.9	AREA J ROW 9 S	04/26/04	08/24/04	
154694	3.6	AREA J 13 S	04/26/04	08/24/04	

Continued



6312 West Oakton Street
 Morton Grove, IL 60053-2723
 847-965-1999
 Fax 847-965-1991

Monitor Number	pCi/l	Test Location	Exposure Start	Exposure End Date	Reprint from
154695	3.6	AREA J ROW 11 N	04/26/04	08/24/04	
154696	3.0	AREA J ROW 37 S	04/26/04	08/24/04	
154697	5.1	AREA J ROW 21 S	04/26/04	08/24/04	
154698	3.4	AREA J ROW 19 N	04/26/04	08/24/04	
154699	2.6	AREA J ROW 3 N	04/26/04	08/24/04	
154700	5.8	AREA J ROW 17 S	04/26/04	08/24/04	
154829	0.7	TOP OF WOMENS LOCKER	05/17/04	08/25/04	
154897	0.8	C15	05/25/04	08/25/04	
154899	0.7	F16	05/25/04	08/25/04	
154900	0.7	F13	05/25/04	08/25/04	

RSSI

FOR RADON BULK PURCHASERS

6312 West Oakton Street
Morton Grove, IL 60053-2723
847-965-1999
Fax 847-965-1991

RSSI's bulk alpha track radon monitors are intended for professional or institutional use and are not intended for resale. All monitors *must* be returned to RSSI for analysis by the date indicated on the monitor bar code. This expiration date is 30 months from production and any monitors returned after expiration will not be analyzed.

Bulk monitor analysis results are reported to the original bulk purchaser only.

Analysis reports are referenced by monitor number (see bar code on bottom of the monitor or on the silver foil pouch). This data form and the accompanying bar code labels may be used for your internal reference and to record specific monitor information for your records.

RADON MONITOR DATA FORM

NAME General Service Administration MONITOR # SEE ATTACHED
(DAVE HARTSHORN) (See bar code on bottom of monitor)

ADDRESS 1500 Bannister Road COUNTY _____

CITY Kansas City STATE MO ZIP CODE 64111

TELEPHONE NUMBER (816) 823-2227

BUILDING IDENTIFICATION (if applicable) MO0609 Bldg 104 ⁴³⁰⁰ Goodfellow

PLACEMENT LOCATION AND/OR FLOOR LEVEL _____
(Basement/First Floor/Second Floor/Other)

EXPOSURE START DATE May 5, 6, 2004 EXPOSURE END DATE 8/27/2004

**THIS MONITOR IS INTENDED FOR PROFESSIONAL OR INSTITUTIONAL USE.
THE RESULTS WILL BE MAILED TO THE ORIGINAL PURCHASER ONLY.**

RSSI
6312 WEST OAKTON STREET
MORTON GROVE, IL 60053-2723
847-965-1999

Date: 5/5/04

Building: 104
4300 Goodfellow
St. Louis

MO 0609

8/27/2004

RSSI #	LOCATION	#
1539 02	Room 113 Top of file cabinet	1
1539 06	Room 112 Top of file cabinet	2
1539 20	Room 100 by Don's Office	3
1539 05	Room 100 Conference room (Room 101)	4
1539 04	North central exit	5
1539 03	Room 115 (Mail room)	6
1539 13	Direct service unit by refrigerator	7
1539 07	NOI unit 8	8
1539 08	SSD	9
1539 25	SSD	10
1539 11	Back hallway of Mail Room	11
1539 16	Relocation	12
1539 17	Relocation	13
1539 21	Middle 0800-1600	14
1539 15	Middle 6502-7202	15
1539 22	Middle 7302-8102	16
1539 10	Middle 3705-4505	17
1539 01	Middle 2905-3605	18
1539 12	Middle 9307-0008	19
1539 19	Middle 0108-1008	20
1539 09	Middle 5810-6510	21
1539 23	Middle 6610-7410	22
1539 14	Middle 3013-3513	23
1539 18	Middle 2213-2913	24
1539 24	Middle 3415-4015	25
1539 44	Middle 4715-5215 4115-4615	26
1539 47	Middle 5317-5717	27
1539 36	Middle 4517-5217	28
1539 43	Middle 8719-9519	29

Date: 5/5/04

Building: 104
4300 Good fellow
St. Louis, MO

MO 0609

8/27/04

RSSI #	LOCATION	#
1539 33	Middle 7919-8619	30
1539 49	Mid 3922-4622	31
1539 40	Mid 4722-5322	32
1539 27	Mid 7324-8024	33
1539 35	Mid 8124-8824	34
1539 32	Mid 1527-2227	35
1539 50	Mid 0827-1427	36
1539 26	Mid 1432-2232	37
1539 42	Mid 0632-1332	38
1539 45	Mid 7134-7734	39
1539 38	Mid 7834-8734	40
1539 46	Mid 3537-4237	41
1539 30	Mid 4337-5137	42
1539 28	Mid 7142-8042	43
1539 34	end 2845-3145	44
1539 37	Mid 3245-4045	45
1539 41	Mid 3847-4747	46
1539 48	Mid 8749-9349	47
1539 39	Mid 9350-9950	48
1539 29	Mid 0352-0852	49
1539 31	end 9851-0252	50
		51
		52
		53
		54
		55
		56
		57
		58

Date: 5/6/04

M00609

8/27/04

Building: 104
4300 Goodfellow
St. L, Mo

RSSI #	LOCATION	#
1543 83	9353 - 0054	51
1543 77	0154 - 0954	52
1543 76	6556 - 7356	53
1543 84	5756 - 6456	54
1543 85	2259 2859	55
1543 91	3059 3859	56
1543 79	9461 0262	57
1543 82	8661 9361	58
1543 80	5064 5764	59
1543 78	5864 6664	60
1543 88	2367 3167	61
1543 96	1567 2267	62
1543 81	7969 8669	63
1543 97	8769 9569	64
1543 89	5172 5772	65
1543 94	4372 5072	66
1543 87	7074 7774	67
1544 00	7874 8474	68
1543 92	0577 1077	69
1543 86	9776 0477	70
1543 95	3179 3679	71
1543 99	2379 3079	72
1543 90	4381 4781	73
1543 98	3581 4281	74
1543 93	5483 5983	75
1546 12	4683 5383	76
1546 25	5885 6485	77
1546 21	6585 7185	78
1546 24	9287 9887	79

