

March 21, 2023

Diane Czarnecki Industrial Hygienist Facilities Management Division GSA Public Buildings Service – Heartland Region 2300 Main Street Kansas City, MO 64108

Re: Goodfellow Federal Center –Building 104 Air and Wipe Sampling Evaluation Addendum Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the data center of the second floor of building 104 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site. This report serves as an addendum to the *Goodfellow Federal Center – Building 104 Air and Wipe Sampling Evaluation*, dated February 16, 2021.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination and ASTM Standard D6966: Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki Facilities Management Division March 21, 2023 Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (µm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe sample(s) were collected on February 22, 2023, by Jeff Smith of OCCU-TEC.

One (1) air sample was collected on February 22, 2023. The sample was collected on the 2^{nd} floor data center, room 4, at column B14. All analytes were below laboratory reporting limits. The complete air sampling laboratory reports from EHS are included as Appendix A.

One (1) wipe sample was collected on February 22, 2023. The sample location and results are listed below. The complete wipe sampling laboratory report from EHS is included in Appendix B.

- 2nd floor, data center, room 2, top of table at column D3
 - Arsenic, chromium, selenium, and silver were all below laboratory reporting limits
 - O Barium was detected at 0.75 μg/sq. ft, below the clean area limit of 3,094 μg/sq. ft
 - O Cadmium was detected at 0.37 μg/sq. ft, below the clean area limit of 31 μg/sq. ft
 - Lead was detected at 11 μg/sq. ft, in exceedance of the clean area limit of 10 μg/sq. ft

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general



Diane Czarnecki Facilities Management Division March 21, 2023 Page 3

overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.

Sincerely,



Matt Shanahan, CHMM Project Manager

Attachments:

Appendix A – Air Sampling Laboratory Report Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.





Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237 Telephone: 800.347.4010 Air Metals Analysis Report

Client: Burns & McDonnell Engineering

9400 Ward Pkwy.

Kansas City, MÓ 64114

Report Number: 23-02-04192

Received Date:

02/24/2023

Reported Date:

02/28/2023

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number: 26-3514 Laboratory Results Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m³)	Narrative ID
23-02-04192-001	107-A-01	02/27/2023	Arsenic (As)	540	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-02-04192-002	107-A-02	02/27/2023	Arsenic (As)		<0.15		
			Barium (Ba)		<0.15		
			Cadmium (Cd)		<0.030		
			Chromium (Cr)		<0.75		
			Lead (Pb)		<0.15		
			Selenium (Se)		<0.75		
			Silver (Ag)		<0.15		
23-02-04192-003	104-A-01	02/27/2023	Arsenic (As)	490	<0.15	<0.31	
			Barium (Ba)		<0.15	<0.31	
			Cadmium (Cd)		<0.030	<0.062	

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 23-02-04192

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m³)	Narrative ID
			Chromium (Cr)		<0.75	<1.6	
			Lead (Pb)		<0.15	<0.31	
			Selenium (Se)		<0.75	<1.6	
			Silver (Ag)		<0.15	<0.31	
23-02-04192-004	104-A-02	02/27/2023	Arsenic (As)		<0.15		
			Barium (Ba)		<0.15		
			Cadmium (Cd)		<0.030		
			Chromium (Cr)		<0.75		
			Lead (Pb)		<0.15		
			Selenium (Se)		<0.75		
			Silver (Ag)		<0.15		

Sample Narratives:

Method: NIOSH 7300M Analyst: Max Dichek

Reviewed By Authorized Signatory:



Tasha Eaddy QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C. NY ELAP #11714.

 LEGEND
 ug = microgram
 ug/m³ = micrograms per cubic meter

 mL = milliliter
 L= Liters

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form Burns & McDonnell Company Name Account # 26-3514 Kansas City, MO 64114 Company Address 9400 Ward Parkway City/State/Zip 314-302-4661 Phone alanstaett@burnsmcd.com Email Project Name / Testing Address | GFC / 4300 Goodfellow Blvd PO Number 168765 Collected By eff Turn-Around Time ₹ 5 DAY C 3 DAY C 2 DAY C 1 DAY SAME DAY OR WEEKEND - Must Call Ahead **METALS PARTICULATES** AIR WIPES Welding Fume Profile Flow Toxic Metal Profile Total Nuisance Dust Vol. Gravimetric Respirable Dust Client Collection Time Rate TCLP RCRA 8 RCRA 8 Total Total TX 11 TCLP ARFA Pb TCLP Sample ID Date & Time Other Circle The Unit of PM-1 Metals Measurement Used Total Mins. Liters cm or (in) Ag, As, Ba, Cd, Cr, Pb, Se 2-21-23 0730 211 2.56 7-21-23 0730 х 107-10-61 2-21-23 0800 12 x12 107-W-02 2-21-23 0800 .__X 104-A-01 2-22-23 0745 2.58 490 190 2-22-23 0745 104-W-61 2-22-23 1100 12×12 104-10-02 2-22-23 1100 11 12 13 14 Released By: 2-23-23 Date: Time: 100 Signature: AB USE ONLY - BELOW THIS LINE Dalker 23-02-04192 Received By: ` Signature: Due Date: 03/03/2023 (Friday) Portal Contact Added EL MM-L 7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010 PRESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com





Environmental Hazards Services, L.L.C. 7469 Whitepine Rd Richmond, VA 23237

Telephone: 800.347.4010

Client:

Burns & McDonnell Engineering Report Number: 23-02-04196

Wipe Metals Analysis Report

02/24/2023

9400 Ward Pkwy.

Kansas City, MÓ 64114 Received Date:
Analyzed Date:

Analyzed Date: 02/27/2023

Reported Date: 03/01/2023

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number: 26-3514 Laboratory Results Fax Number: 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
23-02-04196-001	107-W-01	Arsenic (As)	1.00	<2.50	<2.5	L01
		Barium (Ba)	1.00	<0.500	<0.50	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
23-02-04196-002	107-W-02	Arsenic (As)		<2.50		L01
		Barium (Ba)		<0.500		L01
		Cadmium (Cd)		<0.100		L01
		Chromium (Cr)		<1.00		L01

Environmental Hazards Services, L.L.C

Client Number:

26-3514

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Report Number:

< 0.500

23-02-04196

L01

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft²)	Total Metal (ug)	Concentration (ug/ft²)	Narrative ID
		Lead (Pb)		<0.500		L01
		Selenium (Se)		<2.50		L01
		Silver (Ag)		<0.500		L01
23-02-04196-003	104-W-01	Arsenic (As)	1.00	<2.50	<2.5	L01
		Barium (Ba)	1.00	0.750	0.75	L01
		Cadmium (Cd)	1.00	0.372	0.37	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	10.6	11	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
23-02-04196-004	104-W-02	Arsenic (As)		<2.50		L01
		Barium (Ba)		<0.500		L01
		Cadmium (Cd)		<0.100		L01
		Chromium (Cr)		<1.00		L01
		Lead (Pb)		<0.500		L01
		Selenium (Se)		<2.50		L01

Silver (Ag)

Environmental Hazards Services, L.L.C

Client Number: 26-3514 Report Number: 23-02-04196

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Client Sample Analyte: Wipe Area Total Metal Concentration Narrative Number (ft²) (ug) (ug/ft²) ID

Sample Narratives:

LO1: LCS and/or LCSD percent recoveries for Se were outside of acceptable control limits.

Analyst: Max Dichek

Method: EPA SW846 3050B/6010D

Reviewed By Authorized Signatory:

Tasha Eaddy

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C. NY ELAP #11714.

Legend ug = microgram ug/ft² = micrograms per square foot

mL = milliliter $ft^2 = square foot$

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form Burns & McDonnell Company Name 26-3514 Account # Company Address 9400 Ward Parkway Kansas City, MO 64114 City/State/Zip Phone 314-302-4661 alanstaett@burnsmcd.com Email Project Name / Testing Address | GFC / 4300 Goodfellow Blvd PO Number 168765 Collected By eff Turn-Around Time 5 DAY C 3 DAY C 2 DAY C 1 DAY SAME DAY OR WEEKEND- Must Call Ahead **METALS PARTICULATES** WIPES AIR **Nelding Fume Profile** Total Flow oxic Metal Profile Total Nuisance Dust Vol. Client Collection Respirable Dust TSP Gravimetric Time Rate TCLP RCRA 8 RCRA 8 Total 11 TCLP AREA Sample ID Date & Time Other Circle The Unit of CA 17 TSP PM-Metals leasurement Used Total Mins. cm or (in) Liters Ag, As, Ba, Cd, Cr, Pb. Se 7.11 (un 2-4-43 0730 х 107-61 2-21-23 0800 x/Z1800 _X... 104-A-01 2-22-23 0745 190 2.58 490 104-A-02 2-22-23 0745 Х 104-W-61 2-22-73 10 1100 12-x12 104-10-02 2-22-23 1100 12 13 14 х 15 х Released By: 2-23-23 Date: Time: 1100 Signature: AB USE ONLY - BELOW THIS LINE 23-02-04196 Received By: Signature: 23 Time: 12 : 46 DAM DAM Due Date: 03/03/2023 (Friday) Portal Contact Added EL MM-L 7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010 RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com