



December 12, 2024

Diane Czarnecki
Industrial Hygienist
Facilities Management Division
GSA Public Buildings Service – Heartland Region
2300 Main Street
Kansas City, MO 64108

Re: Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation Addendum
Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the above referenced environmental sampling activities. The following is our report.

INTRODUCTION

As requested, Burns & McDonnell conducted area air sampling and wipe sampling for the presence of seven (7) RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver within the occupied areas of the first floor of building 107 of the Goodfellow Federal Center located at 4300 Goodfellow Boulevard in St. Louis, Missouri. The purpose of the investigation was to provide ongoing sampling data to monitor conditions at the site. This report serves as an addendum to the *Goodfellow Federal Center – Building 107 Air and Wipe Sampling Evaluation*, dated December 27, 2021.

SAMPLING METHODOLOGY

Dust wipe sampling was conducted in accordance with ASTM Standard E1728: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination* and ASTM Standard D6966: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals*. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

A representative surface area of approximately one square foot (1 SF) was measured and delineated. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container.



Diane Czarnecki
Facilities Management Division
December 12, 2024
Page 2

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (μm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration.

All samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals. Air samples were analyzed by Inductively Coupled Plasma (ICP) according to NIOSH method 7300. Wipe samples were analyzed according to Environmental Protection Agency (EPA) method SW846-3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

SAMPLE SUMMARY AND RESULTS

Air and wipe samples were collected on November 22, 2024 by Ashley Anstaett of Burns & McDonnell.

One (1) air sample was collected from the top of the south desk in room 102 on the 1st floor. All analytes were below laboratory reporting limits. The complete air sampling laboratory report from EHS is included as Appendix A.

One (1) wipe sample was collected from the south desk in room 102 on the 1st floor. Barium was detected at a concentration of 1.1 micrograms per square foot ($\mu\text{g}/\text{sq. ft.}$), below the Clean Area Limit of 3,094 $\mu\text{g}/\text{sq. ft.}$ Cadmium was detected at a concentration of 0.86 $\mu\text{g}/\text{sq. ft.}$, below the Clean Area Limit of 31 $\mu\text{g}/\text{sq. ft.}$ All other analytes were below laboratory reporting limits. The complete wipe sampling laboratory report from EHS is included as Appendix B.

LIMITATIONS

The scope of this assessment was limited in nature. Burns & McDonnell collected samples from a representative number of surfaces in an effort to minimize cost while providing a general overview of site conditions. Sample locations do not encompass all surfaces at the site. Additionally, samples were only analyzed for a select number of potential contaminants. Burns & McDonnell is not responsible for potential contaminants not identified in this report.

Burns & McDonnell appreciates the opportunity to work for GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.



Diane Czarnecki
Facilities Management Division
December 12, 2024
Page 3

Sincerely,

(b) (6)

A large black rectangular box used to redact a signature.

Matt Shanahan, CHMM
Project Manager

Attachments:

- Appendix A – Air Sampling Laboratory Report
- Appendix B – Wipe Sampling Laboratory Report

Information in Appendices A and B are not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.

APPENDIX A – AIR SAMPLING LABORATORY REPORT



7469 Whitepine Rd
North Chesterfield, VA 23237
Telephone: 800.347.4010

Air Metals Analysis Report

Client: Burns & McDonnell Engineering Report Number: 24-12-00105
9400 Ward Pkwy. Received Date: 12/02/2024
Kansas City, MO 64114 Reported Date: 12/04/2024

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number:
26-3514

Laboratory Results

Fax Number:
816-822-3494

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m³)	Narrative ID
24-12-00105-001	107-A-01	12/03/2024	Arsenic (As)	562	<0.15	<0.27	
			Barium (Ba)		<0.15	<0.27	
			Cadmium (Cd)		<0.030	<0.054	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.27	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.27	
24-12-00105-002	107-A-02	12/03/2024	Arsenic (As)	0	<0.15	---	
			Barium (Ba)		<0.15	---	
			Cadmium (Cd)		<0.030	---	
			Chromium (Cr)		<0.75	---	
			Lead (Pb)		<0.15	---	
			Selenium (Se)		<0.75	---	
			Silver (Ag)		<0.15	---	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 24-12-00105

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
-------------------	----------------------	---------------	---------	----------------	------------------	------------------------------------	--------------

Sample Narratives:

Method: NIOSH 7300M
Analyst: Carlos Gonzalez

(b) (6)

Reviewed By Authorized Signatory:

Candace Mason
QA Chemist

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

LEGEND ug = microgram ug/m³ = micrograms per cubic meter
mL = milliliter L = Liters

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form

Pg 1 of 1

Company Name	Burns & McDonnell		Account #	26-3514
Company Address	9400 Ward Parkway		City/State/Zip	Kansas City, MO 64114
Phone	314-636-233-1270		Email	eapulcher@burnsmcd.com

Project Name / Testing Address GFC / 4300 Goodfellow Blvd

PO Number	168765	Collected By	A. Anstaett		
Turn-Around Time	<input type="radio"/> 5 DAY	<input checked="" type="radio"/> 3 DAY	<input type="radio"/> 2 DAY	<input type="radio"/> 1 DAY	<input type="radio"/> SAME DAY OR WEEKEND - Must Call Ahead

LAB NUMBER	Client Sample ID	Collection Date & Time	METALS						Other Metals	PARTICULATES		AIR			WIPES		
			Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM-10	Total Time	Flow Rate	Vol.
1	107-A-01	11/22 1128							Ag, As, Ba, Cd, Cr, Pb, Se					222	—	562	x
2	107-A-02	11/0730												—	—	—	x
3																	x
4	107-W-01	0927															x
5	107-W-02	0930															NA x NA
6																	12 x 12
7																	x
8																	x
9																	x
10																	x
11																	x
12																	x
13																	x
14																	x
15																	x
Released By:	A. Anstaett			Date:	11/27			Time:	1000								
Signature:	(b) (6)																

LAB USE ONLY – BELOW THIS LINE

Received By: D. Brown

(b) (6)

Signature: 

Date: 12/2/24 Time: 1229 AM PM

Portal Contact Added

 7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010

 RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com

24-12-00105



Due Date:

12/05/2024

(Thursday)

EL

MM-L

APPENDIX B – WIPE SAMPLING LABORATORY REPORT



7469 Whitepine Rd
North Chesterfield, VA 23237
Telephone: 800.347.4010

Wipe Metals Analysis Report

Client: Burns & McDonnell Engineering
9400 Ward Pkwy.
Kansas City, MO 64114

Report Number: 24-12-00106
Received Date: 12/02/2024
Analyzed Date: 12/02/2024
Reported Date: 12/04/2024

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number:
26-3514

Laboratory Results

Fax Number:
816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft ²)	Total Metal (ug)	Concentration (ug/ft ²)	Narrative ID
24-12-00106-001	107-W-01	Arsenic (As)		<2.50	---	L01
		Barium (Ba)		<0.500	---	L01
		Cadmium (Cd)		<0.100	---	L01
		Chromium (Cr)		<1.00	---	L01
		Lead (Pb)		<0.500	---	L01
		Selenium (Se)		<2.50	---	L01
		Silver (Ag)		<0.500	---	L01
24-12-00106-002	107-W-02	Arsenic (As)	1.00	<2.50	<2.5	L01
		Barium (Ba)	1.00	1.14	1.1	L01
		Cadmium (Cd)	1.00	0.855	0.86	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 24-12-00106

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft ²)	Total Metal (ug)	Concentration (ug/ft ²)	Narrative ID
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01

Sample Narratives:

L01: LCS and LCSD percent recovery for Se were outside of acceptance limits.

Analyst: Carlos Gonzalez

Method: EPA SW846 3050B/6010D

(b) (6)

Reviewed By Authorized Signatory: _____

Candace Mason

QA Chemist

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit based on a 50mL volume. The reporting limit for Lead is 0.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

Legend

ug = microgram

ug/ft² = micrograms per square foot

ml = milliliter

ft² = square foot

ENVIRONMENTAL HAZARDS SERVICES, LLC


Metals Chain of Custody Form

Pg 1 of 1

Company Name	Burns & McDonnell					Account #	26-3514									
Company Address	9400 Ward Parkway					City/State/Zip	Kansas City, MO 64114									
Phone	314-636-233-1270					Email	eapulcher@burnsmcd.com									
Project Name / Testing Address		GFC / 4300 Goodfellow Blvd														
PO Number	168765				Collected By	A. Anstaett										
Turn-Around Time	<input type="radio"/> 5 DAY <input checked="" type="radio"/> 3 DAY <input type="radio"/> 2 DAY <input type="radio"/> 1 DAY <input type="radio"/> SAME DAY OR WEEKEND - Must Call Ahead															
LAB NUMBER	Client Sample ID	Collection Date & Time	METALS				Other Metals	PARTICULATES			AIR			WIPES		
			Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile		Welding Fume Profile	TX 11 TCLP	CA 17 Total	Total Nuisance Dust	Respirable Dust	TSP Gravimetric		TSP Pb	PM-10
1	107-A-01	11/22 1128					Ag, As, Ba, Cd, Cr, Pb, Se						222	-	562	x
2	107-A-02	11/0730											-	-	-	x
3																x
4	107-W-01	0927														x
5	107-W-02	0930														NA x NA
6																12 x 12
7																x
8																x
9																x
10																x
11																x
12																x
13																x
14																x
15																x
Released By: A. Anstaett				Date: 11/27			Time: 1000									
Signature: (b) (6)																

LAB USE ONLY – BELOW THIS LINE

Received By: D. Boller
(b) (6)

Signature: 

Date: 12/2/24 Time: 1229 AM PM

Portal Contact Added

 7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010

 RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com

24-12-00106



Due Date:

12/05/2024

(Thursday)

EL

MM-L