



January 20, 2021

Diane Czarnecki  
Industrial Hygienist  
Facilities Management Division  
GSA Public Buildings Service – Heartland Region  
2300 Main Street  
Kansas City, MO 64108

Re: Goodfellow Federal Center  
Metals in Settled Dust Sampling – Building 104  
Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to assist the General Services Administration (GSA) with the metals in settled dust sampling investigation of Building 104 located at the Goodfellow Federal Center (GFC) in St. Louis, Missouri. Burns & McDonnell understands that the purpose of the investigation was to provide additional sampling data of existing environmental conditions that are present at GFC that could adversely impact the health and safety of building occupants as well as workers at the facility. The following report summarizes the sample collection activities and the laboratory analytical results of samples submitted.

## **INTRODUCTION**

Per historical use and previous characterization, Burns & McDonnell was contracted to perform settled dust sampling for the analysis of seven (7) of the Resource Conservation and Recovery Act (RCRA) target metals (arsenic, barium, cadmium, chromium, lead, selenium, and silver) from various surfaces within buildings. The purpose of this testing was to further characterize the presence and concentration of target metals in common tenant-occupied areas of the building.

The proposed sampling scheme, the number of samples, the sample distribution and general methodology was developed by GSA and Burns & McDonnell. Specific sample locations were determined by sampling personnel while on-site.

Settled dust wipe sampling at Bldg. 104 was conducted on December 3, 2020 by Emily Ahlemeyer of Burns & McDonnell and Jeff Smith of OCCU-TEC.

## **METALS IN SETTLED DUST SAMPLING**

Metals in settled dust sampling was conducted primarily within tenant-occupied areas. Dust wipe sampling was conducted in accordance with ASTM Standard E1728: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Lead Determination* and ASTM Standard D6966: *Standard Practice for Collection of Settled Dust Samples Using Wipe Sampling Methods for Subsequent Determination of Metals*. ASTM Standards E1728 and D6966 are consistent with the methodology described in the Housing and

Diane Czarnecki  
Facilities Management Division  
January 20, 2021  
Page 2

Urban Development Guidelines-Appendix 13.1 and 40 CFR 745.63. The Brookhaven National Laboratory's Surface Wipe Sampling Procedure (IH75190) was also used as a guideline.

Dust wipe sampling for the target metals was conducted on a variety of representative surfaces that have the potential of being disturbed by building occupants. In addition, basements, penthouses, and mechanical spaces were sampled. A representative surface area of approximately one square foot (1 SF) was measured and delineated with plastic templates. The dust wipe samples were collected using dedicated dust wipe cloths meeting ASTM E1792 Standard. Each dust wipe cloth was pre-moistened and individually wrapped. Each sample was collected by wiping in a back and forth "S" pattern over a measured sampling area using a clean, disposable glove. Then, the wipe was folded over itself and the area was wiped again in a direction perpendicular to the first wipe orientation. Then, the wipe folded over itself again and the area was wiped around the perimeter. The wipe sample was then placed into a labeled, clean container. Dust wipe samples were submitted to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for Inductively Coupled Plasma (ICP) analysis of metals analysis using Environmental Protection Agency (EPA) method SW846 3050B/6010D. EHS is accredited under the American Industrial Hygiene Association (AIHA) Laboratory Accreditation Program (LAP) identification number LAP-100420.

Whereas the Occupational Safety and Health Administration (OSHA) has not established regulatory limits for surface concentrations of metals, the OSHA Technical Manual Section II: Chapter 2 (III.A) describes a method for calculating "housekeeping" standards, as recommended acceptable surface limits. Brookhaven's IH75190 procedure uses the housekeeping standards to derive a lower, "clean area limit" for non-operational areas that can be accessed or contacted without special training or precautions. Burns & McDonnell calculated clean area limits for metals not included in the Brookhaven procedure, specifically barium, chromium (total), selenium and silver. Wipe results were compared to the Brookhaven procedure's clean area limits for each metal.

Results of the dust wipe samples collected from the building indicate that 17 of the 22 samples contained concentrations of target metals above laboratory reporting limits. The following table identifies the range of results for each of the seven metals that were analyzed. Samples with a "<" sign indicate that the results were below the lab's reportable limit.

Diane Czarnecki  
 Facilities Management Division  
 January 20, 2021  
 Page 3

**Table 1. Summary of Dust Wipe Results**

Analyte	Lowest Concentration <sup>(a)</sup> (µg/sq. ft) <sup>(b)</sup>	Highest Concentration <sup>(a)</sup> (µg/sq. ft) <sup>(b)</sup>	Clean Area Limit <sup>(c)</sup> µg/sq. ft <sup>(b)</sup>
Silver	<0.5	6.5	62
Arsenic	<1.0	6.6	62
Barium	<0.5	230.0	3,094
Cadmium	<0.1	6.3	31
Chromium (Total)	<1.0	460.0	3,094
Lead	<0.5	740.0	10 <sup>(d)</sup>
Selenium	<0.5	<2.5	1,236

- (a) Samples with a “<” sign indicate that the results were below the laboratory’s reporting limit.
- (b) µg/sq. ft = micrograms per square foot of surface area.
- (c) Clean Area Limit per Brookhaven IH75190=OSHA Housekeeping Limit [PEL (µg/m<sup>3</sup>) x 10 m<sup>3</sup>/100cm<sup>2</sup>] / 15.
- (d) Lead clean area limit: Brookhaven references EPA/HUD limit for floors, set at 10 µg/sq. ft. as of January 2020.

Eight (8) samples exceeded the lead clean area limit. Samples 104-W-01, 104-W-02, 104-W-09, 104-W-10, 104-W-11, 104-W-16, 104-W-18, and 104-W-20 resulted in lead concentrations of 93, 46, 42, 310, 18, 740, 13, and 490 µg/sq. ft, respectively. The remaining target metal sample results were below housekeeping and clean area limits, as recommended and described by OSHA and the Brookhaven Procedure.

Burns & McDonnell appreciates the opportunity to work with the GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.

Sincerely,

(b) (6)

Matt Shanahan, CHMM  
 Project Manager

- Attachments:
- Appendix A – Sample Summary Table
  - Appendix B – Laboratory Analysis Report
  - Appendix C – Licenses



Diane Czarnecki  
Facilities Management Division  
January 20, 2021  
Page 4

Information in Appendices B and C is not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or [r6environmental@gsa.gov](mailto:r6environmental@gsa.gov).

**APPENDIX A – SAMPLE SUMMARY TABLE**

**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-01	2nd floor, column J15	Stairwell landing	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	1.0	µg/ft <sup>2</sup>	62
			Barium	62	µg/ft <sup>2</sup>	3,094
			Cadmium	0.20	µg/ft <sup>2</sup>	31
			Chromium	9.6	µg/ft <sup>2</sup>	3,094
			Lead	93 **	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-02	2nd floor, column B17	Freight elevator floor	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	23	µg/ft <sup>2</sup>	3,094
			Cadmium	0.96	µg/ft <sup>2</sup>	31
			Chromium	3.3	µg/ft <sup>2</sup>	3,094
			Lead	46 **	µg/ft <sup>2</sup>	10
			Selenium	< 0.50	µg/ft <sup>2</sup>	1,236
104-W-03	2nd floor, column B18	Janitor closet floor	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	28	µg/ft <sup>2</sup>	3,094
			Cadmium	0.56	µg/ft <sup>2</sup>	31
			Chromium	5.5	µg/ft <sup>2</sup>	3,094
			Lead	10	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236

**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-04	2nd floor, column H22	Desktop	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	< 0.50	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	< 0.50	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-05	2nd floor, column G35	Tabletop	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	< 0.50	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	< 0.50	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-06	2nd floor, column B30	Janitor closet floor	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	4.6	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	4.2	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236

**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-07	2nd floor, column B32	Break room, top of refrigerator	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	1.6	µg/ft <sup>2</sup>	62
			Barium	1.7	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	0.69	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-08	2nd floor, column J34	Windowsill	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	< 0.50	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	< 0.50	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-09	Penthouse at column B44	Stairwell landing	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	35	µg/ft <sup>2</sup>	3,094
			Cadmium	0.58	µg/ft <sup>2</sup>	31
			Chromium	5.4	µg/ft <sup>2</sup>	3,094
			Lead	42 **	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236



**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-10	Penthouse at column B44	Penthouse floor	Silver	4.3	µg/ft <sup>2</sup>	62
			Arsenic	4.3	µg/ft <sup>2</sup>	62
			Barium	230	µg/ft <sup>2</sup>	3,094
			Cadmium	6.3	µg/ft <sup>2</sup>	31
			Chromium	460	µg/ft <sup>2</sup>	3,094
			Lead	310 **	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-11	Penthouse at column B44	Elevator equipment desk	Silver	6.5	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	17	µg/ft <sup>2</sup>	3,094
			Cadmium	1.4	µg/ft <sup>2</sup>	31
			Chromium	16	µg/ft <sup>2</sup>	3,094
			Lead	18 **	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-12	Field blank	--	Silver	< 0.500	µg	--
			Arsenic	< 1.00	µg	--
			Barium	< 0.500	µg	--
			Cadmium	< 0.100	µg	--
			Chromium	< 1.00	µg	--
			Lead	< 0.500	µg	--
			Selenium	< 2.50	µg	--

**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-13	2nd floor, column B42	Hallway floor	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	1.7	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	0.77	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-14	2nd floor, column C44	Break room floor	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	0.88	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	< 0.50	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-15	2nd floor, column C44	Break room, top of freezer	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	6.3	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	1.4	µg/ft <sup>2</sup>	3,094
			Lead	1.8	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236

**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-16	2nd floor, column F50	Break room, top of cabinet	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	22	µg/ft <sup>2</sup>	3,094
			Cadmium	0.17	µg/ft <sup>2</sup>	31
			Chromium	4.9	µg/ft <sup>2</sup>	3,094
			Lead	740 **	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-17	1st floor, southwest stairwell	Top of heater	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	51	µg/ft <sup>2</sup>	3,094
			Cadmium	0.17	µg/ft <sup>2</sup>	31
			Chromium	1.7	µg/ft <sup>2</sup>	3,094
			Lead	8.4	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-18	Basement, column J27	Stairwell floor	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	17	µg/ft <sup>2</sup>	3,094
			Cadmium	0.24	µg/ft <sup>2</sup>	31
			Chromium	1.4	µg/ft <sup>2</sup>	3,094
			Lead	13 **	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236

**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-19	Field blank	--	Silver	< 0.500	µg	--
			Arsenic	< 1.00	µg	--
			Barium	< 0.500	µg	--
			Cadmium	< 0.100	µg	--
			Chromium	< 1.00	µg	--
			Lead	< 0.500	µg	--
			Selenium	< 2.50	µg	--
104-W-20	Basement, column G27	Floor in basement	Silver	0.67	µg/ft <sup>2</sup>	62
			Arsenic	6.6	µg/ft <sup>2</sup>	62
			Barium	150	µg/ft <sup>2</sup>	3,094
			Cadmium	5.2	µg/ft <sup>2</sup>	31
			Chromium	59	µg/ft <sup>2</sup>	3,094
			Lead	490 **	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236
104-W-21	1st floor, column E10	Floor at entrance to stacks	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	12	µg/ft <sup>2</sup>	3,094
			Cadmium	0.42	µg/ft <sup>2</sup>	31
			Chromium	1.8	µg/ft <sup>2</sup>	3,094
			Lead	6.5	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236

**Appendix A**  
**Sample Summary Table**

Sample Number	Location	Area Description	Analyte	Result	Units	Clean Area Limit*
104-W-22	1st floor, column J3	Top of cabinet	Silver	< 0.50	µg/ft <sup>2</sup>	62
			Arsenic	< 1.0	µg/ft <sup>2</sup>	62
			Barium	9.9	µg/ft <sup>2</sup>	3,094
			Cadmium	< 0.10	µg/ft <sup>2</sup>	31
			Chromium	< 1.0	µg/ft <sup>2</sup>	3,094
			Lead	1.0	µg/ft <sup>2</sup>	10
			Selenium	< 2.5	µg/ft <sup>2</sup>	1,236

\* Clean Area Limit per Brookhaven IH75190=OSHA Housekeeping Limit [ $PEL (\mu\text{g}/\text{m}^3) \times 10 \text{ m}^3/100\text{cm}^2$ ] / 15. Lead clean area limit: Brookhaven references EPA/HUD limit for floors, set at 10 µg/sq. ft. as of January 2020.

\*\* Indicates results at or above the Clean Area Limit

**APPENDIX B – LABORATORY ANALYSIS REPORT**



Environmental Hazards Services, L.L.C.  
 7469 Whitepine Rd  
 Richmond, VA 23237  
 Telephone: 800.347.4010

## Wipe Metals Analysis Report

**Client:** Burns & McDonnell Engineering  
 9400 Ward Pkwy.  
 Kansas City, MO 64114

**Report Number:** 20-12-00757

**Received Date:** 12/07/2020

**Analyzed Date:** 12/09/2020

**Reported Date:** 12/10/2020

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

**Client Number:**  
 26-3514

# Laboratory Results

**Fax Number:**  
 816-822-3494

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
20-12-00757-001	104-W-01	Arsenic (As)	1.00	1.04	1.0	L01
		Barium (Ba)	1.00	62.0	62	L01
		Cadmium (Cd)	1.00	0.195	0.20	L01
		Chromium (Cr)	1.00	9.58	9.6	L01
		Lead (Pb)	1.00	92.9	93	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-002	104-W-02	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	23.5	23	L01
		Cadmium (Cd)	1.00	0.960	0.96	L01
		Chromium (Cr)	1.00	3.30	3.3	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
		Lead (Pb)	1.00	45.6	46	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-003	104-W-03	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	28.3	28	L01
		Cadmium (Cd)	1.00	0.555	0.56	L01
		Chromium (Cr)	1.00	5.51	5.5	L01
		Lead (Pb)	1.00	10.4	10	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-004	104-W-04	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	<0.500	<0.50	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-005	104-W-05	Arsenic (As)	1.00	<1.00	<1.0	L01



# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
		Barium (Ba)	1.00	<0.500	<0.50	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-006	104-W-06	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	4.65	4.6	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	4.24	4.2	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-007	104-W-07	Arsenic (As)	1.00	1.60	1.6	L01
		Barium (Ba)	1.00	1.68	1.7	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	0.690	0.69	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-008	104-W-08	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	<0.500	<0.50	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-009	104-W-09	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	34.5	35	L01
		Cadmium (Cd)	1.00	0.585	0.58	L01
		Chromium (Cr)	1.00	5.39	5.4	L01
		Lead (Pb)	1.00	42.1	42	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-010	104-W-10	Arsenic (As)	1.00	4.34	4.3	L01
		Barium (Ba)	1.00	226	230	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
		Cadmium (Cd)	1.00	6.26	6.3	L01
		Chromium (Cr)	1.00	457	460	L01
		Lead (Pb)	1.00	313	310	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	4.33	4.3	L01
20-12-00757-011	104-W-11	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	16.7	17	L01
		Cadmium (Cd)	1.00	1.38	1.4	L01
		Chromium (Cr)	1.00	15.7	16	L01
		Lead (Pb)	1.00	18.1	18	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	6.52	6.5	L01
20-12-00757-012	104-W-12	Arsenic (As)		<1.00	---	L01
		Barium (Ba)		<0.500	---	L01
		Cadmium (Cd)		<0.100	---	L01
		Chromium (Cr)		<1.00	---	L01
		Lead (Pb)		<0.500	---	L01
		Selenium (Se)		<2.50	---	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
		Silver (Ag)		<0.500	---	L01
20-12-00757-013	104-W-13	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	1.70	1.7	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	0.770	0.77	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-014	104-W-14	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	0.880	0.88	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	<0.500	<0.50	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-015	104-W-15	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	6.28	6.3	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
		Chromium (Cr)	1.00	1.36	1.4	L01
		Lead (Pb)	1.00	1.75	1.8	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-016	104-W-16	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	22.3	22	L01
		Cadmium (Cd)	1.00	0.170	0.17	L01
		Chromium (Cr)	1.00	4.86	4.9	L01
		Lead (Pb)	1.00	742	740	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-017	104-W-17	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	50.6	51	L01
		Cadmium (Cd)	1.00	0.170	0.17	L01
		Chromium (Cr)	1.00	1.70	1.7	L01
		Lead (Pb)	1.00	8.37	8.4	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
20-12-00757-018	104-W-18	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	17.2	17	L01
		Cadmium (Cd)	1.00	0.235	0.24	L01
		Chromium (Cr)	1.00	1.37	1.4	L01
		Lead (Pb)	1.00	12.8	13	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-019	104-W-19	Arsenic (As)		<1.00	---	L01
		Barium (Ba)		<0.500	---	L01
		Cadmium (Cd)		<0.100	---	L01
		Chromium (Cr)		<1.00	---	L01
		Lead (Pb)		<0.500	---	L01
		Selenium (Se)		<2.50	---	L01
		Silver (Ag)		<0.500	---	L01
20-12-00757-020	104-W-20	Arsenic (As)	1.00	6.60	6.6	L01
		Barium (Ba)	1.00	148	150	L01
		Cadmium (Cd)	1.00	5.16	5.2	L01
		Chromium (Cr)	1.00	58.9	59	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
		Lead (Pb)	1.00	486	490	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	0.670	0.67	L01
20-12-00757-021	104-W-21	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	11.9	12	L01
		Cadmium (Cd)	1.00	0.420	0.42	L01
		Chromium (Cr)	1.00	1.79	1.8	L01
		Lead (Pb)	1.00	6.48	6.5	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01
20-12-00757-022	104-W-22	Arsenic (As)	1.00	<1.00	<1.0	L01
		Barium (Ba)	1.00	9.86	9.9	L01
		Cadmium (Cd)	1.00	<0.100	<0.10	L01
		Chromium (Cr)	1.00	<1.00	<1.0	L01
		Lead (Pb)	1.00	1.04	1.0	L01
		Selenium (Se)	1.00	<2.50	<2.5	L01
		Silver (Ag)	1.00	<0.500	<0.50	L01

# Environmental Hazards Services, L.L.C

**Client Number:** 26-3514

**Report Number:** 20-12-00757

**Project/Test Address:** 168765; GFC; 4300 Goodfellow Blvd.; 104-W-01-104-W-22

Lab Sample Number	Client Sample Number	Analyte:	Wipe Area (ft <sup>2</sup> )	Total Metal (ug)	Concentration (ug/ft <sup>2</sup> )	Narrative ID
-------------------	----------------------	----------	------------------------------	------------------	-------------------------------------	--------------

**Sample Narratives:**

L01: LCS/LCS D percent recoveries for Se were outside of acceptable control limits.

**Analyst:** Brittany Meyer

**Method:** Mercury (Hg): EPA SW846 7471B

All other metals: EPA SW846 3050B/6010D

(b) (6)

Reviewed By Authorized Signatory:

*Tasha Eaddy*

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 50mL volume. The reporting limit for Cadmium is 0.10ug, Barium, Lead and Silver are 0.50ug, Arsenic and Chromium are 1.0ug, and Selenium is 2.5ug.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. EHS sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of the Environmental Hazards Service, L.L.C. California Certification #2319 NY ELAP #11714.

Legend	ug = microgram	ug/ft <sup>2</sup> = micrograms per square foot
	mL = milliliter	ft <sup>2</sup> = square foot



# ENVIRONMENTAL HAZARDS SERVICES, LLC

## Metals Chain of Custody Form

Company Name <b>Burns &amp; McDonnell</b>	Account # <b>26-3514</b>
Company Address <b>9400 Ward Parkway</b>	City/State/Zip <b>Kansas City, MO 64114</b>
Phone <b>314-302-4661</b>	Email <b>eaahlemeyer@burnsmcd.com</b>
Project Name / Testing Address <b>GFC/4300 Goodfellow Blvd</b>	
PO Number <b>168765</b>	Collected By <b>Emily Ahlemeyer &amp; Jeff Smith</b>
Turn-Around Time <input checked="" type="radio"/> 3 DAY <input type="radio"/> 2 DAY <input type="radio"/> 1 DAY <input type="radio"/> SAME DAY OR WEEKEND - Must Call Ahead	

LAB NUMBER	Client Sample ID	Collection Date & Time	METALS							Other Metals	PARTICULATES					AIR			WIPES
			Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM-10	Total Time	Flow Rate	Vol.	AREA Circle The Unit of Measurement Used cm or in
																Mins.	L/min.	Total Liters	
1	104-W-01	12/3/2020 0940							Ag, As, Ba, Cd, Cr, Pb, Se										12 x 12
2	104-W-02	0943																	12 x 12
3	104-W-03	0950																	12 x 12
4	104-W-04	0953																	12 x 12
5	104-W-05	0957																	12 x 12
6	104-W-06	1005																	12 x 12
7	104-W-07	1008																	12 x 12
8	104-W-08	1020																	12 x 12
9	104-W-09	1030																	12 x 12
10	104-W-10	1035																	12 x 12
11	104-W-11	1040																	12 x 12
12	104-W-12	1040																	NA x NA
13	104-W-13	1050																	12 x 12
14	104-W-14	1055																	12 x 12
15	104-W-15	1100																	12 x 12

Released By: <b>Emily Ahlemeyer</b>	Date: <b>12/4/2020</b>	Time: <b>1600</b>
Signature: <b>(b) (6)</b>		

LAB USE ONLY - BELOW THIS LINE

Received By: **T Stone**

**(b) (6)**

Signature: \_\_\_\_\_

Date: 12/7/20 Time: 12:14  AM  PM

Portal Contact Added

7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010  
 RESULTS VIA CLIENT PORTAL AVAILABLE @ [www.leadlab.com](http://www.leadlab.com)

20-12-00757

Due Date:  
12/10/2020  
(Thursday)  
EL

# ENVIRONMENTAL HAZARDS SERVICES, LLC

## Metals Chain of Custody Form

Company Name <b>Burns &amp; McDonnell</b>	Account # <b>26-3514</b>
Company Address <b>9400 Ward Parkway</b>	City/State/Zip <b>Kansas City, MO 64114</b>
Phone <b>314-302-4601</b>	Email <b>eaahlemeyer@burnsmcd.com</b>
Project Name / Testing Address <b>GFC/4300 Goodfellow Blvd</b>	
PO Number <b>168765</b>	Collected By <b>Emily Ahlemeyer &amp; Jeff Smith</b>
Turn-Around Time <input checked="" type="radio"/> 3 DAY <input type="radio"/> 2 DAY <input type="radio"/> 1 DAY <input type="radio"/> SAME DAY OR WEEKEND - Must Call Ahead	

LAB NUMBER	Client Sample ID	Collection Date & Time	METALS						Other Metals	PARTICULATES					AIR			WIPES  AREA Circle The Unit of Measurement Used cm or <u>in</u>		
			Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP		CA 17 Total	Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM-10	Total Time	Flow Rate		Vol.	
1	104-W-16	12/3/2020 1105							Ag, As, Ba, Cd, Cr, Pb, Se											12 x 12
2	104-W-17	1108																		12 x 12
3	104-W-18	1111																		12 x 12
4	104-W-19	1119																		NA x NA
5	104-W-20	1124																		12 x 12
6	104-W-21	1127																		12 x 12
7	104-W-22	1140																		12 x 12
8																				x
9																				x
10																				x
11																				x
12																				x
13																				x
14																				x
15																				x

Released By: <b>Emily Ahlemeyer</b>	Date: <b>12/4/2020</b>	Time: <b>1600</b>
Signature: <b>(b) (6)</b>		

LAB USE ONLY - BELOW THIS LINE

Received By: Stone

Signature: **(b) (6)**

Date: 12/7/20 Time: 12:14  AM  PM

Portal Contact Added

7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010  
 RESULTS VIA CLIENT PORTAL AVAILABLE @ [www.leadlab.com](http://www.leadlab.com)

757



**EHS**  
Laboratories™

Attach Laboratory Label Here

## **APPENDIX C – LICENSES**

**STATE OF MISSOURI  
DEPARTMENT OF HEALTH AND SENIOR SERVICES**

**LEAD OCCUPATION LICENSE REGISTRATION**

Issued to:

**Jeffrey T. Smith**

The person, firm or corporation whose name appears on this certificate has fulfilled the requirements for licensure as set forth in the Missouri Revised Statutes 701.300-701.338, as long as not suspended or revoked, and is hereby authorized to engage in the activity listed below.

**Lead Risk Assessor**  
Category of License

Issuance Date: **3/16/2019**  
Expiration Date: **3/16/2021**  
License Number: **010316-200089640**

(b) (6)



Randall W. Williams, MD, FACOG  
Director  
Department of Health and Senior Services