



January 4, 2024

Diane Czarnecki
Industrial Hygienist
Facilities Management Division
GSA Public Buildings Service – Heartland Region
2300 Main Street
Kansas City, MO 64108

Re: Goodfellow Federal Center – Bldg. 105 Air Sampling
Project No. 121244

Dear Ms. Czarnecki:

Thank you for the opportunity to provide the General Services Administration (GSA) with the Resource Conservation and Recovery Act (RCRA) metals air sampling investigation of the above referenced building located at the Goodfellow Federal Complex, in St. Louis, Missouri. Burns & McDonnell understands that the purpose of the investigation was to provide sampling data regarding existing conditions to supplement previous investigation reports prepared for the facility. The following report summarizes air-sample collection activities and the laboratory analytical results of the samples submitted.

METHODOLOGY

On December 4 - 6, 2023, Ashley Anstaett of Burns & McDonnell conducted area air-sampling for the presence of seven (7) of the RCRA metals including arsenic, barium, cadmium, chromium, lead, selenium, and silver. Sampling was conducted in various locations throughout Building 105.

The sampling plan, number of samples, sample distribution, and general methodology was developed based on previous investigation methodology and in coordination with the GSA. Sample locations and samples collected from discretionary locations were determined by sampling personnel while on-site.

Air samples for RCRA metals were collected on 37-millimeter (mm) cassettes with 0.8 micrometer (μm) mixed cellulose ester (MCE) filters, using powered air sampling pumps, in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7300. The sampling strategy included collecting a minimum sample volume of 500 liters based on the calibrated pump flow rate and sample duration. Air samples were submitted under chain-of-custody to Environmental Hazards Services, LLC (EHS) in Richmond, Virginia for independent analysis of 7 RCRA metals according to NIOSH method 7300. EHS is accredited under the American Industrial Hygiene Association (AIHA) Industrial Hygiene Laboratory Accreditation Program (IHLAP) program, identification number LAP-100420.

Diane Czarnecki
 Facilities Management Division
 January 4, 2024
 Page 2

RESULTS AND DISCUSSION

Results of the air sampling are summarized in the table below by identifying the range of results for Building 105 for each of the seven (7) metals that were sampled. Results indicate that all 27 air samples collected from Building 105 and analyzed for RCRA metals were below their respective OSHA Permissible Exposure Limit (PEL), as based on a time-weighted-average.

Table 1. Summary of Air Sampling Results

Analyte	Lowest Concentration ^(a) (µg/m ³) ^(b)	Highest Concentration ^(a) (µg/m ³) ^(b)	Permissible Exposure Limit (PEL) (µg/m ³) ^(b)
Arsenic	<0.15	<0.29	10
Barium	<0.25	<0.29	500
Cadmium	<0.049	<0.057	5
Chromium (Total)	<1.3	<1.5	500
Lead	<0.25	<0.29	1
Selenium	<1.3	<1.5	200
Silver	<0.25	<0.29	10

Notes:

- (a) Samples with a “<” sign indicate that the results were below the laboratory’s reporting limit, which varies based on sample air volume.
- (b) µg/m³ = micrograms per cubic meter of air.

GSA may choose to compare results with guidance limits from additional organizations for risk evaluation, including but not limited to the American Conference of Governmental Industrial Hygienists (ACGIH) and/or the World Health Organization (WHO).

A summary table of all sampling results by location is included in Appendix A. The complete laboratory report for the air sampling from EHS is attached in Appendix B.

LIMITATIONS

The scope of this assessment was limited as follows. Burns & McDonnell collected samples from a select number of locations in an effort to minimize cost while providing a general overview of the air quality at the site. Sample locations do not encompass every indoor space at the site. Additionally, based on previous sampling history, samples were only analyzed for a select number of potential contaminants likely to affect the air quality at the site. Burns &



Diane Czamecki
Facilities Management Division
January 4, 2024
Page 3

McDonnell is not responsible for potential contaminants not identified in this report. This report was prepared for the sole use of GSA.

Burns & McDonnell appreciates the opportunity to work with the GSA on this project. Please contact us if you have any questions regarding this report or if we may be of any additional service.

Sincerely,

(b) (6)

Matt Shanahan, CHMM
Project Manager

Attachments:

- Appendix A – Results Summary by Location
- Appendix B – Air Sample Laboratory Report

Information in Appendices A and B is not accessible for people using screen reader technology. If this information is required, it can be furnished upon request by contacting 816-223-6198 or r6environmental@gsa.gov.

APPENDIX A – RESULTS SUMMARY BY LOCATION

Appendix A

Results Summary by Location

Sample Number	Location	Analyte	Result	Units	Recommended Limits ¹
105-A-01	1st floor, south entrance, top of drinking fountain	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-02	1st floor, top of table at column F51	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-03	1st floor, south loading dock, table at column C52	Arsenic	< 0.29	µg/m ³	10
		Barium	< 0.29	µg/m ³	500
		Cadmium	< 0.057	µg/m ³	5
		Chromium	< 1.5	µg/m ³	500
		Lead ²	< 0.29	µg/m ³	1
		Selenium	< 1.5	µg/m ³	200
		Silver	< 0.29	µg/m ³	10
105-A-04	1st floor, rolling cart at column C50	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-05	1st floor, top of box at column F49	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10

Appendix A

Results Summary by Location

Sample Number	Location	Analyte	Result	Units	Recommended Limits ¹
105-A-06	1st floor, windowsill in west hallway	Arsenic	< 0.25	µg/m ³	10
		Barium	< 0.25	µg/m ³	500
		Cadmium	< 0.049	µg/m ³	5
		Chromium	< 1.3	µg/m ³	500
		Lead ²	< 0.25	µg/m ³	1
		Selenium	< 1.3	µg/m ³	200
		Silver	< 0.25	µg/m ³	10
105-A-07	1st floor, lab processing, top of stand at column B49	Arsenic	< 0.25	µg/m ³	10
		Barium	< 0.25	µg/m ³	500
		Cadmium	< 0.049	µg/m ³	5
		Chromium	< 1.3	µg/m ³	500
		Lead ²	< 0.25	µg/m ³	1
		Selenium	< 1.3	µg/m ³	200
		Silver	< 0.25	µg/m ³	10
105-A-08	1st floor, lab processing, work station on south office window	Arsenic	< 0.25	µg/m ³	10
		Barium	< 0.25	µg/m ³	500
		Cadmium	< 0.050	µg/m ³	5
		Chromium	< 1.3	µg/m ³	500
		Lead ²	< 0.25	µg/m ³	1
		Selenium	< 1.3	µg/m ³	200
		Silver	< 0.25	µg/m ³	10
105-A-09	1st floor, warehouse, table between coolers at column D43	Arsenic	< 0.25	µg/m ³	10
		Barium	< 0.25	µg/m ³	500
		Cadmium	< 0.049	µg/m ³	5
		Chromium	< 1.3	µg/m ³	500
		Lead ²	< 0.25	µg/m ³	1
		Selenium	< 1.3	µg/m ³	200
		Silver	< 0.25	µg/m ³	10
105-A-10	1st floor, warehouse, wire racks at column J1	Arsenic	< 0.25	µg/m ³	10
		Barium	< 0.25	µg/m ³	500
		Cadmium	< 0.049	µg/m ³	5
		Chromium	< 1.3	µg/m ³	500
		Lead ²	< 0.25	µg/m ³	1
		Selenium	< 1.3	µg/m ³	200
		Silver	< 0.25	µg/m ³	10

Appendix A

Results Summary by Location

Sample Number	Location	Analyte	Result	Units	Recommended Limits ¹
105-A-11	1st floor, warehouse, top of yellow cage at column E47	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-12	1st floor, southwest stairwell	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.055	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-13	2nd floor, south lobby, top of drinking fountain	Arsenic	< 0.29	µg/m ³	10
		Barium	< 0.29	µg/m ³	500
		Cadmium	< 0.057	µg/m ³	5
		Chromium	< 1.5	µg/m ³	500
		Lead ²	< 0.29	µg/m ³	1
		Selenium	< 1.5	µg/m ³	200
		Silver	< 0.29	µg/m ³	10
105-A-14	2nd floor, south offices, southwest room, top of microwave	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.055	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-15	2nd floor, room 331, standing desk	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.055	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10

Appendix A

Results Summary by Location

Sample Number	Location	Analyte	Result	Units	Recommended Limits ¹
105-A-16	2nd floor, lab room 329, southeast wall	Arsenic	< 0.27	µg/m ³	10
		Barium	< 0.27	µg/m ³	500
		Cadmium	< 0.054	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.27	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.27	µg/m ³	10
105-A-17	2nd floor, lab room 327, east wall bookshelf	Arsenic	< 0.27	µg/m ³	10
		Barium	< 0.27	µg/m ³	500
		Cadmium	< 0.054	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.27	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.27	µg/m ³	10
105-A-18	2nd floor, break room, west wall by microwave	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-19	2nd floor, east hallway, north of men's restroom	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-20	2nd floor, lab room 333, counter by sink	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.055	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10

Appendix A

Results Summary by Location

Sample Number	Location	Analyte	Result	Units	Recommended Limits ¹
105-A-21	2nd floor, lab room 361, top of table with microwave	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.055	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-22	2nd floor, room 349, long table in center of room	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.055	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-23	2nd floor, west hallway, top of wood railing at exit	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.056	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-24	2nd floor, room 311, north wall by hood	Arsenic	< 0.28	µg/m ³	10
		Barium	< 0.28	µg/m ³	500
		Cadmium	< 0.055	µg/m ³	5
		Chromium	< 1.4	µg/m ³	500
		Lead ²	< 0.28	µg/m ³	1
		Selenium	< 1.4	µg/m ³	200
		Silver	< 0.28	µg/m ³	10
105-A-25	Field blank	Arsenic	< 0.15	µg	--
		Barium	< 0.15	µg	--
		Cadmium	< 0.030	µg	--
		Chromium	< 0.75	µg	--
		Lead ²	< 0.15	µg	--
		Selenium	< 0.75	µg	--
		Silver	< 0.15	µg	--

Appendix A

Results Summary by Location

Sample Number	Location	Analyte	Result	Units	Recommended Limits ¹
105-A-26	Field blank	Arsenic	< 0.15	µg	--
		Barium	< 0.15	µg	--
		Cadmium	< 0.030	µg	--
		Chromium	< 0.75	µg	--
		Lead ²	< 0.15	µg	--
		Selenium	< 0.75	µg	--
		Silver	< 0.15	µg	--
105-A-27	Field blank	Arsenic	< 0.15	µg	--
		Barium	< 0.15	µg	--
		Cadmium	< 0.030	µg	--
		Chromium	< 0.75	µg	--
		Lead ²	< 0.15	µg	--
		Selenium	< 0.75	µg	--
		Silver	< 0.15	µg	--

Notes:

¹Limits equal to the Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELs)

²Limits equal to the World Health organization (WHO) Ambient Air Limit

APPENDIX B – AIR SAMPLE LABORATORY REPORT



Environmental Hazards Services, L.L.C.
 7469 Whitepine Rd
 Richmond, VA 23237
 Telephone: 800.347.4010

Air Metals Analysis Report

Client: Burns & McDonnell Engineering
 9400 Ward Pkwy.
 Kansas City, MO 64114

Report Number: 23-12-01162
 Received Date: 12/11/2023
 Reported Date: 12/18/2023

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Client Number:
26-3514

Fax Number:
816-822-3494

Laboratory Results

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
23-12-01162-001	105-A-01	12/12/2023	Arsenic (As)	537	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-002	105-A-02	12/12/2023	Arsenic (As)	545	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-003	105-A-03	12/12/2023	Arsenic (As)	527	<0.15	<0.29	
			Barium (Ba)		<0.15	<0.29	
			Cadmium (Cd)		<0.030	<0.057	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
			Chromium (Cr)		<0.75	<1.5	
			Lead (Pb)		<0.15	<0.29	
			Selenium (Se)		<0.75	<1.5	
			Silver (Ag)		<0.15	<0.29	
23-12-01162-004	105-A-04	12/12/2023	Arsenic (As)	542	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-005	105-A-05	12/12/2023	Arsenic (As)	540	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-006	105-A-06	12/12/2023	Arsenic (As)	623	<0.15	<0.25	
			Barium (Ba)		<0.15	<0.25	
			Cadmium (Cd)		<0.030	<0.049	
			Chromium (Cr)		<0.75	<1.3	
			Lead (Pb)		<0.15	<0.25	
			Selenium (Se)		<0.75	<1.3	
			Silver (Ag)		<0.15	<0.25	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
23-12-01162-007	105-A-07	12/12/2023	Arsenic (As)	622	<0.15	<0.25	
			Barium (Ba)		<0.15	<0.25	
			Cadmium (Cd)		<0.030	<0.049	
			Chromium (Cr)		<0.75	<1.3	
			Lead (Pb)		<0.15	<0.25	
			Selenium (Se)		<0.75	<1.3	
			Silver (Ag)		<0.15	<0.25	
23-12-01162-008	105-A-08	12/12/2023	Arsenic (As)	605	<0.15	<0.25	
			Barium (Ba)		<0.15	<0.25	
			Cadmium (Cd)		<0.030	<0.050	
			Chromium (Cr)		<0.75	<1.3	
			Lead (Pb)		<0.15	<0.25	
			Selenium (Se)		<0.75	<1.3	
			Silver (Ag)		<0.15	<0.25	
23-12-01162-009	105-A-09	12/12/2023	Arsenic (As)	617	<0.15	<0.25	
			Barium (Ba)		<0.15	<0.25	
			Cadmium (Cd)		<0.030	<0.049	
			Chromium (Cr)		<0.75	<1.3	
			Lead (Pb)		<0.15	<0.25	
			Selenium (Se)		<0.75	<1.3	
			Silver (Ag)		<0.15	<0.25	
23-12-01162-010	105-A-10	12/12/2023	Arsenic (As)	619	<0.15	<0.25	
			Barium (Ba)		<0.15	<0.25	
			Cadmium (Cd)		<0.030	<0.049	
			Chromium (Cr)		<0.75	<1.3	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
			Lead (Pb)		<0.15	<0.25	
			Selenium (Se)		<0.75	<1.3	
			Silver (Ag)		<0.15	<0.25	
23-12-01162-011	105-A-11	12/12/2023	Arsenic (As)	545	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-012	105-A-12	12/12/2023	Arsenic (As)	553	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.055	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-013	105-A-13	12/12/2023	Arsenic (As)	532	<0.15	<0.29	
			Barium (Ba)		<0.15	<0.29	
			Cadmium (Cd)		<0.030	<0.057	
			Chromium (Cr)		<0.75	<1.5	
			Lead (Pb)		<0.15	<0.29	
			Selenium (Se)		<0.75	<1.5	
			Silver (Ag)		<0.15	<0.29	
23-12-01162-014	105-A-14	12/12/2023	Arsenic (As)	551	<0.15	<0.28	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.055	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-015	105-A-15	12/12/2023	Arsenic (As)	548	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.055	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-016	105-A-16	12/12/2023	Arsenic (As)	559	<0.15	<0.27	
			Barium (Ba)		<0.15	<0.27	
			Cadmium (Cd)		<0.030	<0.054	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.27	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.27	
23-12-01162-017	105-A-17	12/12/2023	Arsenic (As)	559	<0.15	<0.27	
			Barium (Ba)		<0.15	<0.27	
			Cadmium (Cd)		<0.030	<0.054	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.27	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.27	
23-12-01162-018	105-A-18	12/12/2023	Arsenic (As)	545	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-019	105-A-19	12/12/2023	Arsenic (As)	544	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-020	105-A-20	12/12/2023	Arsenic (As)	547	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.055	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-021	105-A-21	12/12/2023	Arsenic (As)	550	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
			Cadmium (Cd)		<0.030	<0.055	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-022	105-A-22	12/12/2023	Arsenic (As)	552	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.055	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-023	105-A-23	12/12/2023	Arsenic (As)	539	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.056	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	
			Silver (Ag)		<0.15	<0.28	
23-12-01162-024	105-A-24	12/12/2023	Arsenic (As)	552	<0.15	<0.28	
			Barium (Ba)		<0.15	<0.28	
			Cadmium (Cd)		<0.030	<0.055	
			Chromium (Cr)		<0.75	<1.4	
			Lead (Pb)		<0.15	<0.28	
			Selenium (Se)		<0.75	<1.4	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
			Silver (Ag)		<0.15	<0.28	
23-12-01162-025	105-A-25	12/12/2023	Arsenic (As)	--	<0.15	---	
			Barium (Ba)		<0.15	---	
			Cadmium (Cd)		<0.030	---	
			Chromium (Cr)		<0.75	---	
			Lead (Pb)		<0.15	---	
			Selenium (Se)		<0.75	---	
			Silver (Ag)		<0.15	---	
23-12-01162-026	105-A-26	12/12/2023	Arsenic (As)	--	<0.15	---	
			Barium (Ba)		<0.15	---	
			Cadmium (Cd)		<0.030	---	
			Chromium (Cr)		<0.75	---	
			Lead (Pb)		<0.15	---	
			Selenium (Se)		<0.75	---	
			Silver (Ag)		<0.15	---	
23-12-01162-027	105-A-27	12/12/2023	Arsenic (As)	--	<0.15	---	
			Barium (Ba)		<0.15	---	
			Cadmium (Cd)		<0.030	---	
			Chromium (Cr)		<0.75	---	
			Lead (Pb)		<0.15	---	
			Selenium (Se)		<0.75	---	
			Silver (Ag)		<0.15	---	

Environmental Hazards Services, L.L.C

Client Number: 26-3514

Report Number: 23-12-01162

Project/Test Address: 168765; GFC; 4300 Goodfellow Blvd

Lab Sample Number	Client Sample Number	Analyzed Date	Analyte	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
-------------------	----------------------	---------------	---------	----------------	------------------	------------------------------------	--------------

Sample Narratives:

Method: NIOSH 7300M
Analyst: Carlos Gonzalez



Reviewed By Authorized Signatory:

Tasha Eaddy
QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contains less than the reporting limit for each particular metal, based on a 15mL volume. The reporting limit is 0.03ug for Cadmium, 0.15ug for Arsenic, Barium, Lead and Silver, and 0.75ug for Chromium and Selenium.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Unless otherwise noted, samples are reported without a dry weight correction. Sample location, description, area, volume, etc., was provided by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

LEGEND ug = microgram ug/m³ = micrograms per cubic meter
 mL = milliliter L = Liters

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form

Page 1 of 2

Company Name	Burns & McDonnell	Account #	26-3514
Company Address	9400 Ward Parkway	City/State/Zip	Kansas City, MO 64114
Phone	314-302-4661	Email	capulcher@burnsmcd.com alanstaett@burnsmcd.com
Project Name / Testing Address	GFC / 4300 Goodfellow Blvd		
PO Number	168765	Collected By	A. Anstaett
Turn-Around Time	<input checked="" type="checkbox"/> 5 DAY <input type="checkbox"/> 3 DAY <input type="checkbox"/> 2 DAY <input type="checkbox"/> 1 DAY SAME DAY OR WEEKEND - Must Call Ahead		

Client Sample ID	Collection Date & Time	METALS							Other Metals	PARTICULATES				AIR			WIPES AREA Circle The Unit of Measurement Used cm or in	
		Pb TCLP	TCLP RCRA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM-10	Total Time	Flow Rate		Vol.
															Mins	Units		Total Liters
105-A-01	12/4/23 1040								Ag, As, Ba, Cd, Cr, Pb, Se					241	-	537	x	
105-A-02	1042													211	-	545	x	
105-A-03	1043													210	-	527	x	
105-A-04	1045													210	-	542	x	
105-A-05	1046													209	-	540	x	
105-A-06	1458													242	-	623	x	
105-A-07	1459													240	-	622	x	
105-A-08	1459													240	-	605	x	
105-A-09	1500													239	-	617	x	
105-A-10	1501													239	-	619	x	
105-A-11	12/5 1031													214	-	545	x	
105-A-12	1033													214	-	553	x	
105-A-13	1036													214	-	532	x	
105-A-14	1037													214	-	551	x	
105-A-15	1039													214	-	548	x	

Released By: A. Anstaett Date: 12/18/2023 Time: 1030
 Signature: (b) (6)


LAB USE ONLY - BELOW THIS LINE

Received By: J. Sadek
 Signature: (b) (6)
 Date: 12/11/23 Time: 9:46 AM PM

Portal Contact Added

7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010
 RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com

23-12-01162



Due Date:
 12/18/2023
 (Monday)
 EL MM-L

ENVIRONMENTAL HAZARDS SERVICES, LLC

Metals Chain of Custody Form

Pg 2 of 2

Company Name	Burns & McDonnell	Account #	26-3514
Company Address	9400 Ward Parkway	City/State/Zip	Kansas City, MO 64114
Phone	314-302-4661	Email	eapulcher@burnsmcd.com aanstaeht@burnsmcd.com
Project Name / Testing Address	GFC / 4300 Goodfellow Blvd		
PO Number	168765	Collected By	
Turn-Around Time	<input checked="" type="checkbox"/> 5 DAY	<input type="checkbox"/> 3 DAY	<input type="checkbox"/> 2 DAY
		<input type="checkbox"/> 1 DAY	<input type="checkbox"/> SAME DAY OR WEEKEND - Must Call Ahead

Client Sample ID	Collection Date & Time	METALS							Other Metals	PARTICULATES				AIR			WIPES AREA Give The Unit of Measurement Used cm or in	
		Pb TCLP	TCLP RCMA 8	RCRA 8 Total	Toxic Metal Profile	Welding Fume Profile	TX 11 TCLP	CA 17 Total		Total Nuisance Dust	Respirable Dust	TSP Gravimetric	TSP Pb	PM 10	Total Time	Flow Rate		Vol
															Mins	L/min		Total liters
105-A-10	12/5 1431							Ag, As, Ba, Cd, Cr, Pb, Se					217	-	559	x		
105-A-17	1432												215	-	559	x		
105-A-18	1433												214	-	545	x		
105-A-19	1434												213	-	544	x		
105-A-20	1430												213	-	547	x		
105-A-21	12/6 1039												214	-	550	x		
105-A-22	1041												214	-	552	x		
105-A-23	1042												214	-	539	x		
105-A-24	1044												214	-	552	x		
105-A-25	1124												-	-	-	x		
105-A-26	1124												-	-	-	x		
105-A-27	1124												-	-	-	x		

Released By: _____ Date: _____ Time: _____
Signature: _____


LAB USE ONLY - BELOW THIS LINE

Received By: Sadler
Signature: (b) (6)
Date: 12/11/23 Time: 9:46 AM PM

Portal Contact Added

7469 WHITEPINE RD, RICHMOND, VA 23237 (800)-347-4010
RESULTS VIA CLIENT PORTAL AVAILABLE @ www.leadlab.com

1162



EHS
Laboratories

Attach Laboratory Label Here