



June 29, 2018

Ms. Diane Czarnecki
Industrial Hygienist
Facilities Management Division
GSA Public Buildings Service – Heartland Region
2300 Main Street
Kansas City, Missouri 64108

**RE: Goodfellow Federal Center - Metals in Air Investigation
Building #107
4300 Goodfellow Boulevard
St. Louis, Missouri 63120
OCCU-TEC Project No. 918004**

Dear Ms. Czarnecki:

Thank you for the opportunity to assist the General Services Administration (GSA) with the Resource Conservation and Recovery Act (RCRA) metals air sampling investigation of the above referenced building located at the Goodfellow Federal Complex, in St. Louis, Missouri. OCCU-TEC understands that the purpose of the investigation was to provide sampling data regarding pre-existing conditions noted in investigation reports previously prepared for the facility. The following report summarizes the sample collection activities and the laboratory analytical results of the samples submitted.

On April 11, 2018, Missouri licensed air sampling professionals from OCCU-TEC conducted air sampling for the presence of seven of the RCRA metals including Silver, Arsenic, Barium, Cadmium, Chromium, Lead, and Selenium in Building 107.

The proposed sampling scheme, the numbers of samples, sample distribution and general methodology was developed based on previous investigation methodology and coordination with the GSA. Sample locations and samples collected from discretionary locations were determined by OCCU-TEC field personnel while on-site.

Resource Conservation and Recovery Act Metals Air Sampling

Air sampling for RCRA metals was collected on 37-millimeter (mm) cassettes with 0.8 micrometer (µm) mixed cellulose ester (MCE) filters using powered air sampling pumps in accordance with National Institute for Occupational Safety and Health (NIOSH) sampling methodology. Samples were collected in a method sufficient to collect a minimum sample volume of 300 liters. Air samples were submitted under chain-of-custody to Scientific Analytical Institute, Inc. (SAI), for independent analysis of RCRA metals according to NIOSH 7300 Method. SAI is accredited by the American Industrial Hygiene Association (AIHA) utilizing the Industrial Hygiene Proficiency Analytical Testing (IHPAT) program. SAI’s IHPAT Laboratory ID is 173190.

Results of the air sampling are summarized in the table below by identifying the range of results for building 107 for each of the seven metals that were sampled. **Samples with a “<” sign indicate that the results were below the laboratory’s method reporting limit.**

Analysis	Lowest Concentration (µg/m ³)	Highest Concentration (µg/m ³)
Silver Ag	<5.6	<5.6
Arsenic As	<0.77	<0.77
Barium Ba	<0.56	<0.56
Cadmium Cd	<0.077	<0.077
Total Chromium Cr	<5.6	<5.6
Lead Pb	<0.40	1.2
Selenium Se	<0.77	<0.77

Results of the air samples collected indicate that **all** of the air samples collected from Building 107 contained concentrations of RCRA metals below the laboratory’s method reporting limit or the OSHA Permissible Exposure Limit (PEL). Sample locations and the corresponding result are summarized in the enclosed in the laboratory analytical results are included in the attached tables. The air sampling professional’s Missouri Lead license is in included in Appendix B.

It should be noted that this air sampling investigation was only a screening of airborne RCRA metals and should not be interpreted or used to determine compliance or non-compliance with OSHA personnel monitoring regulations.

OCCU-TEC appreciates the opportunity to work with GSA on this project. If you have any questions concerning this report, or if we may be of any additional service, please feel free to contact us.

Sincerely,

(b) (6)

Jeff T. Smith
Senior Project Manager

(b) (6)

Kevin Heriford
Project Manager (QA/QC)

Appendices:

- A: Laboratory Analytical Results and Chain of Custody Documentation
- B: Qualifications and Licenses



Appendix A

Laboratory Analytical Report and Chain of Custody Documentation





Airborne Metals Concentration by Inductively-Coupled Plasma Analysis (ICP)

NIOSH Method 7300



Client: Occu-Tec, Inc.
100 NW Business Park Ln.
Riverside, MO 64150

Attn: Justin Arnold

Lab Order ID: 11809545
Date Received: 04/17/2018
Date Reported: 04/27/2018
Date Amended: 05/02/2018

Project: 918004.002

Page: 1 of 3

Sample ID	Description	Volume (L)	Element	Reporting Limit (µg)	Concentration (µg)	Concentration (µg/m ³)
Lab Sample ID	Lab Notes					
107-MetA18-01	1 st Floor column F4	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	<0.13	<0.40
11809545IPA_1			Se	0.25	<0.25	<0.77
107-MetA18-02	1 st Floor column C7	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	<0.13	<0.40
11809545IPA_2			Se	0.25	<0.25	<0.77
107-MetA18-03	1 st Floor column E12	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	<0.13	<0.40
11809545IPA_3			Se	0.25	<0.25	<0.77

Melissa Ferrell/ Daniel Olson

Analyst

(b) (6)

Lab Director

This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by AIHA or any other agency of the U.S. government. Scientific Analytical Institute participates in the AIHA IHPAT program. IHPAT Laboratory ID: 173190. Unless otherwise noted blank sample correction was not performed on analytical results. MDLs are available upon request. Reporting limits stated above.



Airborne Metals Concentration by Inductively-Coupled Plasma Analysis (ICP)

NIOSH Method 7300



Client: Occu-Tec, Inc.
100 NW Business Park Ln.
Riverside, MO 64150

Attn: Justin Arnold

Lab Order ID: 11809545
Date Received: 04/17/2018
Date Reported: 04/27/2018
Date Amended: 05/02/2018

Project: 918004.002

Page: 2 of 3

Sample ID	Description	Volume (L)	Element	Reporting Limit (µg)	Concentration (µg)	Concentration (µg/m ³)
Lab Sample ID	Lab Notes					
107-MetA18-04	1 st Floor column B11	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	0.38	1.2
11809545IPA_4			Se	0.25	<0.25	<0.77
107-MetA18-05	2 nd Floor column E14	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	<0.13	<0.40
11809545IPA_5			Se	0.25	<0.25	<0.77
107-MetA18-06	2 nd Floor column F11	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	<0.13	<0.40
11809545IPA_6			Se	0.25	<0.25	<0.77

Melissa Ferrell/ Daniel Olson

Analyst

(b) (6)

Lab Director

This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by AIHA or any other agency of the U.S. government. Scientific Analytical Institute participates in the AIHA IHPAT program. IHPAT Laboratory ID: 173190. Unless otherwise noted blank sample correction was not performed on analytical results. MDLs are available upon request. Reporting limits stated above.



Airborne Metals Concentration by Inductively-Coupled Plasma Analysis (ICP)

NIOSH Method 7300



Client: Occu-Tec, Inc.
100 NW Business Park Ln.
Riverside, MO 64150

Attn: Justin Arnold

Lab Order ID: 11809545
Date Received: 04/17/2018
Date Reported: 04/27/2018
Date Amended: 05/02/2018

Project: 918004.002

Page: 3 of 3

Sample ID	Description	Volume (L)	Element	Reporting Limit (µg)	Concentration (µg)	Concentration (µg/m ³)
Lab Sample ID	Lab Notes					
107-MetA18-07	2 nd Floor column C8	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	<0.13	<0.40
11809545IPA_7			Se	0.25	<0.25	<0.77
107-MetA18-08	2 nd Floor column F3	323.2	Ag	1.8	<1.8	<5.6
			As	0.25	<0.25	<0.77
			Ba	0.18	<0.18	<0.56
			Cd	0.025	<0.025	<0.077
			Cr	1.8	<1.8	<5.6
			Pb	0.13	<0.13	<0.40
11809545IPA_8			Se	0.25	<0.25	<0.77
107-MetA18-09	Blank	-	Ag	1.8	<1.8	-
			As	0.25	<0.25	-
			Ba	0.18	<0.18	-
			Cd	0.025	<0.025	-
			Cr	1.8	<1.8	-
			Pb	0.13	<0.13	-
11809545IPA_9			Se	0.25	<0.25	-

Melissa Ferrell/ Daniel Olson

(b) (6)

Analyst

Lab Director

This report relates only to the samples tested and may not be reproduced, except in full, without the written approval of SAI. This report may not be used by the client to claim product endorsement by AIHA or any other agency of the U.S. government. Scientific Analytical Institute participates in the AIHA IHPAT program. IHPAT Laboratory ID: 173190. Unless otherwise noted blank sample correction was not performed on analytical results. MDLs are available upon request. Reporting limits stated above.

Appendix B

Qualifications and Licenses





Missouri Department of Health and Senior Services

P.O. Box 570, Jefferson City, MO 65102-0570 Phone: 573-751-6400 FAX: 573-751-6010
RELAY MISSOURI for Hearing and Speech Impaired 1-800-735-2966 VOICE 1-800-735-2466

Peter Lyskowski
Acting Director



Jeremiah W. (Jay) Nixon
Governor

May 27, 2016

Justin Arnold
Occu-Tec, Inc.
100 NW Business Park Lane
Riverside, MO 64150

Dear Licensee:

After review of your renewal application for a license with the Missouri Department of Health and Senior Services' Lead Licensing Program, your application for a Lead Risk Assessor license has been approved.

Enclosed is your Lead Risk Assessor license certificate and photo identification badge. Please have your identification badge with you at all times while conducting lead abatement activities.

Note the date your Lead Risk Assessor license expires. A renewal application and information will be mailed to you approximately three months before your license expiration date and will need to be completed and submitted 60 days prior to the expiration date.

A requirement of renewing your application will be attending a Lead Risk Assessor refresher class. A list of Missouri accredited lead abatement training providers will be included in your renewal packet. Additional information on training and lead abatement in general can be found at <http://health.mo.gov/safety/leadlicensing/index.php>.

Please contact the Lead Licensing Program at (573) 526-5873 or (888) 837-0927 if you have any questions concerning this letter or on lead abatement regulations in general.

Sincerely,

(b) (6)

Angie DeBroeck
Lead Licensing Program

AKD:ss

Enclosures

www.health.mo.gov

Healthy Missourians for
The Missouri Department of Health and Senior Services will be the lead

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER: Services provided on a nondiscriminatory basis.



Expiration Date: N/A

Certificate Number: 7070111MOASP13670

Training Date: 7/1/2011

Missouri State Certificate for Asbestos Related Occupations

issued by Department of Natural Resources

P.O. Box 176

Jefferson City, MO 65102

Phone (573) 751-4817

Justin E. Arnold

has successfully completed the requirements for certification as a AIR SAMPLING PROFESSIONAL. This Missouri State Certification is subject to review and the director may deny, suspend or revoke the certification per RSMo chapter 643.230.

(b) (6)

7/5/2011

Date

Director of Air Pollution Control Program

